

Index to Volumes 26, 27 and 28

(1942, 1943 and 1944)*

SYMPOSIA

1942

January (Chicago)
March (St. Louis)
May (New York)
July (Nationwide)
September (Boston)
November (Philadelphia)

TREATMENT OF COMMON SKIN DISEASES
MEDICAL EMERGENCIES
GASTRO-INTESTINAL DISEASES
INDUSTRIAL MEDICINE
SPECIFIC METHODS OF TREATMENT
ENDOCRINOLOGY

1943

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Philadelphia)

OFFICE GYNECOLOGY
NUTRITION
INFECTIOUS AND TROPICAL DISEASES
PHYSICAL THERAPY
SPECIFIC METHODS OF TREATMENT
MEDICAL EMERGENCIES ON THE HOME FRONT

1944

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Philadelphia)

CARDIOVASCULAR AND BLOOD DISEASES
CHRONIC DISEASES
PSYCHOSOMATIC MEDICINE
CHEMOTHERAPY
SPECIFIC METHODS OF TREATMENT
RECENT ADVANCES IN MEDICINE

ABDOMEN, acute, 1942: May, 773
trauma to, 1942: May, 783
Abdominal angina, 1944: May, 729, 738
blood vessels, diseases, digestive symptoms resulting from, 1944: May, 704
conditions, acute, differential diagnosis, 1943: Nov., 1463
migraine, 1944: May, 733
pain, acute, diagnosis, 1943: Nov., 1456
and colic in infants and children, 1942: May, 734
Abortion, 1942: March, 494
infectious, in domestic animals, 1943: May, 698
septic, penicillin in, 1944: July, 835
sulfonamides in, 1944: July, 827
threatened, 1942: March, 496; 1943: Nov., 1601, 1603
with severe hemorrhage, 1943: Nov., 1603
Abruptio placentae, 1943: Nov., 1607
Abscess, cold, 1942: March, 568, 612

Abscess, ischiorectal, operation for, prevention and management of complications, 1943: Jan., 221
of lung, multiple, staphylococcal bacteremia complicating, penicillin in, 1944: Sept., 1035
Absenteeism rates due to sickness in industry, 1942: July, 1106
Acarophobia, 1942: Jan., 119
Accidents in industry, correlation of psychiatric cases with, 1942: July, 1100
susceptibility to, 1944: May, 653
Achilles tendon, bursitis of, 1943: July, 1143
inflamed, 1943: July, 1143
Achlorhydria, dyspepsia due to, 1944: July, 893
malnutrition due to, 1943: March, 572
Acidophilus in constipation, 1942: May, 796
Acidosis, diabetic, 1942: March, 375
in children, 1942: March, 456

* NOTE: The volume year is given in *italic* type.

Index to Volumes 26, 27 and 28

(1942, 1943 and 1944)*

SYMPOSIA

1942

January (Chicago)
March (St. Louis)
May (New York)
July (Nationwide)
September (Boston)
November (Philadelphia)

TREATMENT OF COMMON SKIN DISEASES
MEDICAL EMERGENCIES
GASTRO-INTESTINAL DISEASES
INDUSTRIAL MEDICINE
SPECIFIC METHODS OF TREATMENT
ENDOCRINOLOGY

1943

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Philadelphia)

OFFICE GYNECOLOGY
NUTRITION
INFECTIOUS AND TROPICAL DISEASES
PHYSICAL THERAPY
SPECIFIC METHODS OF TREATMENT
MEDICAL EMERGENCIES ON THE HOME FRONT

1944

January (Chicago)
March (Nationwide)
May (New York)
July (Mayo Clinic)
September (Boston)
November (Philadelphia)

CARDIOVASCULAR AND BLOOD DISEASES
CHRONIC DISEASES
PSYCHOSOMATIC MEDICINE
CHEMOTHERAPY
SPECIFIC METHODS OF TREATMENT
RECENT ADVANCES IN MEDICINE

ABDOMEN, acute, 1942: May, 773
trauma to, 1942: May, 783
Abdominal angina, 1944: May, 729, 738
blood vessels, diseases, digestive symptoms resulting from, 1944: May, 704
conditions, acute, differential diagnosis, 1943: Nov., 1463
migraine, 1944: May, 733
pain, acute, diagnosis, 1943: Nov., 1456
and colic in infants and children, 1942: May, 734
Abortion, 1942: March, 494
infectious, in domestic animals, 1943: May, 698
septic, penicillin in, 1944: July, 835
sulfonamides in, 1944: July, 827
threatened, 1942: March, 496; 1943: Nov., 1601, 1603
with severe hemorrhage, 1943: Nov., 1603
Abruptio placentae, 1943: Nov., 1607
Abscess, cold, 1942: March, 568, 612

Abscess, ischiorectal, operation for, prevention and management of complications, 1943: Jan., 221
of lung, multiple, staphylococcal bacteremia complicating, penicillin in, 1944: Sept., 1035
Absenteeism rates due to sickness in industry, 1942: July, 1106
Acarophobia, 1942: Jan., 119
Accidents in industry, correlation of psychiatric cases with, 1942: July, 1100
susceptibility to, 1944: May, 653
Achilles tendon, bursitis of, 1943: July, 1143
inflamed, 1943: July, 1143
Achlorhydria, dyspepsia due to, 1944: July, 893
malnutrition due to, 1943: March, 572
Acidophilus in constipation, 1942: May, 796
Acidosis, diabetic, 1942: March, 375
in children, 1942: March, 456

* NOTE: The volume year is given in *italic* type.

- Acidosis, postoperative, 1942: March, 358
 Acne, 1942: Jan., 175, 178
 keloid, radium treatment, 1942: Jan., 135
 vulgaris, vitamin D in, 1942: Jan., 62
 Acnitis, 1942: Jan., 79
 Acrocyanosis, 1942: Sept., 1468
 Acrodynia, thiamine in, 1942: Jan., 54
 Acromegaly, 1942: Nov., 1675, 1691; 1944: March, 477
 Actinomyces, esophagotracheobronchial fistula due to, 1944: July, 1005
 Addison's disease, 1942: March, 391, Nov., 1806; 1944: March, 478
 hypoglycemic crises in, 1943: Nov., 1621
 urine concentration tests, 1944: Sept., 1244
 Addition diet in gastro-intestinal allergy, 1942: May, 748
 Adenitis, cervical, acute, in children, sulfonamides in, 1944: July, 887
 Adenoid bleeding, control of, 1944: Sept., 1120
 bronchiosinusitis in infants and children, 1944: Sept., 1091
 Adenoidectomy in adenoid bronchiosinusitis, 1944: Sept., 1095
 indications for, 1944: Nov., 1332
 Adenoids, gonadal factors, 1944: Nov., 1330
 Adenoma of pituitary, 1942: Nov., 1679, 1698, 1706; 1944: March, 475
 Adenomatous goiter, 1942: Nov., 1733, 1743
 Adenylic acid in nutrition, 1943: March, 483
 Adiposogenital dystrophy, 1942: Nov., 1669, 1835, 1837
 Adjustments to impersonal side of living, 1944: May, 536
 Adrenal cortex extract, 1944: Sept., 1262
 in Addison's disease, 1942: March, 397; 1944: March, 479
 in burns, 1942: March, 513
 in shock, 1942: March, 426
 cortex, tumors of, 1942: Nov., 1811
 crises, in Addison's disease, 1942: Nov., 1809, 1810
 glands, diseases of, 1942: Nov., 1803; 1944: March, 478
 hypoglycemic crises in, 1943: Nov., 1621
 infarction of, 1943: Nov., 1553
 physiology, 1944: Sept., 1237, 1238
 hormones, clinical uses, 1944: Sept., 1260
 insufficiency, 1942: March, 391, Nov., 1806
 medulla, tumors of, 1942: Nov., 1806
 symptoms of central nervous origin, 1942: Nov., 1904
 Adrenal tuberculosis, 1942: March, 608
 virilism, 1942: Nov., 1811
 Adrenocorticotrophic hormone, 1942: Nov., 1664
 Adrenotropic hormone, 1942: Nov., 1664
 Aero-embolism, 1942: July, 1314
 Aero-otitis media, 1942: July, 1214
 African tick fever, 1943: May, 734
 trypanosomiasis, 1943: Nov., 1491
 Agglutination tests in brucellosis, 1943: May, 710
 in Rocky Mountain spotted fever, 1943: May, 730
 in shigellosis, 1943: May, 694
 in typhus fever, 1943: May, 781
 Aging process, effect of local anoxia on, 1944: May, 712
 Agitated depression, 1942: March, 409
 Ainhum, 1943: July, 1150
 Air composition, deviations in industry, 1942: July, 1193
 conditioning, in industry, 1942: July, 1188
 confined, as vehicle of infection, 1944: Nov., 1293
 disinfection, continuous, methods, 1944: Nov., 1306
 in industry, 1942: July, 1193
 infectiousness, respiratory disease and, 1944: Nov., 1300
 motion, measurement, 1942: July, 1182
 pressures, high, effects of, 1942: July, 1213
 purity, in industry, 1942: July, 1192
 sanitation, current progress in, 1944: Nov., 1293
 swallowing, 1942: May, 880
 temperature and humidity, 1942: July, 1181
 Alarm reaction of Selye, asthma and, 1944: Sept., 1082, 1088
 Albumin as diuretic, 1944: Sept., 1181, 1182
 Albumin-globulin ratio, 1942: May, 902
 Albuminuria, chronic, 1943: Jan., 235
 Alcohol injection, subarachnoid, deleterious effects, 1942: Jan., 255
 use of, in hypertension, 1942: Sept., 1428
 in peptic ulcer, 1944: March, 412
 Alcoholic neuritis, 1943: March, 424
 pellagra, 1943: March, 393
 Alcoholism, acute, 1942: March, 411
 nutritional deficiency in, 1943: March, 321
 Alimentary tract, functional disturbances, 1944: March, 418
 Alkali therapy, adjuvant, with sulfonamides, 1944: July, 878
 Alkalies in peptic ulcer, 1944: March, 410

- Allergic arthritis, 1943: Sept., 1331
 asthma, preoperative and postoperative care in, 1944: July, 992
 Allergy as cause of chronic diarrhea in infants, 1944: Sept., 1202
 cutaneous, 1942: Jan., 14, 153
 emergencies due to, 1942: March, 429
 gastro-intestinal, 1942: March, 436, May, 737
 nasal, 1942: March, 434
 physical, 1942: March, 439
 treatment, recent advances, 1944: Nov., 1334
 Alloxan as factor in diabetes, 1944: Sept., 1054
 Alloys, toxic properties, 1942: July, 1281
 Altitudes, high, emergencies due to, 1942: March, 523
 Altrigenderism, 1944: May, 536
 Aluminum hydroxide, drip, 1942: May, 649; 1943: Nov., 1583
 in peptic ulcer, 1944: Sept., 1166
 Amaurosis, hysteric, 1944: May, 691
 Ambinon in hypogonadism, 1942: Nov., 1879
 Amblyopia, hysteric, 1944: May, 691
 toxic, vitamin therapy, 1943: March, 559
 Amebic dysentery, 1943: May, 687, 688, 691, Nov., 1480, 1481; 1944: Nov., 1499, 1507
 Amenorrhea, 1942: Nov., 1831; 1943: Jan., 36; 1944: Sept., 1221
 dysfunctional, 1942: Nov., 1834
 hormone therapy, 1943: Sept., 1374; 1944: Sept., 1225
 in Fröhlich's syndrome, 1942: Nov., 1835
 of ovarian origin, 1942: Nov., 1845
 of pituitary origin, 1942: Nov., 1835
 of uterine origin, 1942: Nov., 1851
 roentgen treatment, 1942: Nov., 1841, 1849
 American mucocutaneous leishmaniasis, 1943: Nov., 1493
 trypanosomiasis, 1943: Nov., 1492
 Ametropia, 1942: Sept., 1611
 Amigen, intravenous use, 1943: March, 313
 oral use, 1943: March, 309
 Amino acids, 1943: March, 303
 Aminophylline in bronchial asthma, 1942: March, 431; 1944: March, 343, 347, 350, 351, Sept., 1089
 in bronchiolitis, acute, in infants, 1944: Sept., 1105
 in coronary thrombosis, 1944: Jan., 6
 in left ventricular failure, 1943: Jan., 140
 Ammonium chloride in congestive heart failure, 1944: March, 385
 Amputation stump, ideal, 1943: July, 1109
 Amputations, after-treatment, physical therapy in, 1943: July, 1109
 hypothermia in, 1943: July, 1173
 Amyotrophic lateral sclerosis, 1944: March, 449
 Andresen diet in hemorrhagic peptic ulcer, 1942: May, 661; 1943: Nov., 1582
 Androgens, assays, diagnostic value, 1942: Nov., 1930
 clinical uses, 1944: Sept., 1257
 in angina pectoris prophylaxis, 1944: Jan., 29
 in eunuchoidism, 1944: March, 482
 in pituitary dwarfism, 1944: March, 476
 Androsterone, 1942: Nov., 1888, 1930
 Anemia, aplastic, 1944: March, 378
 thrombocytopenic purpura in, 1944: Jan., 179
 blood transfusions in, 1944: March, 380
 Cooley's, 1942: Jan., 223
 chronic, treatment, 1944: March, 368
 due to depression of bone marrow, 1944: March, 377
 hemolytic, 1944: March, 378
 congenital, 1942: Jan., 219, Sept., 1453
 of newborn, Rh factor and, 1944: Jan., 244, 246
 hypochromic, idiopathic, 1942: Sept., 1450
 in hemorrhagic peptic ulcer, 1942: Sept., 1451
 in relation to gastro-intestinal disorders, 1942: May, 897
 in sprue, 1943: March, 455
 iron deficiency, 1944: March, 371
 macrocytic, nutritional, 1943: March, 467, 479
 multiple deficiency, 1944: March, 377
 nutritional, 1944: March, 376
 of hypothyroidism, 1944: March, 376
 of pregnancy, 1944: March, 377
 pernicious, 1942: Sept., 1439; 1943: March, 467, 477; 1944: Jan., 214
 liver therapy, 1944: Jan., 277; March, 374
 nervous symptoms, treatment, 1944: March, 446
 refractory, 1944: March, 378
 sickle cell, 1942: Jan., 224; 1944: March, 379
 abdominal symptoms, 1943: Nov., 1474
 treatment, common problems, 1942: Sept., 1439
 Anemometer, 1942: July, 1182, 1183

- Anesthesia, glove or stocking, 1944: May, 687
 hysteric, 1944: May, 684, 687
- Anesthetization of lumbar ganglia in phlebitis, 1943: July, 990
- Aneurysm, aortic, 1942: March, 318; 1943: Sept., 1289
 dissecting, 1944: Jan., 112, May, 735
 cardiac, 1942: May, 919
 cardiovascular, syphilitic, 1944: Jan., 70
 intracranial, 1942: March, 329
- Angina, abdominal, 1944: May, 729, 738
 of effort, 1942: March, 320; 1944: Jan., 22
 pectoris, 1943: Sept., 1286, Nov., 1531; 1944: Jan., 16, 21
 decubitis, 1944: Sept., 1136
 prognosis, 1944: Nov., 1344
- Anginal pain, 1944: Jan., 17
- Angiocardiology, 1944: Nov., 1343
- Angioma cavernosum, radium treatment, 1942: Jan., 134
- Angioneurosis, 1944: May, 722
- Angioneurotic edema, 1942: March, 437; 1944: May, 733, 739
- Angiosclerosis, 1944: May, 722
- Angiotonin, 1944: May, 726
- Anhydremia in children, 1942: March, 454
- Anhydrohydroxyprogesterone, 1944: Sept., 1257
 in threatened abortion, 1942: March, 496
- Aniline dyes in burns, 1943: Sept., 1232, 1239
- Anorectal surgery, complications, prevention and management, 1943: Jan., 209
 tuberculosis, 1942: March, 598
- Anorexia nervosa, 1942: Nov., 1911; 1944: July, 903
 nutritional deficiency in, 1943: March, 322
- Anoscopy, 1942: May, 762
- Anoxia, effects in cerebral arteriosclerosis and aging process, 1944: May, 712
 on emotional control, 1944: May, 704
 in aviation, 1942: July, 1304
 narcosis and, 1944: May, 713
 organ sensitivity to, 1944: May, 712
- Anteron, in hypogonadism, 1942: Nov., 1881
- Anthraco-silicosis, 1942: July, 1239
- Anthraxis, 1942: July, 1239, 1243
- Antidotes, chemical, 1942: March, 464
 universal, 1942: March, 462
- Antigens, injection of, reaction to, 1942: March, 440
- Antihormones, 1944: Sept., 1233
- Antimony in schistosomiasis, 1943: May, 859, 860
 toxic properties, 1942: July, 1301
- Antiseptics, urinary. See under *Urinary tract infections*.
- Erysipelas, 1942: Jan., 90
- Antuitrin-S in hypermenorrhea, 1944: Sept., 1224
 in hypogonadism, 1942: Nov., 1881
- Anuria, emergency aspects, 1942: March, 351; 1943: Nov., 1572
 obstructive, treatment, 1943: Nov., 1573
- Anus, diseases, diagnosis, 1942: May, 755
 pruritus, 1942: Jan., 117
- Anxiety in nutritional deficiency, 1943: March, 435
 neurosis, 1942: Sept., 1620; 1944: May, 672
 manifested by cardiovascular symptoms, 1944: Nov., 1509
 by gastro-intestinal symptoms, 1944: Nov., 1541
- Aorta, abdominal, arteriosclerosis of, 1944: May, 727, 739
 dissecting aneurysm of, 1944: Jan., 112, May, 735
 thrombosis of, 1944: May, 733, 739
 aneurysm, 1942: March, 318; 1943: Sept., 1289; 1944: Jan., 70, 112, May, 735
 angusta, 1944: May, 721
 coarctation of, 1944: Jan., 102
 symptomless, 1942: Jan., 269
 regurgitation, syphilitic, 1944: Jan., 73, 84
 rupture, 1942: March, 331
- Aortitis, syphilitic, 1943: Sept., 1289; 1944: Jan., 70
 aneurysm formation in, 1944: Jan., 71
 arsenotherapy, 1944: March, 305
- Aperiodomenorrhea, 1944: Sept., 1222
 hormone therapy, 1944: Sept., 1225
- A.P.G., 1942: Nov., 1879
- Aphasia in hemiplegia, treatment, 1944: March, 451
- A.P.L., 1944: Sept., 1250
 in hypermenorrhea, 1944: Sept., 1224
 in hypogonadism, 1942: Nov., 1881
 test, 1944: Sept., 1242
 therapeutic, 1944: Sept., 1247
- Aplastic anemia, 1944: March, 378
 thrombocytopenic purpura in, 1944: Jan., 179
- Apoplexy, treatment, 1944: March, 449
- Appendiceal dyspepsia, 1944: March, 421
- Appendicitis, acute, 1942: March, 365, May, 773
- Ariboflavinosis, 1943: March, 399, 495, 514

- Army, dysenteries in, in tropics, 1944:
 Nov., 1497
 feeding of, 1943: March, 581
 foot disorders in, 1943: July, 1129
 gastro-intestinal neuroses in, 1944:
 Nov., 1541
 neurocirculatory asthenia in, 1944:
 Nov., 1509
 physical therapy in, symposium on,
 1943: July, 1024
 primary atypical pneumonia in, in
 tropics, 1944: Nov., 1490
 skin diseases, in tropics, 1944: Nov.,
 1532
 thyroid disease, in soldiers overseas,
 1944: Nov., 1529
- Arrhenoblastoma of ovary, 1942: Nov.,
 1828
- Arrhythmia, cardiac, troublesome and
 crippling attacks, 1944: Sept., 1139
- Arsenic in chronic myeloid leukemia,
 1944: Nov., 1384
 in psoriasis, 1942: Jan., 190
 sensitivity and dermatitis, ascorbic
 acid in, 1943: March, 578
- Arsenical polyneuritis, pyridoxine in,
 1942: Jan., 57
- Arsenicals, organic, thrombocytopenic
 purpura due to, 1944: Jan., 181
- Arsenotherapy, intensive, of early syph-
 ilis, 1944: March, 293
 of latent syphilis, 1944: March, 303
 of cardiovascular syphilis, 1944:
 March, 305
 of chronic myelocytic leukemia, 1944:
 Jan., 196
- Arterial circulation, physical measures to
 improve, 1943: July, 962
 compression, intermittent, 1943: July,
 989
 deficiency, arteriosclerotic, 1942: Sept.,
 1457
 disease, occlusive, physical medicine
 in, 1943: July, 951
 in aged, 1943: July, 1013
 physiologic mechanisms with
 therapeutic implications, 1943:
 Sept., 1402
 embolism, 1942: Sept., 1471
 occlusion, peripheral, 1943: Nov., 1546
 spasm, cerebral, 1942: March, 328
 traumatic, 1942: Sept., 1470
 vasoconstrictions and vasospasms,
 1942: Sept., 1467
- Arteriolar-capillary fibrosis, 1944: May,
 723
- Arteriosclerosis, abdominal, 1944: May,
 719
 symptoms due to, 1944: May, 726
 cerebral, effects of local anoxia on,
 1944: May, 712
 coronary, 1943: Sept., 1285
 etiology, 1944: May, 720
- Arteriosclerosis obliterans, 1942: March,
 334
 ischemic ulcers in, tyrothricin for,
 1944: July, 851, 855
 of abdominal aorta, 1944: May, 727, 739
 pathology, 1944: May, 723
 renal, with hypertensive vascular dis-
 ease, 1943: Jan., 237
- Arteriosclerotic arterial deficiency, 1942:
 Sept., 1457
- Arthralgias, 1943: Sept., 1311
- Arthritides, infections, sulfonamides in,
 1942: Sept., 1529
- Arthritis, 1943: Sept., 1320
 allergic, 1943: Sept., 1331
 backache due to, 1943: July, 1070
 gonorrheal, 1942: Sept., 1531; 1943:
 Sept., 1326
 in child, 1943: Jan., 80
 physical therapy in, 1943: July, 915
 hypertrophic, 1943: Sept., 1338
 of hip, physical therapy in, 1943:
 July, 920
 of spine, physical therapy in, 1943:
 July, 919
 physical therapy, 1943: July, 1002
 hysterical, 1944: May, 687, 688
 infectious, 1943: Sept., 1324
 sulfonamides in, 1942: Sept., 1529;
 1943: Sept., 1327
 metabolic, 1943: Sept., 1328
 neuropathic, 1943: Sept., 1331
 rheumatoid, 1943: Sept., 1332
 advances in study and treatment,
 1944: March, 309
 fever therapy, 1943: July, 1123
 gold salts therapy, 1943: Sept.,
 1336; 1944: March, 316
 histamine and mecholyl iontophore-
 sis in, 1944: March, 319
 physiotherapy in, 1943: July, 1008;
 1944: March, 313
 vitamin D in, 1944: March, 314
- Strümpell-Marie, 1943: Sept., 1338
- syphilitic, 1943: Sept., 1326
 traumatic, 1943: Sept., 1322
 tuberculous, 1943: Sept., 1326
 vitamin D in, 1942: Jan., 62
- Arthroplasty, physical therapy with,
 1943: July, 916
 splint, 1943: July, 916
- Artificial respiration, Schaefer method,
 1942: March, 520
- Asbestosis, 1942: July, 1239, 1257
- Ascorbic acid, assays, 1943: March, 441
 clinical uses, 1942: Sept., 1369
 deficiency, 1943: March, 441
 early, 1943: March, 495
 laboratory diagnosis, 1943: March,
 502
 pathology, 1943: March, 515
 wound healing and, 1943: March,
 561

- Ascorbic acid, enzyme relationships, 1943: March, 283
in arsenic sensitivity and dermatitis, 1943: March, 578
in deficiency diseases, 1943: March, 274
in lead poisoning, 1943: March, 578
in pregnancy, 1943: March, 540
in skin diseases, 1942: Jan., 58
in wound healing, 1943: March, 562, 577
requirements and sources, 1943: March, 295, 442
- Asphyxia, 1942: March, 522
- Aspiration pneumonia, 1942: Jan., 253
- Astasia-abasia, hysteric, 1944: May, 686
- Asthenia, hypertension in, 1944: May, 721
neurocirculatory, 1944: May, 569, 666; Sept., 1133
due to small heart, 1944: May, 577
in soldiers overseas, 1944: Nov., 1509
- Asthma, allergic, preoperative and post-operative care in, 1944: July, 992
bronchial, 1942: March, 439
treatment, 1944: March, 339
cardiac, 1942: Sept., 1411
in children, 1942: March, 452
prolonged, 1942: March, 432
pulmonary complications, postoperative treatment, 1944: July, 995
severe, need for special treatment, 1944: Sept., 1082
treatment, 1942: Sept., 1501
- Asthmatic bronchitis, preoperative and postoperative care in, 1944: July, 994
patients undergoing surgical procedures, experience in care of, 1944: July, 991
- Astigmatism, 1942: Sept., 1603
- A.T. 10, 1944: Sept., 1266
in hypoparathyroidism, 1943: Nov., 1627
- Atabrine in malaria, 1943: May, 627, Sept., 1423, Nov., 1480
- Ataxia, hysteric, 1944: May, 686
- Ataxic gait, tabetic, exercises for, 1944: March, 445
- Atelectasis, emergency aspects, 1942: March, 421
in tuberculosis, 1942: March, 561
- Atheroma, 1944: May, 723, 724
- Athlete's foot, 1942: Jan., 151; 1943: July, 1144; 1944: Nov., 1532
- Atmosphere, environmental, in industry, 1942: July, 1179
- Atony of stomach, 1942: May, 884
- Atopic dermatitis, 1942: Jan., 14, 102, 153
- Atoxyl in African trypanosomiasis, 1943: May, 842
- Atropine in bronchial asthma, 1942: March, 431
in coronary thrombosis, 1944: Jan., 3
in hemorrhagic peptic ulcer, 1942: May, 668
in parkinsonism, 1944: March, 444
- Audiometer tests of hearing, 1944: Nov., 1325, 1326
- Auditory canal, external, furunculosis of, 1944: Sept., 1124
- Aural granulations and polyps, 1944: March, 336
- Auricular fibrillation, digitalis in, 1943: Jan., 145
- Auto-intoxication, intestinal, 1942: May, 791
- Aviation, aeroembolism in, 1942: July, 1314
ear problems in, 1944: Nov., 1320
fatigue in pilots and, 1942: July, 1322
medicine, recent progress, 1942: July, 1303
oxygen administration in, 1942: July, 1304
apparatus for, 1942: July, 1308
personnel, selection of, 1942: July, 1325, 1326
- Awakening, cataplexy of, 1944: July, 945
- Axillary artery, aneurysm of, syphilitic, 1944: Jan., 80
thrombosis, 1942: Sept., 1478
- Azotemia, 1942: May, 904
in kidney disease, treatment, 1944: Sept., 1183
- BACILLARY dysentery, 1943: May, 687, 692, Sept., 1206, 1213, Nov., 1481; 1944: Nov., 1498, 1507
sulfonamides in, 1944: July, 821, Nov., 1507
- Bacillus coli arthritis, sulfonamides in, 1942: Sept., 1544
- Back injuries and infections, physical therapy in, 1943: July, 919
- Backache, differential diagnosis, 1943: July, 1062
in neurasthenia, 1944: May, 674
low, due to lumbosacral instability, 1942: Sept., 1551
management, in military hospitals, 1943: July, 1057
manipulative therapy for, 1943: July, 1071
psychogenic, 1943: July, 1071
- Bacteremia, staphylococcal, penicillin in, 1944: July, 860, Sept., 1031
sulfonamides in, 1942: Sept., 1377, 1380, 1384; 1944: July, 869
- Balance, test for, 1944: July, 937
- Bancroftian filariasis, 1943: May, 862, Nov., 1485

- Bandages, elastic, in congestive heart failure, 1944: March, 386
use of, in after-treatment of amputations, 1943: July, 1115
- Bandaging to prevent edema, 1943: July, 959
- Bang's disease, 1943: May, 698, 702
- Barber's itch, 1942: Jan., 86
- Barbiturates, skin eruption due to, 1942: Jan., 145
- Barium, toxic properties, 1942: July, 1299
- Basal metabolic rate in endocrinology, 1944: Sept., 1244
- Basophilia, punctate, in lead poisoning, 1942: July, 1265
- Basophilism, pituitary, 1942: Nov., 1692; 1944: March, 477
- Bath, colloid. See *Colloid baths*.
contrast, in occlusive arterial disease, 1943: July, 963
- Bayer 205 in African trypanosomiasis, 1943: May, 843
- Behaviorism, 1944: March, 454
- Belching, 1944: March, 419
- Bends, 1942: July, 1222
- Benzedrine sulfate in seasickness, therapeutic evaluation in 100 cases, 1943: Nov., 1652
- Beriberi, 1943: March, 409
vitamin therapy, 1943: March, 274, 417
- Between-meal feedings in industry, 1942: July, 1075
- Bile ducts, dysfunction, 1942: May, 855
- Bilharziasis, 1943: May, 848
- Biliary calculi. See *Cholelithiasis* and *Gallbladder disease*.
colic, 1942: May, 865
drainage by duodenal intubation, 1943: Nov., 1659
dyskinesia, 1942: May, 866, 870
tract diseases, diagnosis, 1943: Nov., 1471
laboratory aids, 1942: May, 899
- Bilirubin test of hepatic function, 1942: Sept., 1401
- Bimanual examination in gonorrhea in women, 1943: Jan., 92
- Biologic oxidation, vitamins and, 1942: Jan., 50
- Biopsy, cervical, 1942: Jan., 210
endometrial, 1943: Jan., 64; 1944: Sept., 1245
in rectocolonic tumor, 1942: May, 770
testicular, 1944: Sept., 1246
- Birth injuries, cerebral palsies due to, 1944: March, 448
- Bismuth in early syphilis, supplementary to arsenicals, 1944: March, 299
in tonsillitis, 1944: Nov., 1332
- Bladder, decompression of, 1943: Nov., 1564
- Bladder, neurogenic, 1943: Nov., 1566
tabetic, treatment, 1944: March, 446
- Blast injuries of ear, 1944: Nov., 1321
- Bleeding time, Duke's method, 1944: Jan., 155
- Blepharitis ciliaris, 1943: March, 556
- Blepharospasm, hysteric, 1944: May, 691
- Blindness, hysteric, 1944: May, 691
simulated, 1944: July, 938
- Blood, chemical values, in health and disease, 1942: Sept., 1406
count, white, peripheral, interpretation of, 1944: July, 920
diseases, diagnosis and treatment, recent advances, 1944: Jan., 148
symposium on, 1944: Jan., 148
dyscrasias, ophthalmoscopic findings, 1944: May, 750
groups, 1944: Jan., 233
pressure, scoring system in industrial poisonings, 1942: July, 1148
substitutes, use of, 1943: Jan., 157, 161
tests in endocrinology, 1944: Sept., 1240
transfusion. See *Transfusion*.
vessels, abdominal, diseases of, digestive symptoms referable to, 1944: May, 719
vitamin levels, 1942: Sept., 1395
- Blood-fluke disease, 1943: May, 848
- Blue nevus, 1944: July, 973
- Blushing, emotions and, 1944: May, 572
- Bockhart's impetigo, 1942: Jan., 87
- Body language, 1943: Nov., 1638
temperature, regulation of, 1942: July, 1179
- Boils, 1942: Jan., 91
- Bone marrow, depression of, 1944: March, 377
examination in thrombocytopenic purpura, 1944: Jan., 158, 167
- Bones, tuberculosis, 1942: March, 605
- Borak's method for roentgen irradiation of pituitary in hyperthyroidism, 1942: Nov., 1764
- Brachial birth palsy, physical therapy in, 1943: July, 917
- plexus, injuries, physical therapy in, 1943: July, 917
- Bradycardia, emotions and, 1944: May, 566
- Brain, tumors, and optic neuritis, papilledema in, 1944: July, 957
vascular accidents, 1943: Nov., 1554
- Breakbone fever, 1943: May, 808; 1944: Nov., 1472
- Breasts, pain in, premenstrual, hormone therapy, 1943: Sept., 1382
- Brewers' yeast, 1942: Sept., 1366; 1943: March, 300
in leukemia, 1944: Nov., 1384

- Bright's disease. See *Nephritis*.
 Brill's disease, 1943: May, 786
 Bromides, skin eruption due to, 1942: Jan., 144
 Bronchial asthma. See *Asthma*.
 relaxation, repeated, in obstructive dyspnea, 1944: March, 339, 350
 Bronchiolitis of infants, 1942: March, 452; 1944: Sept., 1095
 Bronchitis, acute, in infants and children, 1942: Jan., 249
 asthmatic, preoperative and postoperative care in, 1944: July, 994
 capillary, 1942: Jan., 250
 chronic, 1944: March, 348
 Bronchopneumonia in infants and children, 1942: Jan., 251
 Bronch sinusitis, adenoid, in infants and children, 1944: Sept., 1091
 Brucellin, 1943: Jan., 266, May, 716
 Brucellosis, 1943: Jan., 259, May, 698
 arthritis of, sulfonamides in, 1942: Sept., 1546
 diagnosis, 1943: Jan., 262, May, 704
 epidemiology, 1943: Jan., 259, May, 700
 fever therapy in, 1943: July, 920
 treatment and prevention, 1943: Jan., 264, May, 714, 718
 Buerger's disease. See *Thrombo-angiitis obliterans*.
 exercises, 1942: March, 337; 1943: July, 962
 Buerger-Allen exercises, 1942: Sept., 1458; 1943: July, 962
 Bulgarian treatment of von Economo's encephalitis, 1943: May, 648
 Bunion, 1943: July, 1141
 Burns, aniline dyes in, 1943: Sept., 1232, 1239
 blood and blood substitutes in, 1943: Jan., 170
 complications, 1943: Sept., 1240, 1241
 emergency treatment, 1942: March, 509
 local treatment, 1943: Sept., 1231, 1236
 plasma administration in, 1942: March, 510, 513; 1943: Sept., 1231, 1235
 pressure dressing of Koch in, 1943: Sept., 1237
 shock in, 1942: March, 510; 1943: Sept., 1230, 1233
 skin grafting in, 1943: Sept., 1243
 sulfonamides in, 1942: Sept., 1382; 1943: Sept., 1231, 1238
 tannic acid in, 1943: Sept., 1232, 1237
 toxemia of, 1943: Sept., 1236
 treatment, 1943: Sept., 1229
 Bursitis, foot, 1943: July, 1141
 of Achilles tendon, 1943: July, 1143
 Bursitis, subacromial, physical therapy in, 1943: July, 917
 subdeltoid, diathermy in, 1943: July, 1184
 physical therapy in, 1943: July, 917, 1012
 Bush typhus, 1944: Nov., 1464
 CACHEXIA, pituitary, 1944: March, 474
 Cadmium, toxic properties, 1942: July, 1294
 Cafeteria, menus in industry, 1942: July, 1068, 1080
 Caisson disease, 1942: July, 1213
 Calciferol, 1944: Sept., 1265
 Calcium as nutrient, 1943: March, 283
 dietary requirements, 1943: March, 297
 gluconate, colloidal, in sinusitis, 1944: Nov., 1329
 low, neutral, diet, 1944: Sept., 1243
 metabolism, physical therapy and relationships, 1943: July, 1178
 regulating compounds, 1944: Sept., 1263
 therapy in lichen urticatus, 1942: Jan., 166
 in pregnancy, 1943: March, 538
 Calculi, biliary. See *Cholelithiasis* and *Gallbladder disease*.
 Calluses, 1943: July, 1135, 1142
 Caloric requirements, 1943: March, 291
 Capillary fragility tests, 1942: Jan., 59
 resistance test, Rumpel-Leede, 1944: Jan., 157
 Carbarsone in amebic dysentery, 1943: May, 692; 1944: Nov., 1508
 Carbohydrate metabolism, 1943: March, 315
 disorders of, 1943: March, 320
 tolerance tests, 1944: Sept., 1241
 Carbon dioxide, high pressures, effects, 1942: July, 1218
 Carbon monoxide poisoning, 1942: March, 524
 Carbuncle, 1942: Jan., 95
 sulfonamides in, 1942: Sept., 1382; 1944: July, 845
 Carcinoma of cervix, 1942: Jan., 210
 direction of therapeutic effort in, 1941: July, 885
 prophylaxis, 1942: Jan., 215
 of esophagus, esophagotracheobronchial fistula in, 1944: July, 1002
 of intestine, sulfasuxidine in, 1944: July, 823
 of larynx, 1944: March, 323
 of liver, primary, 1942: May, 855
 of rectum, rectosigmoid and colon, errors in diagnosis, 1944: Jan., 278
 of stomach, dyspepsia in, 1944: July, 895, 897

- Carcinoma of stomach, roentgen diagnosis, early, 1944: Nov., 1352
 Cardiac. See also *Heart*.
 asthma, 1942: Sept., 1411
 Cardiophobia, 1944: May, 567
 Cardiospasm, 1942: May, 883; 1944: May, 589, 591
 dyspepsia in, 1944: July, 891
 coronary, 1942: May, 907
 Cardiovascular disease, hypertensive, 1943: Jan., 237, 238, 239
 in aged, physical therapy in, 1943: July, 1013
 ophthalmoscopic findings, 1944: May, 747
 recent advances in, 1944: Nov., 1338
 symposium on, 1944: Jan., 1
 manifestations of anxiety neurosis, 1944: Nov., 1509
 syphilis, arsenotherapy, 1944: March, 305
 system, effect of emotions on, 1944: May, 565
 Caries, dental, fluorine and, 1944: Nov., 1431
 nutrition and, 1943: March, 547
 Castellani's paint, 1944: Nov., 1533
 Castrates, testosterone therapy, 1942: Nov., 1893
 Cataplexy, 1944: March, 442
 of awakening, 1944: July, 945
 Cataract, 1942: May, 958
 vitamin therapy, 1943: March, 559
 Cathartics, irritable colon and, 1942: Jan., 228
 Catheters, urethral, 1943: Nov., 1563, 1564
 Cauda equina, injuries, 1943: July, 1086
 Cedilanid in heart disease, 1944: Nov., 1345
 Celiac disease, 1944: Sept., 1205
 diarrhea due to, 1942: May, 730
 nutritional deficiency in, 1943: March, 322
 Cement dermatitis, 1942: Jan., 26
 Central artery of retina, occlusion of, 1943: Nov., 1552
 nervous system, manifestations of nutritional deficiencies in, 1943: March, 431
 Cephalin-cholesterol flocculation test, 1944: Nov., 1358
 Cerebral arterial spasm, 1942: March, 328
 arteriosclerosis, effects of local anoxia on, 1944: May, 712
 diplegia, 1944: March, 448
 embolism, 1942: March, 328; 1943: Nov., 1554
 hemorrhage, 1942: March, 325; 1943: Nov., 1554; 1944: March, 449
 obesity, 1942: Nov., 1676
 Cerebral palsies of children, treatment, 1944: March, 448
 thrombosis, 1942: March, 327; 1943: Nov., 1554
 Cerebrovascular accidents, 1943: Nov., 1554
 Cervical gland fluid examination in African trypanosomiasis, 1943: May, 839
 Cervicitis, chronic, 1943: Jan., 49, 99
 electrosurgical treatment, 1943: Jan., 52, 99
 Cervix uteri, biopsy, 1942: Jan., 210
 carcinoma. See *Carcinoma of cervix*.
 dilatation, in amenorrhea, 1942: Nov., 1850
 diseases, as cause of leukorrhea, 1943: Jan., 49
 electrosurgery of, 1943: Jan., 6, 53, 103, 105
 erosions, 1943: Jan., 6, 53, 100
 examination, 1942: Jan., 200
 smears from, 1943: Jan., 91
 Cesarean section in eclampsia, 1943: Nov., 1600
 Chagas' disease, 1943: May, 822; 1943: Nov., 1492
 Chancre, 1942: Jan., 65
 Chancroid, sulfonamides in, 1944: July, 835, 845
 Charcot's joint, 1943: Sept., 1331
 Cheilosis in early nutritional deficiencies, 1943: March, 492
 in riboflavin deficiency, 1943: March, 399, 400, 405, 550
 Chemical balance, hormones in maintaining, 1943: Nov., 1615
 poisoning in industry, 1942: July, 1145
 blood pressure scoring system, 1942: July, 1148
 Chemicals, harmful, ill health in industry due to, prevention, 1942: July, 1145
 Chemotherapy in bacteremia, 1944: July, 869
 in compound fractures, 1942: March, 491
 in dermatology, 1944: July, 844
 in infectious arthritides, 1942: Sept., 1529; 1943: Sept., 1327
 in intestinal diseases, 1944: July, 811
 in mastoiditis, 1944: July, 799
 in meningococcal infections, 1942: Sept., 1384; 1943: Sept., 1204, 1205, 1253, Nov., 1500; 1944: July, 869
 in obstetrics and gynecology, 1944: July, 827
 in ophthalmology, 1944: July, 789
 in otolaryngology, 1944: July, 789
 in pediatrics, 1944: July, 882
 in pneumonia, 1942: Sept., 1379, 1382, 1383, 1487, 1489; 1943: Sept., 1299, Nov., 1452; 1944: July, 805, Sept., 1068

- Chemotherapy in sinusitis, 1942: Sept., 1518, 1527
in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1203, 1253
in urinary tract infections, 1943: Sept., 1254, Nov., 1457; 1944: July, 825
intra-peritoneal, in gynecology, 1944: July, 833
parenteral use, in children, 1944: July, 883
present status, 1942: Sept., 1375; 1943: Sept., 1247
symposium on, 1944: July, 789
Chickenpox, 1943: Nov., 1528
Chigoe flea bites, 1943: July, 1150
Childbirth. See *Labor*.
Children, diseases, sulfonamides in, 1944: July, 882
emergencies of, 1942: March, 445
feeding of, 1943: Sept., 1355
refusal of food by, management, 1943: Sept., 1369
respiratory tract diseases in, 1942: Jan., 237
skin diseases in, 1942: Jan., 163
Chiniofon in amebic dysentery, 1943: May, 691; 1944: Nov., 1508
Chlorhydroxyquinoline in impetigo contagiosa, 1942: Jan., 171
Chlorides, loss of, at operation, 1942: March, 357
Cholecystitis, 1942: May, 778; 1943: Nov., 1583. See also *Gallbladder disease*.
Cholera, 1943: May, 766, Nov., 1490
treatment and prevention, 1943: May, 769, 773, Nov., 1490
Cholesteatoma, 1944: March, 335
Cholesterol studies, 1942: May, 901
Chorea, physical therapy in, 1943: July, 915
Choriomeningitis, lymphocytic, 1943: Nov., 1517
Chorionic gonadotropins, 1942: Nov., 1880, 1881; 1943: Jan., 10, 28, 31; 1944: Sept., 1250
hormone in hypermenorrhea, 1944: Sept., 1224
Chorioretinitis, 1943: March, 557
Christmas tree dermatitis, 1942: Jan., 18
Chrome dermatitis, 1942: Jan., 25, July, 1288
hole, 1942: July, 1288
Chromium, toxic properties, 1942: July, 1285
Chronic diseases, mental hygiene of, 1944: March, 434
psychosomatic study in, 1943: Nov., 1636
symposium on, 1944: March, 291
Chrysanthemum dermatitis, 1942: Jan., 16
Chrysarobin in psoriasis, 1942: Jan., 189
Circulation, adequacy, use of fluorescein to determine, 1942: May, 943
Circulatory system, depressants, poisoning by, 1942: March, 466
disorders, psychosomatic factors in, 1944: May, 565
Clavus hystericus, 1944: May, 687
Clay-shoveler's fracture, 1943: July, 1080
Cleansers, skin, in industry, 1942: July, 1195, 1203
list of, giving composition, 1942: July, 1211
synthetic wetting agents and detergents, 1942: July, 1204
Climacteric. See also *Menopause*.
male, 1942: Nov., 1891; 1944: March, 483
Clorarsen in early syphilis, 1944: March, 299
Clot retraction test, 1944: Jan., 156
Coagulation time, Howell's method, 1944: Jan., 155
Coarctation of aorta, 1944: Jan., 102
symptomless, 1942: Jan., 269
Cobalt as nutrient, 1943: March, 285
Coccidioid granuloma, 1943: May, 794, 798
Coccidioides immitis, 1943: May, 790
Coccidioidin serological tests, 1943: May, 802
skin test, 1943: May, 800
Coccidioidomycosis, 1943: May, 790
Coccygodynia, physical therapy in, 1943: July, 920
Cod liver oil, 1943: March, 354
in rickets, 1943: March, 279
Coenzymes, 1943: March, 279
Coffee, permissibility, in peptic ulcer, 1944: Nov., 1351
Cold abscess, 1942: March, 568, 612
Cold, application of, in military practice, 1943: July, 1166
Cold, common, glycol vapors for control, 1944: Nov., 1328
in armed forces in S. Pacific, 1944: Nov., 1420
in infants and children, 1942: Jan., 237; 1943: Nov., 1525
complications, sulfonamides in, 1944: July, 889
emotional factors in, 1944: May, 603
patulin in, 1944: Nov., 1328
treatment, 1944: Sept., 1111
Colic, biliary, 1942: May, 865
diagnostic import, 1943: Nov., 1464
in infants, 1942: March, 457, May, 734; 1943: Nov., 1524
renal, 1942: March, 347; 1943: Nov., 1569

- Colitis, functional, 1944: March, 418
 mucous, 1942: May, 805; 1944: March, 418
 spastic, 1944: March, 418
 ulcerative, arthritis of, sulfonamides in, 1942: Sept., 1548
 due to lymphogranuloma venerea, sulfonamides in, 1944: July, 815
 nonspecific, as a psychosomatic disease, 1944: May, 593
 regional, sulfonamides in, 1944: July, 816
 streptococcal, sulfonamides in, 1944: July, 811
 sulfonamides in, 1943: Jan., 190, 193
 Collapse therapy in tuberculosis, 1942: March, 546
 Colloid baths in lichen urticatus, 1942: Jan., 167
 in pruritus, 1942: Jan., 116
 Colon, carcinoma, errors in diagnosis, 1944: Jan., 278
 diseases, diagnostic pitfalls, 1942: May, 755
 diverticulitis, acute, 1942: March, 372
 infectious diseases, sulfonamides in, 1943: Jan., 189
 irritable, 1942: Jan., 227, May, 805; 1943: Sept., 1385; 1944: March, 418
 significance in management of cardiac disease, 1944: Jan., 109
 Colposcopy, 1942: Jan., 213
 Coma, hysteric, 1944: May, 690
 Comma bacillus, 1943: May, 766
 Communicable diseases of infants, 1943: Nov., 1530
 sulfonamides in, 1944: July, 888
 Compensation, workmen's. See *Workmen's compensation.*
 Complement fixation test in American trypanosomiasis, 1943: May, 829
 in typhus fever, 1943: May, 781
 Compressed air illness, prevention and treatment, 1942: July, 1213, 1219
 Compression sponge in prevention of edema, 1943: July, 961
 Compulsion neurosis, 1942: Sept., 1622
 Compulsive-obsessive personality, 1944: May, 545
 Concentration test of renal function, 1942: Sept., 1398
 Condyloma acuminatum, 1942: Jan., 194
 latum, 1942: Jan., 68
 Congenital malformations as cause of chronic diarrhea in infants, 1944: Sept., 1195
 Conization of cervix, 1943: Jan., 53, 105
 Conjunctivitis, 1942: May, 956
 diet as cause, 1943: March, 556
 gonorrheal, sulfonamides in, 1944: July, 793, 886
 in pellagra, 1943: March, 389
 Conjunctivitis, inclusion, sulfonamides in, 1944: July, 793
 lymphogranuloma venereum, sulfonamides in, 1944: July, 794
 shipyard, 1943: Nov., 1641
 Constipation in functional disorders of digestive tract, 1944: March, 420
 in infants and children, 1942: May, 732; 1943: Nov., 1524
 nature and treatment, 1942: May, 787
 Contact dermatitis, 1942: Jan., 13, 154
 Contractures, hysteric, 1944: May, 685, 686, 698
 Contrast baths in occlusive arterial disease, 1943: July, 963
 Convalescent serum, types, doses and indications, 1943: Jan., 157, 158
 Conversion hysteria, 1944: May, 532
 Convulsions, hysteric, 1944: May, 690, 698
 in infancy and childhood, 1942: March, 445; 1943: Nov., 1530
 simulated, 1944: May, 702, July, 940
 Convulsive disorders, treatment, 1944: March, 440
 Cook's emulsion base, 1942: Jan., 116
 Cooley's anemia, 1942: Jan., 223
 Copper as nutrient, 1943: March, 284
 Cornea, lesions, 1942: May, 954, 957
 ulcers, vitamin therapy, 1943: March, 558
 Corns, 1943: July, 1142
 plantar, 1943: July, 1135
 treatment, in diabetes, 1944: July, 980
 Coronary arteriosclerosis, 1943: Sept., 1285
 artery disease, 1944: Nov., 1344
 digitalis in, 1944: July, 905
 in hypertension, 1943: Sept., 1263
 insufficiency, 1942: May, 907
 emergency aspects, 1942: March, 319
 ostia, stenosis of, in syphilitic aortitis, 1944: Jan., 73
 thrombosis, 1942: Sept., 1414; 1943: Nov., 1531, 1533; 1944: Jan., 1
 Corticosterone, 1942: Nov., 1805
 Cough in infants and children, 1942: Jan., 241
 Cretinism, 1944: March, 467
 Croup, 1942: March, 447
 in infants, 1943: Nov., 1526
 spasmodic, 1942: Jan., 248
 Cryptorchidism with hypogonadism, 1942: Nov., 1877, 1880
 Cultures, material for, obtaining in gonorrhea in female, 1943: Jan., 90
 Cushing's syndrome, 1942: Nov., 1692, 1811; 1944: March, 477
 Cutaneous. See *Skin.*
 Cutis marmorata, 1942: Sept., 1469
 Cyanosis in congenital heart disease, 1944: Jan., 100
 Cycloid personality, 1944: May, 541, 542

- Cystitis, gonorrheal, 1943: Jan., 88
interstitial, clinical aspects and treatment, 1944: July, 1008
silver nitrate in, 1944: July, 1013
Cystotomy, suprapubic, 1943: Nov., 1565
Cysts, ovarian, 1942: Nov., 1818
Rathke's cleft, 1942: Nov., 1680
- DARIER's disease, vitamin A in, 1942: Jan., 53
Dark adaptation in vitamin A deficiency, 1942: May, 968
poor, 1943: March, 355, 554
Deafness, hearing tests and, 1944: Nov., 1324
in aviators, 1944: Nov., 1320
in childhood, irradiation for, 1944: March, 337
simulated, 1944: July, 939
vitamin therapy, 1944: Nov., 1325
Debaryomyces neoformans, 1944: July, 950
Débridement of wound in compound fractures, 1942: March, 483, 486
Decompression following exposure in compressed air, 1942: July, 1226
of bladder, 1943: Nov., 1564
Deficiency diseases, early, recognition and treatment, 1943: March, 485
in industrial workers, 1942: July, 1072
laboratory diagnosis, 1943: March, 501
pathology, 1943: March, 509
role of gastro-intestinal tract in conditioning, 1943: March, 519
Dehydration, diagnostic import, 1943: Nov., 1466
in diabetic acidosis, 1942: March, 377
postoperative, 1942: March, 356
with intestinal intoxication in children, 1942: March, 454
Dehydrocholesterol, activated, 1942: Jan., 60
Delirium, electroencephalographic changes in, 1944: May, 632
physiologic and psychologic considerations, 1944: May, 629
Delivery. See *Labor*.
Dementia praecox, 1942: March, 409; 1944: May, 533, 667
Dengue fever, 1943: May, 808, Nov., 1483; 1944: Nov., 1471
Dental caries, diet and, 1943: March, 547
fluorine and, 1944: Nov., 1431
Dermacentroxenus rickettsi, 1943: May, 723
Dermatitis, atopic, 1942: Jan., 14, 102, 153
chrome, 1942: July, 1288
contact, 1942: Jan., 13, 154
Dermatitis, eczematous, 1942: Jan., 13
"emotional," of fingers, 1942: Jan., 155
hair-dye, 1942: Jan., 98
herpetiformis, sulfonamides in, 1944: July, 846
industrial, 1942: Jan., 21
nonsensitization, 1942: Jan., 13
papillaris capillitii, radium treatment, 1942: Jan., 135
pellagrous, 1943: March, 382
seborrheic, 1942: Jan., 180
sensitization, 1942: Jan., 13, 14
supposedly psychogenic, 1942: Jan., 101
venenata, 1942: Jan., 13
in soldiers in tropics, 1944: Nov., 1535
Dermatology, sulfonamides in, indications and limitations, 1944: July, 844
Dermatomycosis pedum, 1943: July, 1144
Dermatophytosis, 1942: Sept., 1459, 1465
Dermatoses, toxic, 1942: Jan., 139
Dermoid tumor of ovary, pregnancy complicating, in young girl, 1943: Jan., 23
Desoxycorticosterone acetate, 1942: Nov., 1804; 1944: Sept., 1261
in Addison's disease, 1942: March, 397, 398, Nov., 1809; 1944: March, 479
pellet implantation, 1942: March, 399
Desoxyephedronium sulfathiazole in sinusitis, 1944: Nov., 1328
Detergents in industry, 1942: July, 1203
list of, with description, 1942: July, 1204
Diabetes insipidus, 1942: Nov., 1658; 1944: March, 478
neurogenic factors, 1942: Nov., 1906
urine concentration tests, 1944: Sept., 1244
Diabetes mellitus, 1942: Nov., 1785
acidosis in, 1942: March, 375
alloxan and, 1944: Sept., 1054
causes of death in, 1944: Sept., 1061
diet in, 1942: Nov., 1789; 1944: Sept., 1059
etiology, 1943: March, 323
gangrene of, 1942: Sept., 1461
preinsulin and insulin eras, comparison, 1944: July, 978
treatment, 1944: July, 981
insulin in, 1942: Nov., 1793; 1944: Sept., 1060
neurogenic factor, 1942: Nov., 1902
protamine-zinc insulin in, 1942: Nov., 1794; 1944: Sept., 1060
retinitis in, 1944: May, 749
Selective Service studies, 1944: Sept., 1055
treatment, 1942: Nov., 1788; 1944: Sept., 1054

- Diabetes mellitus, tuberculosis and, association of, 1944: March, 493
- Diabetogenic hormone. 1942: Nov., 1664
- Diagnosis, laboratory aids, 1942: Sept., 1391
- Diaminodiphenylsulfone in pneumonia, 1944: July, 810
- Diaphragmatic hernia, dyspepsia in, 1944: July, 892
- Diarrhea, chronic, in infants and children, 1944: Sept., 1189
- nature and treatment, 1942: May, 798
- deficiency state due to, 1943: March, 524, 571
- in functional disorders of digestive tract, 1944: March, 420
- in infants and children, 1942: May, 727, 730
- in sprue, 1943: March, 454
- psychic factors in, 1944: May, 597
- Diathermy, calcium metabolism and, 1943: July, 1183
- short wave, in carbuncle, 1942: Jan., 96
- in occlusive arterial disease, 1943: July, 967
- Dick test in scarlet fever, 1943: May, 666
- toxin in scarlet fever, 1943: May, 668
- Diencephalic syndrome, hypertension with, 1943: Sept., 1261
- Diet, Andresen, 1942: May, 661; 1943: Nov., 1582
- Army, 1943: March, 581
- basic, for sick patients, 1943: March, 576
- bland, low residue, for constipation and diarrhea, 1942: May, 794
- eye lesions and, 1943: March, 553
- fatigue and, 1942: July, 1067
- for infants, 1943: Sept., 1361
- for older children, 1943: Sept., 1361
- for sick child, 1943: Sept., 1366
- in celiac disease, 1944: Sept., 1206
- in deficiency diseases, 1943: March, 531
- in diabetes mellitus, 1942: Nov., 1789; 1944: Sept., 1059
- in functional disorders of digestive tract, 1944: March, 423
- in hyperinsulinism, 1942: Nov., 1800
- in hypertension, 1942: Sept., 1427
- in irritable stomach and colon, 1943: Sept., 1388, 1390, 1394
- in kidney disease, 1944: Sept., 1178
- in liver dysfunction, 1942: May, 844, 849
- in peptic ulcer, 1942: May, 648, 661; 1944: March, 407, Nov., 1531
- in pregnancy, 1943: March, 537, 574
- in renal disease, 1943: Jan., 243
- in rheumatoid arthritis, 1944: March, 312
- Diet in spastic colon, 1942: May, 813
- in sprue, 1943: March, 462, 463
- inadequate, malnutrition due to, 1943: March, 521, 575
- Meulengracht, 1942: May, 661; 1943: Nov., 1582
- neutral low calcium, 1944: Sept., 1243
- reduction, 1943: March, 345, 346
- requirements of, 1943: March, 288, 299
- Sippy, modified, 1943: Nov., 1581
- teeth and, 1943: March, 545
- therapeutic, malnutrition due to, 1943: March, 522, 575
- vitamins in, 1942: Sept., 1347
- weight building, for children, 1943: Sept., 1368
- worker's, 1942: July, 1068, 1076, 1079, 1154
- Diethylstilbestrol. See *Stilbestrol*.
- Dietitian in industrial plant, 1942: July, 1079
- Digestive disorders of infants and children, 1942: May, 725
- system, functional disturbances, 1944: March, 418
- symptoms referable to, resulting from diseases of abdominal blood vessels, 1944: May, 719
- Digifoline, 1943: Jan., 153
- Digilamid, 1942: May, 934; 1943: Jan., 153
- Digitalis, dosage and administration, 1943: Jan., 152
- glycosides, use of, 1942: May, 929
- in congestive heart failure, 1944: March, 382
- in coronary artery disease, 1944: July, 905
- pure forms, use of, 1944: Nov., 1345
- therapy, recent advances, 1942: May, 929
- toxic effects, 1943: Jan., 149
- uses and abuses, 1943: Jan., 143
- Digitus quinti varus. 1943: July, 1134
- Digitoxin, 1942: May, 938; 1943: Jan., 153
- Digoxin, 1942: May, 937
- Dihydrotychsterol, 1944: Sept., 1266
- in hypoparathyroidism, 1943: Nov., 1627; 1944: March, 472
- Dilatation of stomach, acute, 1942: March, 364
- Dilution test of renal function, 1942: Sept., 1399
- Diodoquin in amebiasis, 1943: May, 691
- Diphenylhydantoin sodium in convulsive disorders, 1944: March, 441
- Diphtheria, 1943: Nov., 1529
- epidemiology, 1943: May, 651
- exudate of, 1942: March, 448

- Diphtheria, immunization, 1943: May, 653, 659
in armed forces in S. Pacific, 1944: Nov., 1421
Schick test, 1943: May, 656, 659
Diplegia, cerebral, 1944: March, 448
Disama dia tulu, 1943: May, 841
Discomfort, gastro-intestinal, of functional origin, 1944: March, 419
Dislocations, physical therapy in, 1943: July, 914
Diuresis in congestive heart failure, mer-salyl and theophylline orally for, 1944: July, 911
Diuretics in congestive heart failure, 1944: March, 384
in kidney disease, 1944: Sept., 1180
mercurial, intravenous, toxic effects, 1944: Nov., 1346
Divers, deep-sea, compressed air illness in, 1942: July, 1213
Diverticula of esophagus, 1942: May, 889
Diverticulitis of colon, acute, 1942: March, 372
sulfonamides in, 1944: July, 823
Dress shield dermatitis, 1942: Jan., 17
Drip feeding, 1942: May, 649
Drug eruptions, 1942: Jan., 141, 142
reaction, serum transfusion in, 1943: Jan., 169
sensitivity, vitamin C in, 1942: Jan., 59
Ductus arteriosus, patent, 1944: Jan., 98, 102
congenital, evaluation of surgical treatment, 1944: March, 388
x-ray signs, 1944: Nov., 1352
Duodenal drainage in liver dysfunction, 1942: May, 844, 847, 899
feeding in peptic ulcer, 1942: May, 654
intubation, biliary drainage by, 1943: Nov., 1659
ulcer, 1942: May, 645. See also *Peptic ulcer*.
differential diagnosis, 1943: Jan., 195
dyspepsia in, 1944: July, 897
Dust, house, allergy to, 1944: Nov., 1334
Dust-suppressive measures for reducing infectivity of air, 1944: Nov., 1312
Dwarfism, pituitary, 1942: Nov., 1668; 1944: March, 476
Dye typing for differentiation of brucella, 1943: May, 600
Dyschesia, 1942: May, 790
Dysentery, 1943: May, 687; 1944: Nov., 1497
amebic, 1943: May, 687, 688, 691, Nov., 1480, 1481; 1944: Nov., 1499, 1507
bacillary, 1943: May, 687, 692, Sept., 1206, 1213, Nov., 1481; 1944: Nov., 1498, 1507
prevention, in military forces, 1941: Sept., 1469
Dysentery, bacillary, sulfonamides in, 1942: Sept., 1386; 1943: May, 695, Sept., 1207, 1208, 1216, 1254, Nov., 1482; 1944: July, 821, Nov., 1507
for arthritis, 1942: Sept., 1547
in children, sulfonamides in, 1944: July, 888
Dyskinesia, biliary, 1942: May, 866, 870
Dysmenorrhea, 1943: Jan., 34
hormone therapy, 1943: Jan., 34, Sept., 1376
pessaries in, 1943: Jan., 114
Dyspepsia, 1944: July, 891
appendiceal, 1944: March, 421
fermentative, intestinal, 1942: May, 800
from extragastric systemic disease, 1944: July, 902
from organic disease or abnormalities of stomach, esophagus or duodenum, 1944: July, 891
functional, 1944: March, 418, July, 902
gallbladder, 1944: March, 421
in military personnel, 1944: Nov., 1353
reflex, 1944: July, 900
Dysphagia in syphilitic aortic aneurysm, 1944: Jan., 75
Dyspnea, obstructive, 1944: March, 339, 340
Dyspragia intermittens angiosclerotica intestinalis, 1944: May, 729, 738
Dyssebacia in early nutritional deficiencies, 1943: March, 490
in pellagra, 1943: March, 385
Dystrophia adiposogenitalis, 1942: Nov., 1669, 1835, 1837; 1944: March, 474
EAGLE systems in early syphilis, 1944: March, 299
Ear, blast injuries, 1944: Nov., 1321
cholesteatoma, 1944: March, 335
diseases of, chronic, 1944: March, 330, 334
recent advances in, 1944: Nov., 1320
sulfonamides in, 1944: July, 797
local use, 1944: July, 800
treatment by general practitioner, 1944: Sept., 1108
granulations and polyps, 1944: March, 336
problems in aviators, 1944: Nov., 1320
Earache, 1944: Sept., 1124
Eardrum, perforations, 1944: March, 334
Ears, draining, treatment, 1944: Sept., 1125, 1126
itching, treatment, 1944: Sept., 1123
swimming in relation to, 1944: Sept., 1126
Eclampsia, 1943: Nov., 1596, 1599

- Ecthyma, 1942: Jan., 88
sulfathiazole in, topically, 1944: July, 847
- Ectopic pregnancy, 1943: Nov., 1601, 1603
- Eczema, atopic, 1942: Jan., 14, 102, 153
impetiginized, 1942: Jan., 106
nuchae, 1942: Jan., 105
of anus, 1942: Jan., 106
varicose, with eczematids, 1942: Jan., 105
- Eczema-dermatitis, treatment, in adults, 1942: Jan., 97
- Eczematoid ringworm, 1942: Jan., 107
- Eczematous dermatitis, 1942: Jan., 13
- Edema, angioneurotic, 1942: March, 437; 1944: May, 733, 739
in congestive heart failure, prevention and treatment, 1944: March, 384
nephrotic, 1943: Jan., 245; 1944: Sept., 1181
nutritional, 1943: March, 307
of glottis, 1942: March, 524
prevention, in peripheral vascular disease, 1943: July, 958
pulmonary, 1942: March, 422
acute, in congestive heart failure, 1944: March, 386
- Efficiency test of hearing, 1944: Nov., 1321
- Effleurage in fibrositis, 1943: July, 906
- Effort syndrome, 1944: May, 569
due to small heart, 1944: May, 577
thrombosis, 1942: Sept., 1478
- Ego structure, modification, as cause of increase in gastro-intestinal disorders in World War II, 1944: May, 561
- El tabardillo, 1943: May, 775
- Electric convulsive therapy of mental disease, 1943: July, 1019
- Electricity, injuries by, 1942: March, 519
- Electrocardiography in cardiac aneurysm, 1942: May, 925
in heart block, 1944: Jan., 56
in rheumatic heart disease, 1944: Jan., 130
recent advances, 1944: Nov., 1339
- Electrocauterization of cervix, 1943: Jan., 6, 53, 103
- Electrocoagulation of cervix, 1943: Jan., 103
- Electroencephalography in delirium, 1944: May, 632
in stuttering, 1944: May, 619
- Electrolytes, loss of, at operation, 1942: March, 357
- Electrophysiology of muscle, 1943: July, 936
- Electrosurgery in chronic cervicitis, 1943: Jan., 6, 53, 99
- Electrotherapy in neuroses, 1944: March, 462, 465
- Electrotherapy in peripheral nerve injuries, 1943: July, 1100
- Elephantiasis, 1943: May, 865
treatment, 1943: May, 867
- Elephantoid fever, 1943: May, 864
- Embolism, 1943: Nov., 1545
arterial, 1942: Sept., 1471; 1943: Nov., 1545
cerebral, 1942: March, 328; 1943: Nov., 1554
heparin in prevention, 1942: Sept., 1475
mesenteric, 1942: March, 334; 1943: Nov., 1552
pulmonary, 1942: March, 330, 415; 1943: Nov., 1550
- Emergencies, medical, symposium on, 1942: March, 315
on home front, symposium on, 1943: Nov., 1447
- Emetine in amebic dysentery, 1943: May, 691; 1944: Nov., 1507, 1508
in schistosomiasis, 1943: May, 860
- Emmetropia, 1942: Sept., 1603
- Emotional control, impairment, produced both by lowering and raising oxygen pressure in atmosphere, 1944: May, 704
dermatitis, 1942: Jan., 155
problems, 1943: Nov., 1634
upsets, and irritable colon, 1942: Jan., 229
- Emotions as factors in some young children's colds, 1944: May, 603
in ulcerative colitis, 1944: May, 594
disturbances of gastro-intestinal disorders due to, 1944: Sept., 1154
effect on cardiovascular system, 1944: May, 565
relationship to physiologic processes, 1944: March, 356
role in hysterical symptoms, 1944: May, 555
tangibility of, 1944: May, 546
- Emphysema, pulmonary, obstructive, 1944: March, 356
- Emprosthotonos, hysteric, 1944: May, 690
- Empyema, sulfonamides in, 1942: Sept., 1379
- Encephalitis, 1943: Nov., 1497, 1506
epidemic, of North America, 1943: May, 632
- Encephalitis, 1943: Nov., 1506
eastern equine type, 1943: Nov., 1511
epidemic, 1943: May, 632, Nov., 1507
arthropod-borne virus types, 1943: May, 633
serological tests, 1943: May, 642
vaccines in prevention, 1943: May, 645

- Encephalitis, epidemic, neurological residuals, 1943: Nov., 1509
 St. Louis type, 1943: May, 633, Nov., 1509
 summer type, 1943: Nov., 1509
 Von Economo's type, 1943: May, 646, Nov., 1507
 western equine type, 1943: May, 633, Nov., 1512
- hemorrhagic, postinfectious, 1943: Nov., 1517
 Japanese, 1943: Nov., 1513
 lethargica, 1943: May, 632, Nov., 1507
 Russian, 1943: Nov., 1513
- Endamoeba histolytica, 1943: May, 688
- Endarteritis obliterans, physical medicine in, 1943: July, 951
- Endocarditis, bacterial, subacute, 1944: Jan., 86, Sept., 1132
 arthritis of, sulfonamides in, 1942: Sept., 1548
 vegetative and ulcerative, clinical and pathological conference at Cook County Hospital, 1942: Jan., 296
- Endocrine diagnostic procedures, 1944: Sept., 1240
 disturbances, acute, 1943: Nov., 1614
 chronic, 1944: March, 467
 hypertension in, 1943: Sept., 1262
 hypoglycemic crises in, 1943: Nov., 1617
 factors in pathogenesis of peptic ulcer, 1942: May, 683
 problems in gynecological practice, 1943: Jan., 9, 27
 syndromes of central nervous origin, 1942: Nov., 1897
 therapy in amenorrhea, 1942: Nov., 1839, 1848, 1852
 in frontal headaches in girls and women, 1944: Nov., 1329
 in gynecological disorders, 1943: Jan., 27, Sept., 1373; 1944: Sept., 1223
 in male hypogonadism, 1942: Nov., 1867
 in male sterility, 1942: Nov., 1863
 in menopausal arthralgia, 1943: Sept., 1316
 in menstrual disorders, 1944: Sept., 1223
 in ovarian cysts, 1942: Nov., 1822
 in peptic ulcer, 1944: Nov., 1349
 in psychoses, 1942: March, 407
- Endocrinology, symposium on, 1942: Nov., 1655
 syndromes masquerading under, 1944: Sept., 1273
 synopsis of normal and pathologic physiology, diagnostic procedures and therapy, 1944: Sept., 1232
- Endometrial biopsy, 1943: Jan., 64; 1944: Sept., 1245
- Enemas, avoidance in functional disorders of digestive tract, 1944: March, 426
 irritable bowel due to, 1942: Jan., 228
- Enfermedad de Chagas, 1943: May, 822
- Enteritis, regional, sulfonamides in, 1944: July, 819
 segmental, 1942: May, 775
- Enterogastrone in peptic ulcer, 1942: May, 653; 1944: Nov., 1349
- Enzymes, 1943: March, 279
 pancreatic, 1942: May, 899
 vitamin relationships, 1943: March, 280
- Eosinophilia, clinical occurrence, 1944: July, 915
- Ephedrine sulfate in pulmonary emphysema, 1944: March, 365
- Epidemic diseases in wartime, 1943: Sept., 1201
- Epidermophytosis of feet, 1942: Jan., 151
 in soldiers in tropics, treatment, 1944: Nov., 1532
 simulating industrial dermatitis, 1942: Jan., 26
- Epidural hemorrhage, 1943: Nov., 1557
- Epinephrine, 1944: Sept., 1263
 in bronchial asthma, 1942: March, 429; 1944: Sept., 1089
 in bronchiolitis, acute, in infants, 1944: Sept., 1105
 inhalation, in bronchial asthma, 1944: March, 346, 350
- Epistaxis, gonadal relationships, 1944: Nov., 1330
 in infants and children, 1942: Jan., 243, March, 453
 treatment, 1944: Sept., 1116
- Epithelioma, basal cell, radium treatment, 1942: Jan., 135
- Ergotism, 1942: March, 340
- Erosions, cervical, 1943: Jan., 49, 100
 electrosurgical treatment, 1943: Jan., 6, 53, 100
- Eructatio nervosa, 1942: May, 880
- Erysipelas, 1942: Jan., 89
 antitoxin treatment, 1942: Jan., 90
 sulfonamides in, 1942: Jan., 91, Sept., 1378; 1944: July, 845
 ultraviolet light in, 1942: Jan., 91
- Erythema group of skin diseases, etiology, 1942: Jan., 139
 induratum, 1942: Jan., 79
 nodosum, 1942: Jan., 147
- Erythematous lupus, 1942: Jan., 29
- Erythroblastosis foetalis, development of manifestations of, 1944: Jan., 244
 pathogenesis, 1944: Jan., 245
 Rh factor and, 1944: Jan., 240, 258
 transfusion therapy, 1944: Jan., 251, 263
- Erythrocyanosis frigida, 1942: Sept., 1468

- Erythromelalgia, 1942: March, 340
 Esophageal hemorrhage, 1942: March, 332
 obstruction, acute, 1942: March, 371
 Esophagotracheobronchial fistula, 1944: July, 1001
 Esophagus, diverticula of, 1942: May, 889
 tumor, dyspepsia in, 1944: July, 892
 ulcer, dyspepsia in, 1944: July, 892
 Espundia, 1943: Nov., 1493
 Estradiol, 1942: Nov., 1840; 1944: Sept., 1252
 benzoate, 1944: Sept., 1253
 dipropionate, 1944: Sept., 1254
 in dysmenorrhea, 1943: Sept., 1377
 in functional uterine bleeding, 1943: Sept., 1378, 1379
 to stimulate ovulation, 1944: Sept., 1226
 Estrins, 1944: Sept., 1251
 Estriol, 1942: Nov., 1840; 1944: Sept., 1255
 monoglucuronide, 1944: Sept., 1255
 Estrogen therapy in amenorrhea, 1944: Sept., 1226
 of ovarian origin, 1942: Nov., 1848
 of pituitary origin, 1942: Nov., 1839
 in dysmenorrhea, 1943: Jan., 35
 in hypoovarianism, 1944: March, 481
 in menopause, 1943: Jan., 10, 39; 1944: March, 482
 in senile vaginitis, 1943: Jan., 41
 therapeutic test, 1944: Sept., 1247
 Estrogenic hormone, 1944: Sept., 1225, 1227
 Estrogens, assays, diagnostic value, 1942: Nov., 1923
 clinical uses, 1944: Sept., 1251
 natural, 1943: Jan., 29
 synthetic, 1943: Jan., 29
 therapeutic preparations, 1942: Nov., 1840
 Estrone, 1942: Nov., 1840; 1943: Jan., 29; 1944: Sept., 1254
 Ether, colonic, in bronchial asthma, 1944: March, 344, 351
 Ethinyl estradiol in polymenorrhea, 1944: Sept., 1227
 to stimulate ovulation, 1944: Sept., 1225, 1226
 testosterone, 1944: Sept., 1257
 Eunuchoidism, 1942: Nov., 1869, 1891; 1944: March, 482
 hypoglycemic crises in, 1943: Nov., 1624
 Examinations, ophthalmologic, written, experience with, 1943: Sept., 1409
 Exercises, Frenkel walking, 1944: March, 445
 Exercises in after-treatment of amputations, 1943: July, 1113, 1115, 1119
 in fibrositis, 1943: July, 908
 in postural joint strain, 1943: Sept., 1313
 in rheumatoid arthritis, 1943: Sept., 1335
 passive vascular, 1943: July, 973
 postural, in occlusive arterial disease, 1943: July, 962
 therapeutic, principles underlying, 1943: July, 923
 tolerance test in neurocirculatory asthenia, 1944: Nov., 1511
 Exhaust ventilation in industry, 1942: July, 1169
 Exophthalmic goiter, 1942: Nov., 1739
 Thiouracil in, 1944: Sept., 1043, Nov., 1362
 with severe exophthalmos, treatment, 1944: March, 484
 Exophthalmos, thyrotropic hormone and, 1944: March, 488
 versus lid retraction, 1944: March, 486
 Extremity, lower, injuries and infections, physical therapy in, 1943: July, 920
 upper, lesions of, physical therapy in, 1943: July, 917
 Eyeball, contusions, 1942: May, 954
 Eyelids, infections, 1942: May, 955
 Eyes, diseases, medical aids, 1944: May, 742
 sulfonamides in, 1944: July, 789
 vitamin A and, 1942: May, 965, 979
 foreign bodies in, 1942: May, 953
 injuries, 1942: May, 953
 lesions of, in nicotinic acid deficiency, 1943: March, 389
 nutritional deficiencies as cause, 1943: March, 553
 refractive errors, 1942: Sept., 1595
 FAINTING in children, 1942: March, 449
 in hysteria, 1944: May, 689
 test for patency, 1943: Jan., 9, 61
 Faradic test for sensory disturbance, 1944: July, 937
 Fatigue among truck drivers, study of, 1942: July, 1125
 Arthralgia in, 1943: Sept., 1319
 in industry, 1942: July, 1121, 1124
 war production and, 1942: July, 1121
 selection of personnel for flying and, 1942: July, 1322
 test of hearing, 1944: Nov., 1322
 unnecessary, resistance to industrial chemical poisoning and, 1942: July, 1157
 Favism, 1944: March, 379
 Febris remittens biliosa, 1943: May, 808

- Feces, examination, 1942: May, 905
 Feeding of infants and children, 1943: Sept., 1355, Nov., 1521
 of premature infants, 1943: Nov., 1520
 Feet. See *Foot*.
 Female sex hormone. See *Estrogen*.
 Feminizing tumors of ovary, 1942: Nov., 1826
 Femur, osteomyelitis, chronic, penicillin in, 1944: Sept., 1038
 Fetal erythroblastosis, Rh factor and, 1944: Jan., 240, 258
 Fever, artificially induced, leukocyte response to, 1944: July, 923, 925
 therapy in brucellosis, 1943: Jan., 267, May, 717
 in cardiospasm, 1944: May, 592
 in early syphilis, combined with intensive arsenotherapy, 1944: March, 297
 in gonorrhea, 1944: March, 507
 in women, 1943: Jan., 96
 in rheumatoid arthritis, 1943: July, 1123
 in syphilis, 1942: Jan., 74
 Fibroids. See *Fibromyoma*.
 Fibrosis, arteriolar-capillary, 1944: May, 723
 pancreatic, chronic diarrhea in infants due to, 1944: Sept., 1198
 with ectasia, 1944: May, 724
 Fibrositic headache, 1943: July, 905
 Fibrositis, physical therapy in, 1943: July, 903, 919
 in aged, 1943: July, 1011
 Field's stain for malarial parasites, 1944: Nov., 1459
 Filariasis, bancroftian, 1943: May, 862, Nov., 1487
 Fish liver oils, 1943: March, 354
 in rickets, 1943: March, 366
 Fishberg's dilution test of renal function, 1942: Sept., 1399
 Fissure in ano, operation for, prevention and management of complications, 1943: Jan., 219
 Fistula, esophagotracheobronchial, 1944: July, 1001
 gastro-intestinal, deficiency state due to, 1943: March, 523, 572
 in ano, operation for, prevention and management of complications, 1943: Jan., 222
 Fits. See *Convulsive disorders*.
 Five-day drip in early syphilis, 1944: March, 293
 Fleckfeber, 1943: May, 775
 Fluorescein, use, to determine adequacy of circulation, 1942: May, 943
 Fluorine, beneficial and harmful effects on human teeth, 1944: Nov., 1428
 Follicle cysts of ovary, 1942: Nov., 1819, 1820
 Follicle-stimulating hormone, 1942: Nov., 1663; 1943: Jan., 27
 in menstrual disorders, 1944: Sept., 1225
 Folliclis, 1942: Jan., 79
 Folliculins, 1944: Sept., 1251
 Follutein in hypermenorrhea, 1944: Sept., 1224
 in hypogonadism, 1942: Nov., 1881
 Food diaries in gastro-intestinal allergy, 1942: May, 746
 habits, and obesity, 1943: March, 339
 Foods, composition, 1943: March, 290
 nutritive values, 1943: March, 287, 588, 591
 losses in preparation, 1943: March, 585
 Foot, athlete's, in soldiers in tropics, treatment, 1944: Nov., 1532
 care of, in arteriosclerotic arterial deficiency, 1942: Sept., 1458
 in peripheral vascular disease, 1943: July, 956
 disabilities, physical therapy in, 1943: July, 920
 management in Army, 1943: July, 1129
 exercises, 1943: Sept., 1314
 fractures, 1943: July, 1145
 gunshot wounds, 1943: July, 1147
 hygiene of, in diabetes, 1944: July, 979
 malalignment, posture and, 1943: July, 937
 painful, 1943: July, 1139
 puncture wounds, 1943: July, 1147
 ringworm of, 1942: Jan., 151; 1944: Nov., 1532
 sprains, 1943: July, 1146
 tropical diseases, 1943: July, 1149
 vasomotor disturbances, 1943: July, 1148
 wounds, penetrating, 1943: July, 1145
 Foreign bodies in eye, 1942: May, 953
 in urethra, acute retention due to, 1943: Nov., 1566
 Formulas for infant feeding, 1943: Sept., 1356
 Fowler's solution in African trypanosomiasis, 1943: May, 842
 Fractures, compound, treatment, 1942: March, 482
 emergency treatment, 1942: March, 469
 nasal, treatment, 1944: Sept., 1121
 of foot, 1943: July, 1145
 of spine, arthritis in, 1943: Sept., 1332
 of spinous process, 1943: July, 1080
 of transverse processes, 1943: July, 1079
 of vertebral bodies, 1943: July, 1080
 physical therapy in, 1943: July, 913
 to promote calcium metabolism, 1943: July, 1183
 simple, treatment, 1942: March, 480

- Frambesia, 1943: Nov., 1495
 Frazer's solution, 1944: Nov., 1533
 Freezing, 1942: March, 517
 Frenkel walking exercises, 1944: March, 445
 Friedländer's bacillus pneumonia, 1943: Sept., 1292
 Frigidity, testosterone in, 1943: Sept., 1383
 Fröhlich's syndrome, 1942: Nov., 1669, 1835, 1837
 Frost-bite, hypothermia in, 1943: July 1173
 F.S.H. test, 1944: Sept., 1242
 Fuadin in schistosomiasis, 1943: May, 859
 Fungous infections, superficial, 1942: Jan., 151
 Furuncle, 1942: Jan., 91, 92, 94
 of external auditory canal, 1944: Sept., 1124
 of nose with cellulitis of face, penicillin in, 1944: Sept., 1037
 sulfonamides in, 1942: Sept., 1382

 GALACTORRHEA, 1942: Nov., 1909
 Galactose tolerance test, 1942: May, 903
 Gallbladder disease, 1942: May, 778
 biliary drainage in, 1943: Nov., 1659
 chronic, significance in management of cardiac disorders, 1944: Jan., 107
 dysfunction, 1942: May, 855
 dyspepsia, 1944: March, 421
 inflammation, acute, 1942: May, 778
 Gallstones, formation, 1942: May, 870
 Gangrene, arteriosclerotic, 1942: Sept., 1459
 diabetic, 1942: Sept., 1461
 preinsulin and insulin eras, comparison, 1944: July, 978
 treatment, 1944: July, 981
 prevention, in peripheral vascular disease, 1943: July, 955
 Gas gangrene, chemotherapy, 1942: Sept., 1386
 Gastric. See also *Stomach*.
 analysis, fractional, technic and interpretation, 1944: Nov., 1516
 crises of tabes, treatment, 1944: March, 445
 Gastritis, 1942: May, 711; 1944: Nov., 1352
 as cause of dyspepsia, 1944: July, 894
 gastroscopy in, 1942: May, 702, 713
 in military personnel, 1944: Nov., 1354
 Gastro-enterology, recent advances, 1944: Nov., 1349
 Gastro-enterostomy for peptic ulcer, 1942: May, 672
 Gastro-intestinal allergy, 1942: March, 436, May, 737
 diseases, anemia in relation to, 1942: May, 897

 Gastro-intestinal diseases, laboratory aids, 1942: May, 895
 psychosomatic manifestations, 1942: May, 877; 1944: Nov., 1355
 symposium on, 1942: May, 645
 disorders, early emotional outbursts as source of, 1944: May, 557, 562
 functional, 1944: March, 418, Sept., 1154
 disorders, in infants, 1943: Nov., 1524
 increase in World War II, 1944: May, 561
 emergencies, 1942: March, 361; 1943: Nov., 1575
 hemorrhage, 1943: Nov., 1578
 irritants, poisoning by, 1942: March, 464
 neuroses, 1944: Nov., 1541
 obstructions, laboratory aids, 1942: May, 904
 tract, abnormalities, significance in management of cardiac disorders, 1944: Jan., 107
 anomalies, as cause of chronic diarrhea in infants, 1944: Sept., 1195
 role in conditioning deficiency diseases, 1943: March, 519
 tuberculosis, 1942: March, 570, 596, May, 819
 Gastroscopy, 1942: May, 701, 702, 713
 Gehrung pessary, 1943: Jan., 117, 118, 119
 Gelatin in peptic ulcer, 1942: May, 653
 Gellhorn pessary, 1943: Jan., 119
 Genital dysfunction, neurogenic factors, 1942: Nov., 1908
 Genito-urinary tract, disorders in infants, 1943: Nov., 1526
 tuberculosis, 1942: March, 570, 604
 Geriatrics, physical therapy in, 1943: July, 1007
 Germicidal vapors, disinfection of air with, 1944: Nov., 1309
 Giemsa's stain for malarial parasites, 1944: Nov., 1459
 Gigantism, 1942: Nov., 1675
 Gingivitis in infants, 1943: Nov., 1525
 nutrition and, 1943: March, 548
 Girls, adolescent, gynecological problems, 1943: Jan., 17
 Glandular physiology, résumé, 1944: Sept., 1233
 Globus hystericus, 1944: May, 689
 Glomerulonephritis, 1943: Jan., 227, 229, 233
 acute, treatment, 1944: Sept., 1185
 Glossitis in early nutritional deficiencies, 1943: March, 490
 in nicotinic acid deficiency, 1943: March, 389
 in pellagra, 1943: March, 389
 in riboflavin deficiency, 1943: March, 402, 405
 in sprue, 1943: March, 454

- Glottis, edema, 1942: March, 524
 Glucose in bronchial asthma, 1944: March, 345, 351
 tolerance test, 1944: Sept., 1241
 Glucose-insulin tolerance test, 1944: Sept., 1241
 Glycol vapors, disinfection of air with, 1944: Nov., 1310
 in control of common cold, 1944: Nov., 1328
 Glycosides, digitalis, 1942: May, 929
 Goiter, adenomatous, 1942: Nov., 1733, 1743
 colloid, diffuse, 1942: Nov., 1732, 1743
 diagnosis and surgical treatment, 1942: Nov., 1739
 exophthalmic, 1942: Nov., 1739
 thiouracil in, 1944: Sept., 1043, Nov., 1362
 with severe exophthalmos, treatment, 1944: March, 484
 inflammatory, 1942: Nov., 1749
 nontoxic, diffuse, 1942: Nov., 1730
 nodular, 1942: Nov., 1732, 1743
 toxic, diffuse, 1942: Nov., 1739, 1742
 nodular, 1942: Nov., 1743
 use of iodine in, 1942: Nov., 1729, 1731, 1765
 Gold salts in lupus erythematosus, 1942: Jan., 43, 45
 in rheumatoid arthritis, 1943: Sept., 1336; 1944: March, 316
 thrombocytopenic purpura due to, 1944: Jan., 181
 Gonadal - nasopharyngeal relationships, 1944: Nov., 1329
 Gonadin in hypogonadism, 1942: Nov., 1881
 Gonadogen in hypogonadism, 1942: Nov., 1881
 Gonadophysin, 1944: Sept., 1225
 Gonadotropic hormone, 1942: Nov., 1663
 Gonadotropin therapy in amenorrhea of pituitary origin, 1942: Nov., 1844
 in dystrophia adiposogenitalis, 1944: March, 474
 in hypogonadism, 1942: Nov., 1879; 1944: March, 480, 481
 in male sterility, 1942: Nov., 1863
 in pituitary dwarfism, 1944: March, 476
 Gonadotropins, anterior pituitary, 1942: Nov., 1843, 1879; 1944: Sept., 1251
 assays, diagnostic value, 1942: Nov., 1915
 chorionic, 1942: Nov., 1880, 1881; 1943: Jan., 10, 28, 31; 1944: Sept., 1250
 in menorrhagia, 1943: Jan., 38
 equine, 1943: Jan., 29
 sulfonamides in, 1942: Sept., 1385
 Gonorrhea, fever therapy, 1944: March, 507
 Gonorrhea in women, 1943: Jan., 5, 46, 83
 fever therapy, 1943: Jan., 96
 sulfonamides in, 1943: Jan., 47, 93; 1944: July, 831
 sulfonamide-resistant, penicillin in, 1944: July, 835
 local treatment, 1944: March, 509
 penicillin in, 1944: March, 507
 sulfamerazine in, 1943: Nov., 1456
 sulfathiazole in, 1944: March, 506
 asymptomatic carrier states following, 1944: March, 508
 sulfonamides in, 1942: Sept., 1385; 1943: Sept., 1254
 treatment under existing conditions, 1944: March, 506
 Gonorrheal arthritis, 1942: Sept., 1531; 1943: Sept., 1326
 in child, 1943: Jan., 80
 conjunctivitis, sulfonamides in, 1944: July, 793, 886
 cystitis, 1943: Jan., 88
 ophthalmia in child, 1943: Jan., 80
 vaginitis, 1942: Jan., 203; 1943: Jan., 5, 46
 vulvovaginitis, 1943: Jan., 67
 sulfonamides in, 1944: July, 834
 Gout, 1943: Sept., 1328
 Goute épaisse, 1943: May, 838
 Granulations, aural, 1944: March, 336
 Granuloma, coccidioidal, 1943: May, 794, 798
 pyogenicum, 1944: July, 974
 Granulosa cell tumors of ovary, 1942: Nov., 1826
 Graves' disease with severe exophthalmos, treatment, 1944: March, 484
 Grippe in armed forces in S. Pacific, 1944: Nov., 1420
 Growth hormone, 1942: Nov., 1662
 Gumma, 1942: Jan., 70
 Gynecogens, 1944: Sept., 1251
 Gynecologic examination, 1943: Jan., 1
 technic, 1942: Jan., 195
 office procedures, 1942: Jan., 195
 problems of adolescent girl, 1943: Jan., 17
 Gynecology, chemotherapy in, 1944: July, 827
 endocrine problems, 1943: Jan., 9, 27
 endocrine therapy in, 1943: Jan., 27, Sept., 1373; 1944: Sept., 1217, 1232
 office, common problems, 1943: Jan., 1
 symposium on, 1943: Jan., 1
 HABITUS stiller, 1944: May, 721
 Haffkine's vaccine in plague prophylaxis, 1943: May, 763
 Hair-dye dermatitis, 1942: Jan., 98
 Hair dyes, organic, thrombocytopenic purpura due to, 1944: Jan., 182

- Halibut liver oil, 1943: March, 354
Hallux flexus, 1943: July, 1134
 rigidus, 1943: July, 1134
 valgus, 1943: July, 1133
Hammer toe, 1943: July, 1134
Hands, dermatitis, allergic, simulating
 ringworms, 1942: Jan., 153
 injuries and infections, physical therapy
 in, 1943: July, 918
 contact, 1942: Jan., 154
 ringworm, 1942: Jan., 151
 toxic eruption, with ringworm of feet,
 1942: Jan., 151
Hartman's fortified lactate Ringer's solu-
 tion, 1942: March, 388
Hay fever, 1942: March, 434
Head cold, treatment, 1944: Sept., 1111
Headache, fibrositic, 1943: July, 905
 frontal, in girls and women, hormone
 therapy, 1944: Nov., 1329
 in hypertension, 1943: Sept., 1266
 in neurasthenia, 1944: May, 674
 menstrual, hormone therapy, 1943:
 Sept., 1381; 1944: Nov., 1329
 migrainous, 1944: March, 439
 pituitary, 1942: Nov., 1681
 tension, 1944: March, 439
 treatment, 1944: March, 439
Health hazards in industry, appraisal and
 control, 1942: July, 1161
 poor, in industry, prevention, 1942:
 July, 1145
 programs, adult, value of, 1942: July,
 1047
Hearing defects, simulated, 1944: July,
 939
 hysteric affections, 1944: May, 692
 neurasthenic affections, 1944: May, 676
 tests, 1944: Nov., 1324
 new, for selection of aviators, 1944:
 Nov., 1321
Heart, aneurysm, 1942: May, 919
 arrest, 1942: March, 316
 block, 1943: Nov., 1540; 1944: Jan.,
 56
 disease, chronic, care of patient with,
 1944: March, 381
 common forms, treatment, 1943:
 Sept., 1279
 congenital, common forms, 1944:
 Jan., 95
 hypertensive, 1943: Sept., 1263, 1288
 with left ventricular enlargement,
 insomnia due to, 1944: Sept.,
 1138
 with left ventricular failure, 1943:
 Jan., 125
 management, gastro-intestinal abnor-
 malities as related to, 1944: Jan.,
 107
 neurotic symptoms in, 1944: May,
 571
 recent advances, 1944: Nov., 1338
Heart disease, rheumatic, 1942: Sept.,
 1418; 1943: Sept., 1279; 1944:
 Sept., 1129
 in large station hospital, 1944:
 Jan., 127
 seven common problems, manage-
 ment, 1944: Sept., 1129
 syphilitic, 1943: Sept., 1288; 1944:
 Jan., 70
 treatment, 1942: Sept., 1411; 1944:
 Nov., 1345
 disordered action of, 1944: May, 569
 effect of emotions on, 1944: May,
 566
 emergencies, 1942: March, 315; 1943:
 Nov., 1531
 enlargement, in hypertension, 1943:
 Sept., 1263
 malignant hypertension with, 1944:
 Sept., 1134
 failure, congestive, 1942: March, 322,
 Sept., 1419; 1943: Sept., 1283
 mechanism, 1944: Nov., 1343
 mersalyl and theophylline orally,
 diuretic efficacy, 1944: July, 911
 treatment, 1944: March, 381,
 382
 with normal rhythm, digitalis in,
 1943: Jan., 146
 digitalis in, uses and abuses, 1943:
 Jan., 143
 in children, 1942: March, 450
 left ventricular, acute, 1943: Nov.,
 1535
 versus right ventricular failure,
 1943: Jan., 121, 135
 right, with rapid enlargement of
 liver, 1944: Jan., 110
 thyrotoxic, 1942: Nov., 1728
 infarction, 1942: May, 908
 with left ventricular failure, 1943:
 Jan., 132
 irritable, of soldiers, 1944: May, 569
 decrease in World War II, 1944:
 May, 560
 mitralization, 1944: Nov., 1352
 murmurs, in congenital heart disease,
 1944: Jan., 96, 98, 102
 neurotic, 1944: May, 570
 nontraumatic tamponade, 1942: March,
 318
 small, neurocirculatory asthenia due to,
 1944: May, 577
 trauma, 1942: March, 317
Heat, application of, after amputations,
 1943: July, 1110
 in fibrositis, 1943: July, 906
 exhaustion, 1942: March, 516
 radiant, in occlusive arterial diseases,
 1943: July, 963
 stroke, 1942: March, 515
Heating boot, 1943: July, 971
 sleeve, 1943: July, 971

- Heel, painful, 1943: July, 1141
- Helium-oxygen mixtures in high pressure work, 1942: July, 1216, 1219, 1228
therapy in bronchial asthma, 1944: March, 342, 348
- Hemagglutination, 1944: Jan., 232
- Hematemesis, 1942: March, 362
- Hematocolpos, undiagnosed, in young girl, 1943: Jan., 19
- Hematuria, 1943: Nov., 1566
- Hemeralopia, 1943: March, 355, 554
- Hemianopsia in pituitary adenoma, 1942: Nov., 1684, 1700
- Hemiplegia, arthritis in, 1943: Sept., 1332
physical therapy in, 1943: July, 1015
treatment, 1944: March, 449
- Hemoconcentration in shock, 1942: March, 425
- Hemoglobinuria, march, 1944: March, 379
- Hemolysis, 1944: Jan., 232
- Hemolytic anemia, congenital, 1942: Jan., 219, Sept., 1453
of newborn, Rh factor and, 1944: Jan., 244, 246
treatment, 1944: March, 378
- Hemoptysis, 1942: March, 419
- Hemorrhage, 1943: Nov., 1542
acute, into peritoneal cavity, 1942: May, 782
blood and blood substitutes in, 1943: Jan., 164
cerebral, 1942: March, 325; 1943: Nov., 1554; 1944: March, 449
epidural, 1943: Nov., 1557
esophageal, 1942: March, 332
gastro-intestinal, 1942: March, 332, 362; 1943: Nov., 1470, 1578
of functional origin, 1944: Sept., 1156
in peptic ulcer, 1942: May, 658, 674; 1943: Nov., 1578; 1944: March, 414
intracranial, due to birth trauma, 1944: March, 448
intrapartum, 1942: March, 503
obstetric emergencies associated with, 1942: March, 493; 1943: Nov., 1601
of pregnancy, 1943: Nov., 1601
postpartum, 1942: March, 504; 1943: Nov., 1610
pulmonary, 1942: March, 418
subarachnoid, 1943: Nov., 1554, 1557
subdural, 1943: Nov., 1557
tonsillar, postoperative, treatment, 1944: Sept., 1118
vaginal, 1943: Jan., 6
- Hemorrhagic disease of newborn, vitamin K in, 1943: March, 377
tendency in vitamin C deficiency, 1943: March, 443
in vitamin K deficiency, 1943: March, 371
- Hemorrhoidectomy, complications, prevention and management, 1943: Jan., 209
- Hemorrhoids, office treatment, 1942: May, 831
- Hemothorax in syphilitic aortic aneurysm, 1944: Jan., 76
- Heparin in prevention of embolism, 1942: Sept., 1475
in pulmonary thrombosis, 1942: March, 418
- Hepatic, see *Liver*
- Hepatitis, 1942: May, 842
epidemic, in military forces, 1944: Nov., 1355
- Hereditary diseases, 1944: March, 451
- Hernia as a compensation problem, 1942: July, 1038
diaphragmatic, dyspepsia in, 1944: July, 892
hiatus, significance in management of cardiac disorders, 1944: Jan., 108
- Herpes rabbit vaccine X and F in von Economo's encephalitis, 1943: May, 648
simplex, 1942: Jan., 183
zoster, 1942: Jan., 185; 1944: March, 442
- Hewitt pessary, 1943: Jan., 119
- Hexestrol, 1943: Jan., 30
- Hexylresorcinol, vaporized, for disinfection of air, 1944: Nov., 1309
- Heyrovsky operation for cardiospasm, 1944: May, 592
- Hiatus hernia, significance in management of cardiac disorders, 1944: Jan., 108
- Hibbs' spine fusion, 1942: Sept., 1576
- High altitudes, emergencies due to, 1942: March, 523
- Hip, arthritis, hypertrophic, physical therapy in, 1943: July, 920
- Hippuric acid test, 1942: May, 902, Sept., 1405
- Hirschsprung's disease, chronic diarrhea due to, 1944: Sept., 1195
- Histaminase in nasal allergy, 1944: Nov., 1335
- Histamine and mecholyl iontophoresis in rheumatoid arthritis, 1944: March, 319
in allergy, 1944: Nov., 1334
in hives, 1942: March, 438, 439
in Ménière's syndrome, 1944: Nov., 1324
- Hives, 1942: Jan., 145, March, 437
Hodge pessary, 1943: Jan., 109, 111
- Hodgkin's disease, 1944: Jan., 201
benign type, 1944: Jan., 201
clinical and pathological conference at Cook County Hospital, 1942: Jan., 283

- Hodgkin's disease, cutaneous lesions, 1942: Jan., 4, 9
 malignant type, 1944: Jan., 204
 reaction in leukemia, 1944: Nov., 1379
 torulosis with, 1944: July, 951, 953
- Homocroticism, 1944: May, 534
- Homogenitalism, 1944: May, 535
- Homosexuality, 1944: May, 535
- Hoover's sign, 1944: July, 937
- Hormones, adrenal, 1944: Sept., 1237, 1238
 clinical uses, 1944: Sept., 1260
 assays of, diagnostic value, 1942: Nov., 1915
 follicle-stimulating, 1943: Jan., 27; 1944: Sept., 1234
 imbalance in leukemia, 1944: Nov., 1377
 in major disorders, 1944: Sept., 1248
 in carbohydrate metabolism, 1943: March, 319, 323
 in maintenance of chemical balance, 1943: Nov., 1615
 in pathogenesis of peptic ulcer, 1942: May, 683
 influences in peptic ulcer, 1944: March, 411, Nov., 1349
 interrelationships, 1944: Sept., 1232
 luteinizing, 1943: Jan., 27; 1944: Sept., 1234
 ovarian, 1943: Jan., 10, 29; 1944: Sept., 1236
 pancreas, 1944: Sept., 1239
 parathyroid, 1944: Sept., 1238, 1264
 pituitary, 1942: Nov., 1660, 1661; 1943: Jan., 27; 1944: Sept., 1234, 1235
 clinical uses, 1944: Sept., 1251, 1266
 placental, 1944: Sept., 1240
 preparations, 1944: Sept., 1250
 testicular, 1943: Jan., 33; 1944: Sept., 1237
 therapy. See *Endocrine therapy*.
 thyroid, 1944: Sept., 1238
- Hot packs in peripheral vascular disease, 1943: July, 951
- House dust, allergy to, 1944: Nov., 1334
- Huddleson's dye typing for differentiation of brucella, 1943: May, 700
- Huhner test for sterility, 1943: Jan., 59
- Human being, definition of, 1944: March, 452
- Hydatidiform mole, 1943: Nov., 1604
- Hydradenitis suppurativa, sulfonamides in, 1944: July, 846
- Hydrochloric acid in pernicious anemia, 1944: Jan., 229
- Hydrocyanic acid poisoning, 1942: March, 525
- Hydrophobia, 1943: Nov., 1514; 1944: Nov., 1406
- Hydrops, congenital, Rh factor and, 1944: Jan., 244, 246
- Hypercalcemia, 1943: Nov., 1629
- Hyperesthesia, hysteric, 1944: May, 684, 687
 of stomach and bowels, 1942: May, 885
- Hyperglycemia, neurogenic factor, 1942: Nov., 1902
- Hyperinsulinism, 1942: Nov., 1797
 use and misuse of term, 1944: July, 985
- Hyperirritability of digestive tract, 1944: March, 418
- Hyperkeratosis, follicular, vitamin A in, 1942: Jan., 52
 in early deficiency diseases, 1943: March, 488
 in pellagra, 1943: March, 386
 vitamin C in, 1942: Jan., 59
- Hypermenorrhea, 1944: Sept., 1219
- Hormone therapy, 1944: Sept., 1223
- Hypermetropia, 1942: Sept., 1603
- Hyperparathyroidism, 1944: March, 472
- Hyperpituitarism, 1942: Nov., 1675
- Hyperpyrexia. See *Fever therapy*.
- Hypertension, 1943: Sept., 1257; 1944: Jan., 31
 arterial, in congenital heart disease, 1944: Jan., 102
 clinical concept of, 1943: Sept., 1259
 emotional, 1944: May, 572
 essential, 1943: Jan., 247, Sept., 1398; 1944: Sept., 1141
 emotional factors in, 1944: May, 573
 potassium thiocyanate in, 1944: Sept., 1146
 sympathectomy for, 1944: Sept., 1149
 in hypoplastic individuals, 1944: May, 721
 in renal disease, 1943: Jan., 247, Sept., 1260
 malignant, with cardiac enlargement, 1944: Sept., 1134
 nervous, 1943: Sept., 1260
 ophthalmoscopic findings, 1944: May, 748
 pathogenesis, 1944: May, 724
 physiologic mechanisms, with therapeutic implications, 1943: Sept., 1397
 potassium sulfocyanate in, 1943: Sept., 1268
 treatment, 1942: Sept., 1421; 1943: Sept., 1268; 1944: Sept., 1145
- Hypertensive cardiovascular disease, 1943: Jan., 237, 238, 239
 heart disease with left ventricular failure, 1943: Jan., 125
- Hyperthyroidism, 1942: Nov., 1719, 1751; 1944: March, 469

- Hyperthyroidism, atypical forms, 1942: Nov., 1721
in pregnancy, 1942: Nov., 1728
iodine in, 1942: Nov., 1729, 1741, 1765
neurogenic factor, 1942: Nov., 1898
ophthalmopathy complicating, 1942: Nov., 1729
preoperative and postoperative care, 1942: Nov., 1726, 1741
versus Graves' disease, 1944: March, 484
x-ray treatment, 1942: Nov., 1724, 1751
iodine with, 1942: Nov., 1765
of pituitary gland in, 1942: Nov., 1764
- Hypnosis in medicine, 1944: May, 639, 646
phenomena of, 1944: May, 643
technics of, 1944: May, 642
- Hypochondriasis, 1942: Sept., 1621; 1944: May, 531, 699
- Hypochlorites, atomized, for disinfection of air, 1944: Nov., 1309
- Hypochlorous acid gas, disinfection of air with, 1944: Nov., 1310
- Hypoglycemia, cardiac manifestations, 1944: Nov., 1344
peptic ulcer and, 1942: May, 691
spontaneous, hyperinsulinism and, differentiation, 1944: July, 985
- Hypoglycemic crises in endocrine disorders, 1943: Nov., 1617
- Hypogonadism, male, 1942: Nov., 1867
hypoglycemic crises in, 1943: Nov., 1624
severe, suicidal tendencies in, 1943: Nov., 1630
- Hypo-insulinism, 1942: Nov., 1785
- Hypomenorrhea, 1944: Sept., 1219
hormone therapy, 1944: Sept., 1225
- Hypoovarianism, 1944: March, 480
- Hypoparathyroidism, 1943: Nov., 1626; 1944: March, 471
- Hypophyseal stalk tumors, 1942: Nov., 1680, 1704, 1708
- Hypophysis. See *Pituitary gland*.
- Hypopituitarism, 1942: Nov., 1665, 1688
psychic and personality changes, 1942: Nov., 1671
- Hypoplastic type, hypertension in, 1944: May, 721
- Hypoproteinemia, 1943: March, 305, 306, 307
in hepatic disease, 1943: March, 308
nutritional, 1943: March, 307
postoperative, 1943: March, 306
serum transfusion in, 1943: Jan., 172
wound healing and, 1943: March, 563
- Hypoprothrombinemia, 1943: March, 517
- Hypothalamus, physiology, 1944: Sept., 1233
role of, in manic-depressive equivalents, 1944: March, 463
- Hypothermia in military practice, 1943: July, 1166
- Hypothyroidism, 1942: Nov., 1711; 1944: March, 467
anemia of, 1944: March, 376
arthralgia in, 1943: Sept., 1315
in hypogonadism, 1942: Nov., 1873
paradoxical, 1942: Nov., 1712
- Hysteria, 1942: Sept., 1261; 1944: May, 665, 682
conversion, 1944: May, 532
major, 1944: May, 689
malingering and, differentiation, 1944: July, 935
minor, 1944: May, 689
traumatic sources, 1944: May, 682
- Hysteric zones, 1944: May, 684
- Hysteroid personality, 1944: May, 544, 545
- Hytakerol, 1943: Nov., 1627
- ICTERUS. See also *Jaundice*.
gravis neonatorum, Rh factor and, 1944: Jan., 244, 246
index, 1942: Sept., 1404
- Ileitis, regional, sulfonamides in, 1944: July, 819
terminal, 1942: May, 775
- Ileocecal tuberculosis, 1942: March, 596, May, 819
- Ileus, paralytic, 1942: May, 781
- Iliotibial bands, contracted, 1943: July, 1068
- Ill health in industry, prevention, 1942: July, 1145
- Immersion foot, 1943: July, 1149
hypothermia in, 1943: July, 1173
- Immunotransfusion, 1943: Jan., 157
- Impetigo, Bockhart's, 1943: Jan., 87
bullosa, 1942: Jan., 86
circinata, 1942: Jan., 85, 86
contagiosa, 1942: Jan., 84, 168
sulfathiazole in, topically, 1944: July, 847
treatment, 1942: Jan., 86
- Indigestion, 1944: July, 891
- Intestinal, 1942: May, 805
nervous, 1944: March, 418
- Indoor environmental atmosphere in industry, 1942: July, 1179
- Industrial dermatitis, 1942: Jan., 21
disability, respiratory disease as factor, 1944: Nov., 1293
medical service, organization and management, 1942: July, 1005
medicine, symposium on, 1942: July, 997
psychiatry, wartime survey, 1942: July, 1085

- Industrial skin cleansers, 1942: July, 1195, 1203
- Industry, application of psychiatric principles to, 1942: July, 1101
- between-meal feedings in, 1942: July, 1075
- disabling sickness in, factors concerned, 1942: July, 1110
- fatigue in, war production and, 1942: July, 1121
- health hazards in, methods employed in appraisal and control, 1942: July, 1161
- ill health due to exposure to harmful chemicals, prevention, 1942: July, 1145
- indoor environmental atmosphere and its control, 1942: July, 1179
- nutrition in, 1942: July, 1067
- physical examinations in, 1942: July, 1012, 1019
- pneumoconioses in, 1942: July, 1239
- protective ointments, cleansers, 1942: July, 1195
- psychiatric bulk in, 1942: July, 1098
- role of physician in, 1942: July, 999
- sickness among workers, measurement, 1942: July, 1105
- tuberculosis as compensation problem in, 1942: July, 1053
- work week, length in war, 1942: July, 1136
- workmen's compensation, 1942: July, 1035
- Infantile paralysis. See *Poliomyelitis*.
- Infantilism, pituitary, 1942: Nov., 1668
- Infants, digestive disorders, 1942: May, 725
- diseases, sulfonamides in, 1944: July, 882
- emergencies of, 1942: March, 445; 1943: Nov., 1520
- examinations, 1943: Nov., 1523
- feeding, 1943: Sept., 1355
- immunizations, 1943: Nov., 1521
- normal, care and feeding of, 1943: Nov., 1521
- premature, 1943: Nov., 1520
- respiratory tract diseases in, 1942: Jan., 237
- skin diseases in, 1942: Jan., 163
- Infarctions, mesenteric, 1942: March, 373
- miscellaneous, 1943: Nov., 1552
- myocardial, 1942: March, 320
- Infections, chronic diarrhea in infants due to, 1944: Sept., 1190
- confined air, vehicle, 1944: Nov., 1293
- generalized, ophthalmoscopic findings, 1944: May, 750
- Infectious diseases, symposium on, 1943: May, 601
- Influenza, penicillin in, 1944: Sept., 1077
- sulfonamides in, 1944: Sept., 1077
- Influenzal infections, sulfamerazine in, 1943: Nov., 1456
- meningitis, 1943: Nov., 1505
- sulfonamides in, 1944: July, 870, 872
- Injection treatment of hemorrhoids, 1942: May, 836
- Ink-blot tests in stuttering, 1944: May, 623
- Innominate artery, aneurysm of, syphilitic, 1944: Jan., 77
- Inoculation tuberculosis, 1942: Jan., 77, 78
- Insanity, true and feigned, differences, 1944: July, 941, 942
- Insect bites in soldiers in tropics, 1944: Nov., 1538
- Isolation fever, 1943: May, 808
- Insomnia due to left ventricular weakness, 1944: Sept., 1138
- in neurasthenia, 1944: May, 675
- treatment, 1944: May, 698
- Insulin, 1944: Sept., 1270, 1271
- amorphous, 1944: Sept., 1271
- crystalline zinc, 1944: Sept., 1271
- in diabetes mellitus, 1942: Nov., 1793; 1944: Sept., 1060
- in diabetic acidosis, 1942: March, 385
- protamine zinc, 1942: Nov., 1794; 1944: Sept., 1272
- reaction, 1942: Nov., 1794
- tolerance test, 1944: Sept., 1241
- Insurance, compensation, 1942: July, 1043
- sickness, in industry, comparison of sickness rates, 1942: July, 1109
- Intensive methods in syphilis, 1944: March, 293
- Intermittent arterial compression, 1943: July, 989
- suction and pressure, 1943: July, 973, Sept., 1403
- venous compression, 1943: July, 981, Sept., 1402
- Interventricular septal defect, 1944: Jan., 95, 98
- Intervertebral disk lesions, 1942: Sept., 1570; 1943: July, 1068
- physical therapy, 1943: July, 1004
- Intestinal absorption, inadequate, deficiency state due to, 1943: March, 526
- Intestinal auto-intoxication, 1942: May, 791
- diseases, sulfonamides in, 1944: July, 811
- fermentative dyspepsia, 1942: May, 800
- flora, effects of nutrients on, 1943: March, 285
- indigestion, 1942: May, 731, 805
- intoxication with dehydration in children, 1942: March, 454
- obstruction, 1942: March, 366, May, 779; 1943: Nov., 1469, 1592

- Intestinal parasites in children, 1944: Sept., 1191
 spasm, 1942: May, 884
 strangulation, diagnosis, 1943: Nov., 1468
 tuberculosis, 1942: March, 596
 vessels, sclerosis of, 1944: May, 728
- Intestine, carcinoma, sulfasuxidine in, 1944: July, 823
- Intracranial aneurysm, 1942: March, 329
- Intracutaneous tests or brucellosis, 1943: May, 708
- Intramarrow injection in gastro-intestinal hemorrhage, 1943: Nov., 1580
- Intrapartum hemorrhage, 1942: March, 503
- Intraperitoneal chemotherapy in gynecology, 1944: July, 833
- Introvert, 1944: May, 539
- Intussusception, 1942: March, 367; 1943: Nov., 1524
- Involutional melancholia, 1942: March, 409
- Iodides in bronchial asthma, 1944: March, 345, 350
- Iodine in hyperthyroidism, 1942: Nov., 1729, 1741
 in conjunction with irradiation, 1942: Nov., 1765
 preoperative, 1942: Nov., 1741
 in nontoxic goiter, 1942: Nov., 1731
- Iron as nutrient, 1943: March, 284
- deficiency anemias, treatment, 1944: March, 371
 dietary requirements, 1943: March, 298
- therapy, in pernicious anemia, 1944: Jan., 229
 in pregnancy, 1943: March, 539
 in thrombocytopenic purpura, 1944: Jan., 168
- Irradiation. See *Roentgen* and *Radium*.
- Irritable colon, treatment, 1942: Jan., 227, May, 805; 1943: Sept., 1385; 1944: March, 418
 significance in management of cardiac disease, 1944: Jan., 109
- heart of soldiers, 1944: May, 560, 569
- stomach, treatment, 1943: Sept., 1385; 1944: March, 418
- Ischemic ulcer, tyrothricin in, 1944: July, 851, 854, 855
- Ischiorectal abscess, operation for, prevention and management of complications, 1943: Jan., 221
- Itching ears, treatment, 1944: Sept., 1123
- JACKET, Risser, in scoliosis, 1943: July, 1035
- Jail fever, 1943: May, 775
- Janet test for sensory disturbance, 1944: July, 937
- Japanese encephalitis, 1943: Nov., 1513
- Japanese River fever, 1944: Nov., 1464
- Jaundice, and liver dysfunction, 1942: May, 841
 catarrhal, in military forces, 1944: Nov., 1355
 cephalin-cholesterol flocculation test in, 1944: Nov., 1358
 hemolytic, congenital, 1942: Jan., 220, Sept., 1453
 Rh factor and, 1944: Jan., 244
- Jejunal feeding in hemorrhagic peptic ulcer, 1942: May, 664
 transplant into stomach wall in peptic ulcer, 1944: Nov., 1350
- Joint strain, postural, 1943: Sept., 1311
- symptoms, specific diseases with, 1943: Sept., 1310
- Joints, disease of, degenerative, 1943: Sept., 1338
 hysteric, 1944: May, 687
 tuberculosis, 1942: March, 605
- KALA-AZAR, 1943: Nov., 1492
- Karotin in hypogonadism, 1942: Nov., 1881
- Kata-thermometer, 1942: July, 1182, 1183
- Keloid, radium treatment, 1942: Jan., 136
- Kenny treatment of poliomyelitis, 1943: July, 883
 evaluation, 1942: Sept., 1587; 1943: Sept., 1345, 1348
- Kerandel's sign, 1943: May, 841
- Keratitis, 1942: May, 957
 interstitial, in riboflavin deficiency, 1943: March, 402, 405
- Keratoconjunctivitis, epidemic, 1943: Nov., 1641
 phlyctenular, 1943: March, 556
 tuberculin in, 1942: March, 593
- Keratomalacia, 1943: March, 357
- Keratosis pilaris, vitamin A in, 1942: Jan., 52
 seborrheic, 1944: July, 969
- senile, radium treatment, 1942: Jan., 135
- Ketohydroxyestrin, 1944: Sept., 1254
- Ketosis, 1942: March, 375
- 17-Ketosteroid test, 1944: Sept., 1242
- 17-Ketosteroids, assays, diagnostic values, 1942: Nov., 1932
- Kidney, diseases, treatment, 1943: Jan., 227; 1944: Sept., 1173
 unilateral, hypertension of, 1943: Sept., 1397
 emergencies, 1942: March, 343; 1943: Nov., 1559
 functional tests, 1942: Sept., 1396; 1943: Sept., 1263
 in hypertension, 1943: Sept., 1263, 1264
 infarction of, 1943: Nov., 1553

1580 INDEX TO VOLUMES 26, 27 AND 28 (1942-1944)

- Kidney insufficiency, reversible and irreversible, 1944: March, 429
tuberculosis, 1942: March, 603; 1944: Sept., 1185
Kinases, 1943: March, 279
Koch's pressure dressing in burns, 1943: Sept., 1237
Korotkin in hypermenorrhea, 1944: Sept., 1224
K-strophanthin, 1942: May, 940
Kyphosis, physical therapy, 1943: July, 1001
- LABOR, hemorrhage at, 1942: March, 503
third stage, complications, 1943: Nov., 1608
- Laboratory aids in gastro-intestinal disorders, 1942: May, 895
to diagnosis and treatment, 1942: Sept., 1391
- Lacerations of cervix, 1943: Jan., 50
Lactogenic hormone, 1942: Nov., 1664
Lameness, simulated, 1944: May, 700
Lanatoside, 1942: May, 935
Lanatoside-C, 1943: Jan., 153
in heart disease, 1944: Nov., 1345
Laryngitis, acute, in infants and children, 1942: Jan., 245
catarrhal, 1942: Jan., 248
subglottic, 1942: March, 449
tuberculous, 1942: March, 569, 599
Laryngology, recent advances, 1944: Nov., 1333
Laryngotracheobronchitis, acute, 1942: Jan., 246, March, 449
in children, sulfonamides in, 1944: July, 887
Larynx, carcinoma, 1944, March, 323
diseases of, chronic, pitfalls in diagnosis and treatment, 1944: March, 322
myasthenia, 1944: March, 326
paralysis, due to tracheal tumor of probable syphilitic origin, 1944: March, 327
Lashmet and Newburgh test of renal function, 1942: Sept., 1398
Laxatives, avoidance, in functional disorders of digestive tract, 1944: March, 426
Lead absorption, occupational, 1942: July, 1261
exposure, dangerous, recognition of, 1942: July, 1266
safe, 1942: July, 1275
standards of measurement, 1942: July, 1276
line on gums, 1942: July, 1265
poisoning, 1942: July, 1261, 1267
ascorbic acid in, 1943: March, 578
Leg stocking color preparations, thrombocytopenic purpura due to, 1944: Jan., 182
- Leishmaniasis, cutaneous, 1943: Nov., 1493
mucocutaneous, American, 1943: Nov., 1493
visceral, 1943: Nov., 1492
Leprosy, 1943: Nov., 1484
military aspects, 1944: Nov., 1484
Leukemia, 1944: Nov., 1376
acute, 1944: Jan., 188, Nov., 1385
chronic lymphocytic, 1944: Jan., 198, Nov., 1384
myelocytic, 1944: Jan., 194, Nov., 1383
cutis, 1942: Jan., 3, 6
hormonal imbalance in, 1944: Nov., 1377
subacute, 1944: Jan., 189
symptoms, 1943: Jan., 251
theories of origin, 1944: Nov., 1376
treatment, 1943: Jan., 251; 1944: Jan., 187, Nov., 1383
Leukocytes, count, peripheral, interpretation of, 1944: July, 920
Leukoplakia, radiotherapy, 1942: Jan., 135
Leukorrhea, 1942: Jan., 202, 208; 1943: Jan., 3, 43
in children, 1943: Jan., 48
Levator ani test, 1943: Jan., 2
Levulose tolerance test, 1942: May, 903
Lichen scrofulosorum, 1942: Jan., 79
spunulosis, vitamin A in, 1942: Jan., 52
urticatus, 1942: Jan., 163
Ligamentum flavum, hypertrophy of, 1942: Sept., 1570
Light treatment of rickets, 1943: March, 366
Lightning injuries by, 1942: March, 522
pains of tabes, treatment, 1944: March, 445
Lip, impetigo, 1942: Jan., 85
perleche, 1942: Jan., 172
subarachnoid injection, deleterious effects, 1942: Jan., 255
Lipophilia, 1943: March, 336
Lithiasis following sulfonamides, anuria due to, 1942: March, 352
recumbent, anuria due to, 1942: March, 351
urinary, following sulfonamides, 1943: Nov., 1570
Livedo, reticularis, 1942: Sept., 1469
Liver, carcinoma, primary, 1942: May, 855
diseases, laboratory aids, 1942: May, 899
hypoproteinemia of, 1943: March, 308
malnutrition due to, 1943: March, 525, 573
dysfunction, common clinical varieties, 1942: May, 841

- Liver, enlargement, rapid, with right heart failure, 1944: Jan., 110
 extract, in skin diseases, 1942: Jan., 57
 functional tests, 1942: May 900, Sept., 1401
 preparations, 1942: Sept., 1365
 therapy, in nutritional macrocytic anemia, 1943: March, 479
 in pernicious anemia, 1943: March, 477; 1944: Jan., 227, March, 374
 in sprue, 1943: March, 462
 in subacute combined degeneration, 1943: March, 427
- Lobar pneumonia. See *Pneumonia*.
- Lordosis, physical therapy, 1943: July, 1001
- Lotio sulfurata, 1942: Jan., 41
- Lumbar puncture in meningitis, 1943: Nov., 1500
 sympathetic procaine block in thrombophlebitis, 1942: Sept., 1476
- Lumbosacral instability, low back pain due to, 1942: Sept., 1551
- spine, anatomic variations, 1942: Sept., 1552
- strain, acute, 1943: July, 1066
- Lunch room menus in industry, 1942: July, 1068, 1080
- Lungs, abscess, multiple, staphylococcal bacteremia complicating, penicillin in, 1944: Sept., 1035
 congestion, acute, 1942: March, 422
 diseases, chronic, with constriction in bronchial passageway, 1944: March, 348
 edema, acute, 1942: March, 422
 in congestive heart failure, 1944: March, 386
 hemorrhage from, 1942: March, 419
 tuberculosis. See *Tuberculosis, pulmonary*.
- Lupus erythematosus, 1942: Jan., 29
 nicotinic acid in, 1942: Jan., 56
 vulgaris, 1942: Jan., 75
- Luteinizing hormone, 1942: Nov., 1663; 1943: Jan., 27; 1944: Sept., 1256
 in menstrual disorders, 1944: Sept., 1225
- Luteoma, 1942: Nov., 1826
- Luxusconsumption, 1943: March, 335
- Lymph glands, tuberculosis, 1942: March, 566, 607
 scrotum, 1943: May, 864
- Lymphangitis, arteriosclerotic, 1942: Sept., 1460
 regional, sulfonamides in, 1944: July, 845
 prevention of edema, 1943: July, 958
- Lymphoblastoma cutis, 1942: Jan., 1
- Lymphocytic choriomeningitis, 1943: Nov., 1517
- Lymphogranuloma venereum, arthritis of, sulfonamides in, 1942: Sept., 1546
 conjunctivitis due to, sulfonamides in, 1944: July, 794
 ulcerative colitis due to, sulfonamides in, 1944: July, 815
- Lymphogranulomatosis cutis, 1942: Jan., 4, 10, 11
- MACROCYTIC anemias, nutritional, 1943: March, 467, 479
- Madura foot, 1943: July, 1150
- Magmasil in peptic ulcer, 1942: May, 654
- Magnesium sulfate in Ménière's syndrome, 1944: Nov., 1324
 toxic properties, 1942: July, 1291
- Malaria, 1943: May, 615, 617, Sept., 1417, Nov., 1477; 1944: Nov., 1437, 1458
 benign, 1943: Sept., 1418
 control measures, 1943: May, 629, Sept., 1422, Nov., 1478
 diagnosis, 1943: Sept., 1426; 1944: Nov., 1453, 1455, 1458
 parasites of, 1943: May, 621, Sept., 1418; 1944: Nov., 1438
 pathology, 1944: Nov., 1439
 pernicious or malignant, 1943: Sept., 1419
 practical considerations, 1944: Nov., 1437
 prophylaxis and treatment, 1943: May, 626, 627, Sept., 1423, Nov., 1479
 sternal puncture in, 1943: Sept., 1426
 symptoms, 1943: May, 624; 1944: Nov., 1440
 time factor in military operations, 1943: Sept., 1425
 war, 1943: May, 615, Sept., 1417
- Male climacteric, 1942: Nov., 1891; 1944: March, 483
 sex hormone. See *Androgens*.
- Malignant peptic ulcer, 1944: March, 416
- Malingering, 1944: May, 699, July, 928
 foot disabilities and, 1943: July, 1151
 neuropsychiatric aspects, 1944: July, 928
- Malnutrition, 1943: March, 567
 serum transfusion in, 1943: Jan., 172
- Malta fever. See *Brucellosis*.
- Mammary gland, physiology, 1944: Sept., 1239
- Mandelic acid in pyelonephritis, 1943: Nov., 1561
 in urinary tract infection, 1944: Sept., 1184
- Manganese as nutrient, 1943: March, 284
 toxic properties, 1942: July, 1297

- Manic-depressive constitution, neuroses related to, 1944: March, 452
equivalents, 1944: March, 457
psychosis, 1942: March, 408
Manipulative therapy for backache, 1943: July, 1071
Mapharsen in cardiovascular syphilis, 1944: March, 305
in early syphilis, 1944: March, 294, 298
in relapsing fever, 1943: May, 743
March foot, 1943: July, 1148
hemoglobinuria, 1944: March, 379
Marriage, preparation for, 1942: Sept., 1630
Masculinizing tumors of ovary, 1942: Nov., 1828
Masculinovoblastoma, 1942: Nov., 1830
Masklike expression in pellagra, 1943: March, 391
Massage in after-treatment of amputations, 1943: July, 1110
in fibrositis, 1943: July, 906
Mastoiditis, acute, sulfonamides in, 1944: July, 799
Measles, complications, sulfonamides in, 1944: July, 888
in infants, 1943: Nov., 1527
Mecholyl iontophoresis in paroxysmal tachycardia, 1943: Nov., 1539
in rheumatoid arthritis, 1944: March, 319
Medical emergencies on home front, symposium on, 1943: Nov., 1447
service, industrial, organization and management, 1942: July, 1005
Medicine, recent advances, symposium on, 1944: Nov., 1293
Megacolon, congenital, chronic diarrhea due to, 1944: Sept., 1195
Megakaryocytes, bone marrow, in thrombocytopenic purpura, 1944: Jan., 158, 167
Melancholia, involutional, 1942: March, 409
Melanocarcinoma, 1944: July, 971
Melano-epithelioma, 1944: July, 971
Melenia in infants and children, 1942: May, 735
Melitene in brucellosis, 1943: May, 716
Membrana tympani, perforations, 1944: March, 334
Menge pessary, 1943: Jan., 116, 119
Ménière's syndrome, treatment, 1944: Nov., 1323
Meninges, tuberculosis, 1942: March, 568, 608
Meningismus in infants, 1943: Nov., 1530
Meningitis, 1943: Nov., 1496
aseptic, acute, 1943: Nov., 1517
bacterial, acute, sulfonamides in, 1944: July, 869
Meningitis, hemolytic streptococcus, 1943: Nov., 1503
in infants, 1943: Nov., 1529
influenzal, 1943: Nov., 1505
sulfamerazine in, 1943: Nov., 1456
sulfonamides in, 1942: Sept., 1386; 1944: July, 872
meningococcal, 1943: Sept., 1204, Nov., 1496
serum therapy, 1943: Nov., 1502
sulfamerazine in, 1943: Nov., 1454
sulfonamides in, 1942: Sept., 1384; 1943: Sept., 1204, 1205, 1253, Nov., 1454, 1500; 1944: July, 869, 872
pneumococcal, 1943: Nov., 1504
sulfonamides in, 1942: Sept., 1383; 1944: July, 870, 872
staphylococcal, 1943: Nov., 1506
sulfonamides in, 1942: Sept., 1382; 1944: July, 870
streptococcal, sulfonamides in, 1942: Sept., 1378; 1944: July, 870, 872
torula, 1944: July, 951, 952
Meningococcal infections, sulfamerazine in, 1943: Nov., 1454
sulfonamides in, 1942: Sept., 1384, 1543; 1944: July, 869, 872
Meningococcemia, 1943: Sept., 1205
Menometrorrhagia, 1944: Sept., 1222
Menopause, arthralgia of, 1943: Sept., 1316
endocrine therapy, 1943: Jan., 39
treatment, 1943: Jan., 10; 1944: March, 482
ulcer syndrome, 1942: May, 690
Menorrhagia, 1943: Jan., 37
hormone therapy, 1943: Jan., 37, Sept., 1378
Menstrual calendar records, 1943: Jan., 63
Menstruation, disorders of, 1944: Sept., 1217
functional, hormone therapy, 1943: Sept., 1373
treatment, 1944: Sept., 1222
Mental alienation, Kenny concept, 1943: July, 889
disease, electric convulsive therapy, 1943: July, 1019
in industrial workers, 1942: July, 1085
growth, levels of, 1944: May, 530
hygiene of chronic disease, 1944: March, 434
program of, 1942: Sept., 1624
symptoms in hysteria, 1944: May, 688
in neurasthenia, 1944: May, 675
produced by anoxia, 1944: May, 704
Menus, cafeteria, in industry, 1942: July, 1068, 1080
Mercurial diuretics in congestive heart failure, 1944: March, 385

- Mercurial diuretics, intravenous, toxic effects, 1944: Nov., 1346
 Mercury, in impetigo contagiosa, 1942: Jan., 170
 Mersalyl and theophylline orally in congestive heart failure, diuretic efficacy, 1944: July, 911
 Merycism, 1942: May, 881
 Mesenteric thrombosis and embolism, 1942: March, 334, 373, May, 781; 1943: Nov., 1552; 1944: May, 730
 Metabolic arthritis, 1943: Sept., 1328
 diseases, abdominal symptoms, 1943: Nov., 1474
 Metabolism, altered, as cause of deficiency states, 1943: March, 529
 basal, in hypothyroidism, 1942: Nov., 1713, 1720
 Metal compounds, toxic properties, 1942: July, 1282
 Metals, less familiar, toxic properties, 1942: July, 1281
 Methyl testosterone, 1944: Sept., 1259
 Metrazol shock therapy in psychoses, 1942: March, 408
 Metropathia haemorrhagica, 1944: Sept., 1222
 Metrorrhagia, hormone therapy, 1943: Sept., 1378
 Meulengracht diet in hemorrhagic peptic ulcer, 1942: May, 661; 1943: Nov., 1582
 Middle ear inflammation. See *Otitis media*.
 Midsystolic click in acute rheumatic heart disease, 1944: Jan., 129
 Migraine, 1944: March, 439
 abdominal, 1944: May, 733
 suicidal tendencies in, 1943: Nov., 1630
 Military tuberculosis, 1942: March, 568, 602, 627
 in infants, 1942: March, 582
 Military personnel, nutrition as it affects, 1943: March, 581
 physical medicine, symposium on, 1943: July, 1924
 Minerals, function, in nutrition, 1943: March, 283
 Miosis, 1944: May, 746
 Mite bites in soldiers in tropics, 1944: Nov., 1538
 typhus, 1944: Nov., 1464
 Mitral stenosis, 1944: Jan., 47
 pregnancy and, 1944: Jan., 51
 with right ventricular failure, 1943: Jan., 121
 Moles, benign and malignant, differentiation and treatment, 1944: July, 968
 blue, 1944: July, 973
 hydatidiform, 1943: Nov., 1604
 pigmented, 1944: July, 968
 vascular, 1944: July, 974
 Monckeberg calcification, 1944: May, 724
 Monilia vaginitis, 1943: Jan., 5, 46
 Moniliasis, 1942: Jan., 160, 167
 Moniliatin, 1942: Jan., 151
 Moods, instability of, 1944: March, 464
 Morphine in coronary thrombosis, 1944: Jan., 8
 Motor disorders, chronic, management, 1944: March, 437
 simulated, 1944: July, 936
 Mottled enamel, 1944: Nov., 1430
 Mouth lesions in pellagra, 1943: March, 388, 548
 in riboflavin deficiency, 1943: March, 401, 550
 in sprue, 1943: March, 454
 ulcers, sulfonamides in, topically, 1944: July, 848
 Mucin in peptic ulcer, 1942: May, 653
 Mucous colitis, 1942: May, 805; 1944: March, 418
 patches, 1942: Jan., 68
 Multiple sclerosis, treatment, 1944: March, 446
 Mumps, 1943: Nov., 1529
 Muscle reeducation following nerve suture, 1943: July, 1096
 Muscular action, basic principles in, 1943: July, 925
 atrophy after nerve damage, 1943: Sept., 1404
 spinal, progressive, 1944: March, 449
 incoordination, Kenny concept, 1943: July, 889
 spasm, Kenny concept, 1943: July, 888
 weakness, neurasthenic, 1944: May, 676, 681
 Myasthenia gravis, treatment, 1944: March, 438
 laryngis, 1944: March, 326
 prostigmine in, 1944: Nov., 1333
 Mycosis fungoides, 1942: Jan., 3, 7
 Mycotic vaginitis, 1942: Jan., 203, 207, 209
 Mydriasis, 1944: May, 746
 Myelitis, ascending, 1943: Nov., 1516
 treatment, 1944: March, 437
 Myelopathy, 1944: March, 437
 Myocardial infarction, 1942: March, 320
 Myopia, 1942: Sept., 1603
 Myxedema, 1942: Nov., 1711; 1944: March, 467
 pituitary, 1944: Nov., 1386
 in children, 1944: Nov., 1390
 NAIL polish dermatitis, 1942: Jan., 16
 Nails, ringworm, 1942: Jan., 160
 Narcissism, 1944: May, 533
 Narcolepsy, 1944: March, 442
 Narcosis, anoxia and, 1944: May, 713

- Nasal allergy, 1942: March, 434; 1944: Nov., 1334
 drops, administration to children, 1942: Jan., 239-241
 sprays in sinusitis, 1942: Sept., 1519, 1520
- Nasopharyngeal conditions, new treatments, 1944: Nov., 1331
- Nasopharynx, gonadal relationships, 1944: Nov., 1329
- Navy, physical therapy in, symposium on, 1943: July, 1024
 respiratory infection, in tropical S. Pacific, 1944: Nov., 1418
- Neck injuries and infections, physical therapy in, 1943: July, 919
- Neoantimosan in schistosomiasis, 1943: May, 859
- Neosphenamine in aortic syphilis, 1944: March, 305
 in early syphilis, 1944: March, 294
 in relapsing fever, 1943: May, 743
- Neoprontosil in ulcerative colitis, streptococcal, 1944: July, 814
- Neosynephrin in bronchial asthma, 1944: March, 346
 in chronic pulmonary diseases with bronchial constriction, 1944: March, 349
- Nephrectomy in hypertension, 1942: Sept., 1433
- Nephritis, acute, 1943: Nov., 1571
 treatment, 1943: Jan., 227; 1944: Sept., 1173
- Nephrosis, serum transfusion in, 1943: Jan., 173
- Nephrotic edema, 1944: Sept., 1181
 syndrome, treatment, 1944: Sept., 1186
- Nerves, peripheral, injuries of, physical therapy in, 1943: July, 1097
 suture of, physical therapy following, 1943: July, 1091
- Nervous indigestion, 1944: March, 418
 system, central, affections of, in aged, physical therapy, 1943: July, 1015
 depressants, poisoning by, 1942: March, 466
 irritants, poisoning by, 1942: March, 466
 lesions of, endocrine syndromes due to, 1942: Nov., 1897
 syphilis of, 1944: March, 303
 chronic disease, management of, 1944: March, 434
 diseases of, abdominal symptoms, 1943: Nov., 1473
 vomiting, 1942: May, 882
- Nervousness in nutritional deficiency, 1943: March, 434
- Neural arches, weak, 1942: Sept., 1564, 1565
- Neurasthenia, 1944: May, 533, 665, 672
 traumatic sources, 1944: May, 673
- Neurasthenoid personality, 1944: May, 546
- Neuritis, alcoholic, 1943: March, 424
 multiple. See *polyneuritis*.
 nutritional, 1943: March, 419
 optic, and brain tumors, papilledema in, 1944: July, 957
 retrobulbar, vitamin therapy, 1943: March, 559
 treatment, 1944: March, 447
- Neuroblastoma of adrenal medulla, 1942: Nov., 1806
- Neurocirculatory asthenia, 1944: May, 569, 666, Sept., 1133
 due to small heart, 1944: May, 577
 in soldiers overseas, 1944: Nov., 1509
- Neurogenic bladder, 1943: Nov., 1566
- Neurologic manifestations of thiamine deficiency, 1943: March, 415
 of nicotinic acid deficiency, 1943: March, 390
- Neuropathic arthritis, 1943: Sept., 1331
- Neuropathy, 1944: March, 447
- Neuropsychiatric aspects of malingering, 1944: July, 928
- Neuroses, anxiety, 1944: May, 672
 manifested by cardiovascular symptoms, 1944: Nov., 1509
 by gastro-intestinal symptoms, 1944: Nov., 1541
- electrotherapy, 1944: March, 462, 465
 gastro-intestinal, 1942: May, 877; 1944: Nov., 1541
 organ, 1944: May, 532
 plus malingering, 1944: May, 702
 prevention, role of psychiatry, 1942: Sept., 1619
 related to the manic-depressive constitution, 1944: March, 452
 sexual factors, 1943: Nov., 1639
 traumatic, 1944: May, 663
 decrease in, in World War II, 1944: May, 560
 differential diagnosis, 1944: May, 699
 military experience, 1944: May, 669
 nomenclature and etiology, 1944: May, 663
 prognosis, 1944: May, 693
 treatment, 1944: May, 697
- Neurosypilis, 1944: March, 303
- Neurotic excretions, 1942: Jan., 119
 heart, 1944: May, 570
- Neurotics, defined, 1944: March, 455
- Neutralization tests for arthropod-borne virus encephalitides, 1943: May, 642
- Nevus, blue, 1944: July, 973
 pigmentosus, 1944: July, 968
 vasculosus, 1944: July, 974
 radium treatment, 1942: Jan., 134

- Newborn, erythroblastosis in, Rh factor and, 1944: Jan., 240, 258
 hemorrhagic disease, vitamin K in, 1943: March, 377
- Niacinamide, dosages, 1942: Sept., 1368
- Nicotinamide in arthralgia of vitamin B deficiency, 1943: Sept., 1319
- Nicotinic acid deficiency. *See Pellagra.*
- dietary requirements, 1943: March, 294
- enzyme relationships, 1943: March, 280
- in chemotherapy, 1943: March, 578
- in deficiency diseases, 1943: March, 274
- in Ménière's syndrome, 1944: Nov., 1324
- in pellagra, 1943: March, 394
- in radiation sickness, 1943: March, 578
- in skin diseases, 1942: Jan., 55
- in Vincent's infection, 1944: Nov., 1332
- laboratory tests, 1942: Sept., 1394
- Night blindness, 1943: March, 355, 554
- palsy, 1944: July, 945
- Nikolsky sign, 1942: Jan., 35
- Nitrates and nitrites in hypertension, 1942: Sept., 1430
- Nitrogen absorption under high pressures, effects, 1942: July, 1215
- bodies in blood, 1942: May, 904
- Nitroglycerin in angina pectoris, 1943: Sept., 1286; 1944: Jan., 27
- Nose, diseases of, chronic, 1944: March, 330
- new treatments, 1944: Nov., 1328
- sulfonamides in, 1944: July, 797
- local use, 1944: July, 800
- treatment, 1944: Sept., 1108
- fracture, treatment, 1944: Sept., 1121
- furuncle, with cellulitis of face, penicillin in, 1944: Sept., 1037
- lesions, in riboflavin deficiency, 1943: March, 402
- physiology, applied, 1944: Sept., 1110
- Nosebleed, 1942: Jan., 243, March, 453; 1944: Sept., 1116
- Nutrients, foods as sources, 1943: March, 287
- biological significance, 1943: March, 277
- Nutrition, adenylic acid in, 1943: March, 483
- eye lesions and, 1943: March, 553
- ill health and, 1942: July, 1154
- fatigue and, 1942: July, 1138
- in industry, 1942: July, 1067
- in practice of medicine, 1943: March, 567
- in pregnancy, 1943: March, 537
- military aspects, 1943: March, 581
- new yardstick for, 1942: July, 1077
- Nutrition, symposium on, 1943: March, 273
- teeth and, 1943: March, 545
- wound healing and, 1943: March, 561
- Nutritional anemias, treatment, 1944: March, 376
- deficiencies, central nervous system manifestations, 1943: March, 431
- neuritis of, 1943: March, 419
- subacute combined degeneration of spinal cord in, 1943: March, 425
- deficiency diseases. *See Deficiency diseases.*
- macrocytic anemia, 1943: March, 467, 479
- Nutritive enema in hemorrhagic peptic ulcer, 1942: May, 662
- Nyctolopia, 1943: March, 355, 554
- OBER reaction, 1943: July, 1068
- Obesity, 1943: March, 327
- cerebral, 1942: Nov., 1676
- of central nervous origin, 1942: Nov., 1909
- Obsessional thinking, 1944: March, 456
- Obstetric emergencies, 1943: Nov., 1596
- associated with hemorrhage, 1942: March, 493; 1943: Nov., 1601
- Obstetrics, chemotherapy in, 1944: July, 827
- Rh factor in, 1944: Jan., 240, 254
- Occupational diseases, 1942: July, 1239
- compensation for, 1942: July, 1036, 1038
- control and prevention, programs for, 1942: July, 1047
- health clinics, 1942: July, 1046
- therapy after amputations, 1943: July, 1120
- in the war, 1943: July, 1154
- psychiatric value, 1943: July, 1161
- value in maintenance and restoration of functions of joints and muscles, 1943: July, 1156
- Ocular. *See Eye.*
- Office gynecology, symposium on, 1943: Jan., 1
- procedures, gynecologic, 1942: Jan., 195
- Oiling as dust-suppressive measure, 1944: Nov., 1312
- Ointments, protective, in industry, 1942: July, 1195
- list of, giving composition, 1942: July, 1199
- vehicles of, 1942: Jan., 108
- Oligomenorrhea, 1944: Sept., 1218, 1220
- hormone therapy, 1944: Sept., 1225
- Oliguria, acute, treatment, 1943: Jan., 242
- Onychomycosis, 1942: Jan., 160
- Ophthalmia, gonorrheal, in child, 1943: Jan., 80

- Ophthalmia, gonorrheal, sulfonamides in, 1944: July, 793, 886
- Ophthalmodynamometry, 1944: May, 744
- Ophthalmologic aids, medical, in civilian and military general practice, 1944: May, 742
- examinations, written, experience with, 1943: Sept., 1409
- Ophthalmology, recent advances, 1942: May, 953
- sulfonamides in, 1944: July, 789
- vitamin A in, 1942: May, 965
- Ophthalmopathy, hyperthyroidism complicated by, 1942: Nov., 1729
- Ophthalmoscopic accessories, 1944: May, 746
- findings in disease, 1944: May, 747
- Ophthalmoscopy, technic, 1944: May, 744
- Opisthotonos, hysteric, 1944: May, 690
- Opsonocytaphagic index in brucellosis, 1943: May, 712
- Optic atrophy in pituitary adenoma, 1942: Nov., 1684, 1700
- primary, syphilitic, surgical treatment, 1944: March, 304
- tabetic, treatment, 1944: March, 446
- neuritis and brain tumors, papilledema in, 1944: July, 957
- Organ neurosis, 1944: May, 532
- Organic tradition in medicine, 1943: Nov., 1635
- Oriental sore, 1943: Nov., 1493
- Orthopedics, physical therapy in, 1943: July, 913
- Oscillating bed, 1943: July, 985
- Oslo cold diet in industry, results in England, 1942: July, 1070
- Osteoarthritis, 1943: Sept., 1338
- physical therapy, 1943: July, 1008
- Osteomalacia, 1943: March, 515
- Osteomyelitis, acute hematogenous, with staphylococcal bacteremia, penicillin in, 1944: Sept., 1031
- of femur, chronic, penicillin in, 1944: Sept., 1038
- sulfonamides in, 1942: Sept., 1381
- Osteoporosis, senile, physical therapy, 1943: June, 1010
- Otitis, chronic, 1944: March, 334, 336
- media, acute, in children, sulfonamides in, 1944: July, 887
- treatment, 1944: Sept., 1125
- chemotherapy, 1942: Sept., 1379, 1518, 1528; 1944: 799, 801
- in infants, 1943: Nov., 1525
- Otolaryngology, problems in, treatment by general practitioner, 1944: Sept., 1108
- recent advances, 1944: Nov., 1310
- Otolaryngology, sulfonamides in, 1944: July, 797
- local use, 1944: July, 801
- Otorrhea, chronic, 1944: March, 334
- Quabain, 1942: May, 940; 1943: Jan., 153
- Ovary, cysts, 1942: Nov., 1818
- with absent or scanty menstruation, 1942: Nov., 1823
- with excessive or irregular uterine bleeding, 1942: Nov., 1820
- dermoid tumor, pregnancy, complicating, in young girl, 1943: Jan., 23
- hormones, 1943: Jan., 10, 29
- hypofunction, 1944: March, 480
- physiology, 1944: Sept., 1236
- tumors, adrenal-like, 1942: Nov., 1830
- feminizing, 1942: Nov., 1826
- masculinizing, 1942: Nov., 1828
- with endocrine manifestations, diagnosis and treatment, 1942: Nov., 1817
- Overstrain, treatment, in hypertension, 1943: Sept., 1272
- Ovulation, disorders associated with, hormone therapy, 1943: Sept., 1382
- Oxygen, administration, in aviation, 1942: July, 1304
- apparatus for, 1942: July, 1308
- high pressures, reactions associated with, 1942: July, 1217
- poisoning, in aviation, 1942: July, 1306
- pressure in atmosphere, effect on emotional control, 1944: May, 704
- therapy, in asthma, 1942: March, 433
- in bronchial spasm of acute infections, 1944: March, 349
- in coronary thrombosis, 1943: Nov., 1535; 1944: Jan., 8
- in left ventricular failure, 1943: Nov., 1537
- in status asthmaticus, 1944: March, 345
- value, in prevention of compressed air illness, 1942: July, 1229
- Oxygen-helium therapy in bronchial asthma, 1944: March, 342, 351
- PAIN, abdominal, acute, diagnosis, 1943: Nov., 1456
- in infants and children, 1942: May, 734
- anigral, 1944: Jan., 17
- control of, in cystic ovary, 1942: Nov., 1822
- gastro-intestinal, of functional origin, 1944: March, 419
- hysteric, 1944: May, 687, 698
- in joints, 1943: Sept., 1311
- in neurasthenia, 1944: May, 674
- intractable, subarachnoid alcohol injections for, 1942: Jan., 264

- Pain, radicular, 1943: July, 994
 physical therapy for, 1943: July, 1001
 relief of, in peptic ulcer, 1944: March, 406
 simulated, 1944: May, 700; 1944: July, 935
- Paleness, emotions and, 1944: May, 572
- Pancreas, diseases, diarrhea due to, 1942: May, 730
 endocrine consideration, 1942: Nov., 1785
 enzymes, study of, 1942: May, 899
 physiology, 1944: Sept., 1239
- Pancreatic fibrosis, chronic diarrhea in infants due to, 1944: Sept., 1198
- Pancreatitis, 1942: May, 783; 1943: Nov., 1472, 1587
- Papaverine in coronary thrombosis, 1944: Jan., 6
- Papilledema in optic neuritis and in tumor of brain, 1944: July, 957
- Para-aminobenzoic acid, enzyme relationships, 1943: March, 283
- Paraffin boot in peripheral vascular disease, 1943: July, 989
- Paraldehyde in bronchial asthma, 1944: March, 345
- Paralysis agitans, treatment, 1944: March, 443
 cerebral, of children, treatment, 1944: March, 448
 hysteric, 1944: May, 685, 698
 infantile. See *Poliomyelitis*.
 simulated, 1944: May, 701
 spastic, cerebral, physical therapy in, 1943: July, 914
 sleep, 1944: July, 945
- Paranasal sinuses. See *Sinuses*.
- Parasites, intestinal, in children, 1944: Sept., 1191
- Parathyroid extract, therapeutic test, 1944: Sept., 1248
 hormone, 1944: Sept., 1238, 1264
 insufficiency, neurogenic factor, 1942: Nov., 1899
- Parathyroids, diseases of, 1944: March, 470
- Paresthesia of stomach and bowels, 1942: May, 886
- Parkinsonism, postencephalitic, 1943: Nov., 1509
 treatment, 1944: March, 443
- Paroxysmal tachycardia, 1942: March, 321; 1943: Nov., 1537
- Parsons-McConnell effective temperature chart, 1942: July, 1187
- Passive vascular exercises, 1943: July, 973
- Pasteur treatment, 1943: Nov., 1516; 1944: Nov., 1411, 1412
- Pasteurella pestis, 1943: May, 750, 758
- Patch test in industrial dermatitis, 1942: Jan., 23
- Patency, tubal, Rubin test, 1943: Jan., 9, 61
- Patent ductus arteriosus, 1944: Jan., 98, 102
 surgical treatment, evaluation, 1944: March, 388
- Patulin in common cold, 1944: Nov., 1328
- Pavaex therapy in occlusive arterial disease, 1943: July, 973
- Pectin in thrombocytopenic purpura, 1944: Jan., 169
- Pediatric emergencies, 1943: Nov., 1520
- Pediatrics, sulfonamides in, 1944: July, 882
- Pellagra, 1943: March, 379
 alcoholic, 1943: March, 393
 central nervous system manifestations, 1943: March, 431
 early, 1943: March, 495
 laboratory diagnosis, 1943: March, 501
 mouth lesions, 1943: March, 389, 548
 nicotinic acid in, 1942: Jan., 56
 pathology, 1943: March, 513
 psychoses in, 1943: March, 391, 432
 recurrent, 1943: March, 392
 sine pellagra, 1943: March, 393
 treatment, 1943: March, 274, 394
- Pelvic inflammatory disease after irradiation, chemotherapy in, 1944: July, 835
- tilt, back pain due to, 1942: Sept., 1570
- roentgenogram, 1943: July, 1032
- Pemphigoid, 1942: Jan., 86
- Pemphigus neonatorum, 1942: Jan., 86
- vulgaris, vitamin D in, 1942: Jan., 63
- Penicillin in early syphilis, 1944: March, 302
 in gonorrhea, 1944: March, 507
 in women, sulfonamide resistant, 1944: July, 835
 in hemolytic streptococcus infections, 1943: Sept., 1203, Nov., 1504
 in influenza, 1944: Sept., 1077
 in pneumonia, 1944: Sept., 1074
 in postabortal and puerperal sepsis, 1944: July, 828, 835
 in primary atypical pneumonia, 1944: Sept., 1078
 in staphylococcal infections, 1944: Sept., 1029
 sepsis, 1944: July, 860
 in subacute bacterial endocarditis, 1944: Sept., 1133
 toxic reactions, 1944: Sept., 1040
- Peptic ulcer, 1942: May, 645
 choice of treatment, 1942: May, 669
 constitutional diathesis, 1942: May, 684

- Peptic ulcer, dyspepsia in, 1944: July, 895, 897
 gastric acidity, control of, 1944: Sept., 1165
 gastroscopy in, 1942: May, 705, 706
 hemorrhage in, 1942: May, 658, 674; 1943: Nov., 1578; 1944: March, 414
 prompt and frequent feeding in, 1944: Nov., 1351
 hormonal influences, 1944: March, 411, Nov., 1349
 therapy, 1944: Nov., 1349
 in military personnel, 1944: Nov., 1353
 jejunal transplant into stomach wall, 1944: Nov., 1350
 malignant, 1944: March, 416
 management, 1942: May, 645
 medical treatment, 1944: March, 403
 neurohormonal relationships, 1942: May, 685
 pathogenesis, endocrine factors, 1942: May, 683
 perforated, 1942: March, 363, May, 674, 776; 1943: Nov., 1575
 physiologic balance in, 1942: May, 677
 psychic factor, 1944: March, 404
 pyloric stenosis in, 1944: March, 415
 sodium alkyl sulfate in, 1944: Nov. 1350
 surgical indications, 1942: May, 669
 uncomplicated treatment, 1944: Sept., 1164
 with stenosis, 1942: May, 657
 Percomorph liver oil, 1943: March, 354
 in rickets, 1943: March, 368
 Perforations, gastro-intestinal, diagnosis, 1943: Nov., 1470
 of eardrum, 1944: March, 334
 of peptic ulcer, 1943: Nov., 1575
 Periarthritis nodosa, 1944: May, 735
 eosinophilia in, 1944: July, 918
 Periarthritis of shoulder, physical therapy in, 1943: July, 917, 1012
 Pericarditis, chronic constrictive, x-ray signs, 1944: Nov., 1343
 rheumatic, acute, 1942: Sept., 1418
 Periodontoclasia, teeth and, 1943: March, 548
 Peripheral arterial occlusion, 1943: Nov., 1546
 nerve injuries, physical therapy in, 1943: July, 917, 1097
 vascular diseases, 1942: Sept., 1457
 physical medicine in, 1943: July, 951
 in aged, 1943: July, 1013
 ulcers of extremities due to tyrothricin in, 1944: July, 849
 venous thrombosis, 1943: Nov., 1548
 Peristaltic unrest, 1942: May, 884
 Peritoneal cavity, acute hemorrhage into, 1942: May, 782
 Peritoneum, tuberculosis, 1942: March, 611
 Peritonitis, pneumococcal, sulfamerazine in, 1943: Nov., 1454
 sulfanomides in, 1942: Sept., 1384
 Perlèche, 1942: Jan., 172
 Pernicious anemia, 1942: Sept., 1439; 1943: March, 467, 477; 1944: Jan., 214
 liver therapy, 1944: Jan., 227; March, 374
 nervous symptoms, treatment, 1944: March, 446
 Pernio, 1942: Sept., 1468
 Personality, compulsive-obsessive, 1944: May, 545
 cycloid, 1944: May, 541
 defined, 1944: May, 537
 development, 1944: May, 531
 distorted growths, 1944: May, 538
 hysteroid, 1944: May, 544
 neurasthenoid, 1944: May, 546
 schizoid, 1944: May, 539
 structure, accident-proneness and, 1944: May, 657
 and deviation in ulcerative colitis, 1944: May, 595
 worker's, 1942: July, 1095
 Personnel of industrial medical service, 1942: July, 1006
 Pertussis. See *Whooping cough*.
 Pes cavus, 1943: July, 1135
 valgoplanus, 1943: July, 1133
 Pessaries in dysmenorrhea, 1943: Jan., 114
 in nonreplaceable uterus, 1943: Jan., 114
 in prolapse of uterus, 1943: Jan., 11, 115
 in retrodisplacement of uterus, 1943: Jan., 11, 109
 in sterility, 1943: Jan., 113
 use of, in gynecology, 1943: Jan., 109
 Petechial fever, 1943: May, 775
 Phagocytic index in brucellosis, 1943: May, 712
 Pharyngitis, acute, sulfonamides in, 1944: July, 799
 Phenobarbital in convulsive disorders, 1944: March, 441
 Phenolphthalein, skin eruption due to, 1942: Jan., 143
 Phenolsulfonphthalein test of renal function, 1942: Sept., 1400; 1943: Sept., 1268
 Pheochromocytoma of adrenal medulla, 1942: Nov., 1806
 Phlebitis, acute, anesthetization of lumbar ganglia in, 1943: July, 990
 Phlebothrombosis, 1942: Sept., 1473

- Phlegmasia alba dolens, 1942: Sept., 1475
 Phonation, mechanism of, 1944: Nov., 1333
 Phosphorus as nutrient, 1943: March, 283
 dietary requirements, 1943: March, 298
 in pregnancy, 1943: March, 538
 radio-active, in chronic myelocytic leukemia, 1944: Jan., 195, Nov., 1384
 Phrenic nerve crushing in tuberculosis, 1942: March, 552
 Phrenology, 1944: March, 452
 Phrynoderma, 1943: March, 356
 Physical agents, emergencies arising from, 1942: March, 510
 allergy, 1942: March, 439
 examinations in industry, 1942: July, 1012, 1019
 therapy, calcium metabolism and, relationships, 1943: July, 1178
 following suture of nerves, 1943: July, 1091
 in after-treatment of amputations, 1943: July, 1109
 in backache, 1943: July, 1057
 in fibrositis, 1943: July, 903
 in orthopedics, 1943: July, 913
 in peripheral nerve injuries, 1943: July, 1097
 in poliomyelitis, 1942: Sept., 1590; 1943: July, 883, 915
 in radicular pain, 1943: July, 994
 in relation to geriatrics, 1943: July, 1007
 in rheumatoid arthritis, 1944: March, 313
 in scoliosis, 1943: July, 1025
 in vascular disease, 1943: July, 951
 in war injuries of spine and spinal cord, 1943: July, 1077
 military, symposium on, 1943: July, 1024
 symposium on, 1943: July, 883
 Physician, role of, in industry, 1942: July, 999
 Pilots, factor of fatigue in, 1942: July, 1322
 selection of, 1942: July, 1325, 1326
 Pitocin, 1942: Nov., 1660; 1943: Jan., 29; 1944: Sept., 1267
 Pitressin, 1944: Sept., 1267
 clinical uses, 1942: 1658, 1660; 1943: Jan., 29
 Pituitary adenoma, 1942: Nov., 1679, 1698, 1706; 1944: March, 475
 basophilism, 1942: Nov., 1692; 1944: March, 477
 cachexia, 1944: March, 474
 dwarfism, 1944: March, 476
 extract, anterior, and thyroid in hypogonadism, 1942: Nov., 1882
 Pituitary extract, whole posterior, 1944: Sept., 1267
 factor in pathogenesis of peptic ulcer, 1942: May, 686
 gland, anterior, diseases of, 1944: March, 474
 physiology, 1942: Nov., 1661; 1944: Sept., 1234
 diseases of, 1942: Nov., 1657
 hypoglycemic crises in, 1943: Nov., 1623
 posterior, 1942: Nov., 1657
 diseases of, 1944: March, 478
 physiology, 1944: Sept., 1235
 roentgen irradiation, in hyperthyroidism, 1942: Nov., 1764
 gonadotropins, 1942: Nov., 1843, 1879
 headache, 1942: Nov., 1681
 hormones, 1943: Jan., 27; 1944: Sept., 1234
 clinical uses, 1942: Nov., 1657; 1944: Sept., 1251, 1266
 infantilism, 1942: Nov., 1668
 myxedema, 1944: Nov., 1386
 preparations, posterior lobe, 1942: Nov., 1660
 tumors, 1942: Nov., 1679
 surgical treatment, indications, 1942: Nov., 1697
 Pityriasis rosea, 1942: Jan., 182
 rubra piloris, vitamin A in, 1942: Jan., 52
 Placenta accreta, 1943: Nov., 1609
 hormones, 1944: Sept., 1240
 praevia, 1942: March, 500; 1943: Nov., 1604
 premature separation, 1942: March, 497; 1943: Nov., 1607
 retained, 1943: Nov., 1608
 Plague, 1943: May, 745, Nov., 1489
 as war and post-war problem, 1943: May, 746
 bubonic, 1943: May, 753
 clinical features and diagnosis, 1943: May, 752
 pneumonic, 1943: May, 753, 755
 prophylaxis, 1943: May, 762, Nov., 1489
 septicemic, 1943: May, 753, 755
 syphilitic, 1943: May, 749
 treatment, 1943: May, 760
 Plantar calluses and corns, 1943: July, 1135, 1142
 warts, 1942: Jan., 191, 194; 1943: July, 1143
 radium treatment, 1942: Jan., 135
 Plasma, administration, in burns, 1942: March, 510, 513; 1943: Sept., 1231, 1235
 in gastro-intestinal hemorrhage, 1943: Nov., 1579
 in hemorrhage, 1943: Nov., 1544
 application in medicine, 1943: Jan., 157

- Plasma, composition, 1943: Jan., 177
 dried, 1943: Jan., 184
 frozen, 1943: Jan., 183
 liquid, 1943: Jan., 181
 proteins, 1943: March, 305
 transfusions, 1943: March, 310
 Plasmochin in malaria, 1943: Nov., 1480
 Plasmodia, 1943: May, 618, Sept., 1417;
 1944: Nov., 1438
 laboratory identification, 1944: Nov.,
 1455, 1458
 Plasmoguin in malaria, 1943: May, 628
 Platelet count, 1944: Jan., 156
 Plethora abdominalis, 1944: May, 722
 Pleura, tuberculosis, 1942: March, 609
 Pleurisy with effusion, in tuberculosis,
 1942: March, 559
 Plumbism, 1942: July, 1267
 Pneumococcal infections of eye, sulfona-
 mides in, 1944: July, 794
 sulfonamides in, 1942: Sept., 1383,
 1545; 1943: Nov., 1452
 meningitis, 1943: Nov., 1504
 sulfonamides in, 1944: July, 870,
 872
 Pneumoconiosis, 1942: July, 1239, 1243
 Pneumonia, 1943: Sept., 1291; 1944:
 Sept., 1067
 aspiration, 1942: Jan., 253
 atypical, primary, etiology unknown,
 1943: May, 670, Sept., 1294
 as seen in tropics, 1944: Nov.,
 1490
 sulfonamides and penicillin in,
 1944: Sept., 1078
 common forms, differential diagnosis,
 1943: Sept., 1300
 Friedländer's bacillus, 1943: Sept.,
 1292
 hemolytic streptococcus, 1943: Sept.,
 1292
 sulfonamides in, 1942: Sept., 1379
 hospital care, value, 1944: July, 808
 in armed forces in S. Pacific, 1944:
 Nov., 1422
 in childhood, 1943: Nov., 1526
 sulfonamides in, 1944: July, 887
 laboratory examinations, 1943: Sept.,
 1295
 lobar, in infants and children, 1942:
 Jan., 250
 management, common problems, 1944:
 July, 804
 nonspecific therapy, 1943: Sept., 1305
 penicillin in, 1944: Sept., 1074
 pneumococcal, 1943: Sept., 1291
 serotherapy and chemotherapy,
 1942: Sept., 1383, 1487, 1489,
 1496; 1943: Sept., 1299, 1302,
 1452
 rheumatic, 1942: Jan., 253
 roentgenography in, value, 1944:
 July, 807
- Pneumonia, serum treatment, 1942:
 Sept., 1496
 staphylococcal, 1943: Sept., 1293
 sulfonamides in, 1942: Sept., 1382
 with bacteremia, penicillin in, 1944:
 Sept., 1031
 sulfadiazine in, method and results in
 533 cases, 1944: Jan., 267
 sulfonamides in, 1942: Sept., 1383, 1487,
 1489; 1943: Sept., 1299; 1944: July,
 805, 808, Sept., 1068
 treatment, recent advances, 1942:
 Sept., 1483; 1943: Sept., 1291,
 1299
 specific, present day, 1944: Sept.,
 1067
 tuberculous, 1942: March, 561
 virus, 1943: Sept., 1293
 Pneumoperitoneum, artificial, in tubercu-
 losis, 1942: March, 553
 Pneumothorax, artificial, in tuberculosis,
 1942: March, 549
 spontaneous, 1942: March, 423
 in tuberculosis, 1942: March, 560
 Poisonings, acute, management, 1942:
 March, 459
 Poliomyelitis, 1943: Nov., 1530
 acute stage, treatment, 1943: Sept.,
 1339
 bulbar, 1942: March, 453
 chronic, 1944: March, 449
 Kenny treatment, 1943: July, 883
 evaluation, 1942: Sept., 1587;
 1943: Sept., 1345, 1348
 nonparalytic, 1943: Sept., 1339
 physiotherapy, 1942: Sept., 1589;
 1943: July, 883, 915
 respirator in, 1943: Sept., 1350
 treatment, 1942: Sept., 1581
 with bulbar paralysis, 1943: Sept.,
 1351
 with spinal type of respiratory paraly-
 sis, 1943: Sept., 1349
 with temporary paralysis of left leg,
 1943: Sept., 1344
 Polka fever, 1943: May, 808
 Polyansyn, 1942: Nov., 1879
 Polyarthritides, acute migratory, in large
 station hospital, 1944: Jan., 124
 Polymenorrhea, 1944: Sept., 1218, 1220
 hormone therapy, 1944: Sept., 1227
 Polyneuritis, arsenical, pyridoxine in
 1942: Jan., 57
 of nutritional deficiency, 1943: March,
 419
 Polyyps, aural, 1944: March, 336
 Polysensitivity, dermatitis due to, 1942:
 Jan., 14, 19
 Portal vein, thrombosis of, 1944: May,
 733
 Postabortal infections, penicillin in,
 1944: July, 835
 sulfonamides in, 1944: July, 827

- Posterolateral sclerosis in nutritional deficiency, 1943: March, 425
- Postnasal discharge with hyperemic lymphoid tissue, radium treatment, 1944: Nov., 1331
- Postoperative uremic symptoms, 1942: March, 355
- Postpartum hemorrhage, 1942: March, 504; 1943: Nov., 1610
- Postural abnormalities, physical therapy, 1943: July, 1001
- exercises in occlusive arterial diseases, 1943: July, 962
- joint strain, 1943: Sept., 1311
- strain, backache due to, 1943: July, 1064
- Posture, malalignment of feet and, 1943: July, 944
- physical principles in, 1943: July, 937
- poor, as cause and effect of disease, 1943: July, 946
- physical therapy in, 1943: July, 919
- Potassium iodide in bronchial asthma, 1942: March, 430
- permanganate soaks in epidermophytosis, 1944: Nov., 1533
- sulfocyanate in hypertension, 1943: Sept., 1268
- thiocyanate in hypertension, 1944: Sept., 1146
- P-R interval, prolongation, in rheumatic fever, 1944: Jan., 61
- Pranturon in hypogonadism, 1942: Nov., 1881
- Pre-eclamptic toxemia, prevention, 1943: Nov., 1597
- treatment, 1943: Nov., 1598
- Pre-employment physical examinations, 1942: July, 1012, 1019
- Pregnancy, anemia of, 1944: March, 377
- blood transfusions in, 1944: Jan., 250, 264
- dermoid tumor of ovary and, in young girl, 1943: Jan., 23
- ectopic, 1943: Nov., 1601, 1603
- gonadotropins in, 1942: Nov., 1920
- hemorrhage of, 1943: Nov., 1601
- hyperthyroidism in, 1942: Nov., 1728
- mitral disease and, 1944: Jan., 51
- nutrition in, 1943: March, 537, 574
- toxemia of, 1943: Nov., 1596
- Pregnandiol, assays, diagnostic value, 1942: Nov., 1929
- Pregnant mare serum, 1942: Nov., 1880, 1881; 1944: Sept., 1250
- Pregneninolone, 1944: Sept., 1257
- Pregnyl in hypogonadism, 1942: Nov., 1881
- Premarital advice, 1943: Jan., 14
- Premature infant, 1943: Nov., 1520
- Premenstrual tension, 1943: Jan., 38, Sept., 1381
- Prephysin in hypogonadism, 1942: Nov., 1879
- Pressure dressings in burns, 1943: Sept., 1237
- exercises in after-treatment of amputations, 1943: July, 1115
- Pressures, high, effect of, 1942: July, 1213
- Preverbal stage, psychosomatic conditions in, 1944: May, 556
- Primrose dermatitis, 1942: Jan., 18
- Procaine block, lumbar sympathetic, in thrombophlebitis, 1942: Sept., 1476
- Proctosigmoidoscopy, 1942: May, 762
- Progesterone, 1943: Jan., 29, 31; 1944: Sept., 1256
- assays, diagnostic value, 1942: Nov., 1928
- in amenorrhea, 1943: Sept., 1375
- in dysmenorrhea, 1943: Jan., 35
- in functional uterine bleeding, 1943: Sept., 1378, 1379
- in hypermenorrhea, 1944: Sept., 1223
- in hypoovarianism, 1944: March, 481
- in threatened abortion, 1942: March, 496
- therapeutic test, 1944: Sept., 1247
- to stimulate ovulation, 1944: Sept., 1226
- Progestins, clinical uses, 1944: Sept., 1256
- Progestogens, 1944: Sept., 1256
- Progyon-B to stimulate ovulation, 1944: Sept., 1225
- Prolactin, 1943: Jan., 28
- Prolapse of uterus, pessaries in, 1943: Jan., 11, 115
- Proluton in polymenorrhea, 1944: Sept., 1227
- to stimulate ovulation, 1944: Sept., 1226
- Prontylin. See *Sulfanilamide*.
- Prostate gland, physiology, 1944: Sept., 1239
- Prostatic enlargement, acute urinary retention due to, 1943: Nov., 1563
- Prostatitis, gonorrheal, 1944: March, 514
- Prosthesis after amputation, 1943: July, 1118
- Prostigmine in myasthenia laryngis, 1944: Nov., 1333
- Protamine zinc insulin, 1942: Nov., 1794; 1944: Sept., 1060, 1272
- Protective ointments, industrial, 1942: July, 1195
- list of, giving composition, 1942: July, 1199
- Protein alimentation, oral, 1943: March, 308
- parenteral, 1943: March, 308
- deficiency, clinical types, 1943: March, 306

- Protein, dietary requirements, 1943:
 March, 296
 hydrolyzed. See *Amigen*.
 metabolism, 1943: March, 303
- Prothrombin determinations, 1943:
 March, 372, 505
- Pruritus ani, 1942: Jan., 117
 essential, 1942: Jan., 109, 110, 117
 of scalp, 1942: Jan., 119
 secondary, 1942: Jan., 120
 treatment, 1942: Jan., 109
 vulvae, 1942: Jan., 118; 1943: Jan., 5
- Pseudo-acromegaly, 1942: Nov., 1912
- Pseudomonas aeruginosa infections of
 eye, sulfonamides in, 1944: July, 794
- Psoriasis, 1942: Jan., 187
 vitamin D in, 1942: Jan., 62
- Psychasthenia, 1944: May, 672
- Psyche, 1944: May, 531
 and soma, 1944: May, 554
- Psychiatric bulk in industry, 1942: July,
 1098
 principles, application to industry,
 1942: July, 1101
- Psychiatry in prevention of neuroses,
 1942: Sept., 1619
 industrial, wartime survey, 1942: July,
 1085
 peculiarities in development, 1942:
 July, 1085
- Psychic factor in peptic ulcer, 1944:
 March, 404
- Psychoanalysis, 1944: March, 452
- Psychogenic states, arthralgia in, 1943:
 Sept., 1320
- Psychoneuroses, 1942: Sept., 1619
 anoxia as cause of, 1944: May, 709
 traumatic, 1944: May, 663, 666
- Psychoses, electric convulsive therapy,
 1943: July, 1019
 management, in general practice, 1942:
 March, 401
 manic-depressive, 1942: March, 408
 metrazol shock therapy, 1942: March,
 408
 pellagrous, 1943: March, 391, 431
- Psychosomatic aspects of medical prac-
 tice in wartime, 1943: Nov., 1633
 disorders, gastro-intestinal, 1942: May,
 877; 1944: May, 557, 561, Sept.,
 1154, Nov., 1355
 interviewing patients with, technic,
 1944: Sept., 1210
 factors in disorders of circulatory sys-
 tem, 1944: May, 565
 in stuttering, 1944: May, 615
 in ulcerative colitis, 1944: May, 593
 in young children's colds, 1944:
 May, 603
 medicine, clinical description, 1944:
 May, 525, 559
 concepts of, 1944: May, 555
 methods of, 1944: May, 558
- Psychosomatic medicine, principles of,
 1944: May, 553
 symposium on, 1944: May, 525
- Psychotherapy, essentials of, 1944: May,
 548
 for practitioner, 1944: May, 546
 in cardiospasm, 1944: May, 591
 in certain circulatory disorders, 1944:
 May, 573
 in cycloidism, 1944: May, 543
 in hypertension, 1942: Sept., 1426;
 1943: Sept., 1273
 in hysteroid personality, 1944: May,
 545
 in schizoidism, 1944: May, 541
 in ulcerative colitis, 1944: May, 598
- Psychrometer, sling, 1942: July, 1181,
 1182
- Pubertas praecox, neurogenic factor,
 1942: Nov., 1908
- Puerperal sepsis, 1943: Nov., 1611
 antiseptic solutions, prophylactic,
 1944: July, 830
 penicillin in, 1944: July, 828, 835
 sulfonamides in, 1942: Sept., 1379;
 1944: July, 827
- Pulmonary. See also *Lungs*.
 complications, postoperative in asth-
 matic patients, 1944: July, 995
 embolism, 1943: Nov., 1550
 pain of, 1942: March, 330, 415
 emphysema, obstructive, 1944: March,
 356
 stenosis, 1944: Jan., 99
 thrombosis, 1942: March, 330, 415;
 1943: Nov., 1550
- Purpura, 1942: Jan., 146
 allergic, 1942: March, 440
 haemorrhagic, 1944: Jan., 163
 thrombocytopenic, 1944: Jan., 153
 essential, 1944: Jan., 163
 symptomatic, 1944: Jan., 179
- Pusey's calamine lotion, 1942: Jan., 116
- Pyelitis in infants, 1943: Nov., 1526
 treatment, 1944: Sept., 1183
- Pyelonephritis, 1943: Jan., 246, Nov.,
 1559; 1944: Sept., 1183
- Pyloric obstruction, 1942: March, 370
 in infants, 1943: Nov., 1524
 in peptic ulcer, 1944: March, 414
- Pylorospasm, 1942: May, 883
 in infants, 1943: Nov., 1524
- Pyoderma, extensive, sulfonamides in,
 1944: July, 846
 gangraenosum, sulfonamides in, 1944:
 July, 846
- Pyogenic infections of skin, 1942: Jan.,
 83
- Pyorrhea, dentition, and, 1943: March,
 548
- Pyridoxine in skin diseases, 1942: Jan.,
 57
- Pyrotherapy. See *Fever therapy*.

- QUINIDINE in paroxysmal tachycardia, 1943: Nov., 1539
parenteral use, 1944: Nov., 1345
- Quinine in lupus erythematosus, 1942: Jan., 42
in malaria, 1943: May, 626, 628, Nov., 1479
- RABIES, 1943: Nov., 1514
some practical questions and answers, 1944: Nov., 1406
- Radiation sickness, vitamin therapy, 1943: March, 578
- Radicular pain, 1943: July, 994
physical therapy for, 1943: July, 1001
- Radio-active phosphorus in chronic myelocytic leukemia, 1944: Jan., 195
- Radium treatment of deafness in childhood, 1944: March, 337
of nasopharyngeal lymphoid masses, 1944: Nov., 1332
of skin diseases, 1942: Jan., 123, 132
skin damage from, 1942: Jan., 137
- Radon in skin diseases, 1942: Jan., 137
- Railroad spine, 1944: May, 664
- Rash in dengue fever, 1943: May, 815
in Rocky Mountain spotted fever, 1943: May, 727
- Rathke's cleft, cysts of, 1942: Nov., 1680
- Rations, military, 1943: March, 581
- Raynaud's disease, 1942: March, 339, Sept., 1467
- Reading problems, 1942: May, 961
- Recompression in compressed air illness, 1942: July, 1233
- Reconnaissance survey of work room environment, 1942: July, 1163
- Rectal swabs in shigellosis, 1943: May, 694
- Rectocolonic disease, diagnostic pitfalls, 1942: May, 755
- Rectosigmoid, carcinoma, errors in diagnosis, 1944: Jan., 278
- Rectum, carcinoma, errors in diagnosis, 1944: Jan., 278
tumors, 1942: May, 768
- Reduction diet, 1943: March, 345, 346
- Reflexes in neurasthenia, 1944: May, 677
- Refraction, principles of, 1942: Sept., 1595
- Refrigeration in impaired arterial circulation, 1943: July, 954
use of, in military medicine, 1943: July, 1166
- Regurgitation, 1942: May, 881
- Rehabilitation after amputations, 1943: July, 1121
- Rekoss disk, 1944: May, 745
- Relapsing fever, 1943: May, 734, Nov., 1485
louse-borne, 1943: May, 737, Nov., 1486
- Relapsing fever, tick-borne, 1943: May, 738, Nov., 1485
treatment, 1943: May, 743
- Renal. See also *Kidney*.
colic, 1942: March, 347; 1943: Nov., 1569
retinitis, 1944: May, 749
- Respiration, artificial, Schaefer method, 1942: March, 520
- Respirator in poliomyelitis, 1943: Sept., 1350
- Respiratory diseases, emergencies in, 1942: March, 415
in aged, physical therapy in, 1943: July, 1016
in infants, 1943: Nov., 1525
industrial disability and, 1944: Nov., 1293
infectiousness of air and, relationship, 1944: Nov., 1300
- failure in children, 1942: March, 451
- infections, epidemiology and bacteriology, among armed forces of South Pacific, 1944: Nov., 1418
- upper, acute, sulfonamides in, 1944: July, 798
- Rest in congestive heart failure, 1944: March, 382
in functional disorders of digestive tract, 1944: March, 426
in hypertension, 1942: Sept., 1425
- Retina, central artery, occlusion of, 1943: Nov., 1552
- Retinal detachment, 1942: May, 958
- Retinitis, 1944: May, 748
diabetic, 1944: May, 749
hemorrhagic, vitamin therapy, 1943: March, 559
proliferans, 1944: May, 749
renal, 1944: May, 749
septic, 1944: May, 750
- Retrodisplacements of uterus, pessaries in, 1943: Jan., 11, 109
- Rh factor, 1944: Jan., 232, 254
and erythroblastosis foetalis, 1944: Jan., 240, 258
in obstetrics, 1944: Jan., 240, 254
in transfusion reactions, 1944: Jan., 236, 250, 256; March, 379
testing for, 1944: Jan., 250
- Rheumatic conditions, common, treatment, 1943: Sept., 1309
fever, 1943: Sept., 1280
P-R interval prolongation in, significance, 1944: Jan., 61
recent advances, 1944: Nov., 1338
sulfonamides in, prophylactic, 1944: July, 838, 889
survey of, in large station hospital, 1944: Jan., 124
- heart disease, 1942: Sept., 1418; 1943: Sept., 1279; 1944: Jan., 127, Sept., 1129

- Rheumatic infection, recurrence of, 1943: Sept., 1282
pneumonia, 1942: Jan., 253
valvular disease, chronic, 1943: Sept., 1282
- Rheumatismus febrilis exanthematicus, 1943: May, 808
- Rheumatoid arthritis, 1943: Sept., 1332
advances in study and treatment, 1944: March, 309
fever therapy, 1943: July, 1123
gold salts in, 1944: March, 316
histamine and mecholyl iontophoresis in, 1944: March, 319
physical therapy, 1943: July, 1008; 1944: March, 313
vitamin D in, 1944: March, 314
spondylitis, 1943: Sept., 1338
- Rhinitis, acute, sulfonamides in, local use, 1944: July, 802
allergic, 1942: March, 434
gonadal relationships, 1944: Nov., 1329
- Riboflavin deficiency, 1943: March, 399
early, 1943: March, 495
mouth lesions, 1943: March, 401, 550
pathology, 1943: March, 514
dietary requirements, 1943: March, 293
dosages, 1942: Sept., 1368
enzyme relationships, 1943: March, 280
in deficiency diseases, 1943: March, 274
in skin diseases, 1942: Jan., 55
in laboratory tests, 1942: Sept., 1393
- Ricketts, 1943: March, 361
early, 1943: March, 495
pathology, 1943: March, 516
physical therapy in, 1943: July, 915
- Rickettsia prowazeki, 1943: May, 777
rickettsii, 1943: May, 723
- Ring pessaries, 1943: Jan., 111, 116, 118
- Ringworm, eczematoid, 1942: Jan., 107
of hands and feet, 1942: Jan., 151
in soldiers in tropics, 1944: Nov., 1532
of nails, 1942: Jan., 160
of scalp, 1942: Jan., 161
treatment and prophylaxis, 1942: Jan., 157
- Risser jacket in scoliosis, 1943: July, 1035
- Rocky Mountain spotted fever, 1943: May, 722; 1944: May, 752
- Roentgen aspects of tuberculosis, 1942: March, 537, 615
in infants, 1942: March, 580
in juveniles, 1942: March, 588
burns, vitamin D in, 1942: Jan., 63
diagnosis, adenoid bronchosinusitis, 1944: Sept., 1093
- Roentgen diagnosis, bronchiolitis, acute in infants, 1944: Sept., 1101
carcinoma of stomach, early, 1944: Nov., 1352
cardiac aneurysm, 1942: May, 925
cardiovascular disease, 1944: Nov., 1342
coccidioidomycosis, 1943: May, 803
gastritis, 1942: May, 715
goiter, 1942: Nov., 1753
in endocrinology, 1944: Sept., 1247
intestinal tuberculosis, 1942: May, 826
placenta praevia, 1943: Nov., 1605
rickets, 1943: March, 365
scurvy, 1943: March, 444
sprue, 1943: March, 460
examination in pneumonia, value, 1944: July, 807
treatment, amenorrhea, 1942: Nov., 1841, 1849
chronic myelocytic leukemia, 1944: Jan., 194, 196, Nov., 1383
Hodgkin's disease, 1944: Jan., 211
hyperthyroidism, 1942: Nov., 1724, 1751
by irradiation of pituitary, 1942: Nov., 1764
iodine with, 1942: Nov., 1765
leukemia, 1943: Jan., 255
peripheral vascular disease, 1943: July, 989
pituitary adenoma, 1942: Nov., 1695, 1707
sinusitis, 1944: Nov., 1
skin damage from, 1942: Jan., 137
diseases, 1942: Jan., 123
subacute leukemia, 1944: Jan., 190
thymic hyperplasia, 1942: Nov., 1779
- Roentgenogram, pelvic tilt, 1943: July, 1032
- Roger's disease, 1944: Jan., 60
- Rorschach ink-blot tests in stuttering, 1944: May, 623
- Rosacea, 1942: Jan., 178
- Roseola, 1942: Jan., 66, 178
infantum, 1943: Nov., 1527
- Rubin test for tubal patency, 1943: Jan., 9, 61
- Rumination, 1942: May, 881
- Rumpel-Leeds test for capillary fragility, 1942: Jan., 59
- Rupture of aorta, 1942: March, 331
of uterus, 1942: March, 503
- Russian encephalitis, 1943: Nov., 1513
- SACRALIZATION of transverse spinous processes, 1942: Sept., 1560
- Sacro-iliac strain, acute, 1943: July, 1066
- Salicylates in rheumatic fever, 1943: Sept., 1281
heart disease, 1944: Sept., 1130

- Salpingitis, acute, 1942: May, 782
gonorrheal, sulfonamides in, 1944: July, 832
- Sanders oscillating bed, 1942: March, 337; 1943: July, 985
- Scalenus syndrome, 1942: Sept., 1469
- Scalp, pruritus, 1942: Jan., 119
ringworm, 1942: Jan., 161
- Scarlatina mitis exanthemis arthrosia, 1943: May, 808
- Scarlet fever, 1943: May, 661, Nov., 1528
sulfonamides in, 1942: Sept., 1378, 1944: July, 888
for arthritis, 1942: Sept., 1547
- Scars, hypertrophic, radium treatment, 1942: Jan., 136
- Schaefer method of artificial respiration, 1942: March, 520
- Schick test in diphtheria, 1943: May, 656, 659
- Schiller test, 1942: Jan., 213
- Schistosoma haematobium, 1943: May, 848
infection with, 1943: May, 853
japonicum, 1943: May, 848
infection with, 1943: May, 856
mansoni, 1943: May, 848
infection with, 1943: May, 854
- Schistosomiasis, 1943: May, 848, Nov., 1494
Asiatic, 1943: May, 856
intestinal, 1943: May, 854
urinary, 1943: May, 853
- Schizoid personality, 1944: May, 539, 540
- Schizophrenia, 1944: May, 533, 667
- Schizotrypanosomiasis, 1943: May, 822
- Schuster's test, 1944: July, 937
- Scleroderma, vitamin D in, 1942: Jan., 63
- Sclerosis, combined, in aged, physical therapy in, 1943: July, 1016
posterolateral, in nutritional deficiency, 1943: March, 425
- Scoliosis, physical therapy in, 1943: July, 919, 1002
structural, treatment, 1943: July, 1025
- Scopolamine in parkinsonism, 1944: March, 443
- Scotoma in pituitary adenoma, 1942: Nov., 1687
- Screening in malaria control, 1943: May, 629
- Scrofuloderma, 1942: Jan., 76
- Scrotum, lymph, 1943: May, 864
- Scrub typhus, 1944: Nov., 1464
- Scruvy, 1943: March, 441
pathology, 1943: March, 515
vitamin therapy, 1943: March, 274
wound healing and, 1943: March, 561
- Seasickness, benzedrine sulfate in, therapeutic evaluation in 100 cases, 1943: Nov., 1652
- Seborrhea in riboflavin deficiency, 1943: March, 402, 405
- Seborrheic dermatitis, 1942: Jan., 180
keratosis, 1944: July, 969
wart, 1942: Jan., 191, 193
- Secretions, internal, decreased, as cause of deficiency states, 1943: March, 525
- Sedatives in alcoholism, 1942: March, 411
in bronchial asthma, 1944: March, 344, 351
in hypertension, 1942: Sept., 1429
in psychoses, 1942: March, 407
- Sella turcica, ballooning of, 1942: Nov., 1687, 1700
- Semen, examination, 1942: Nov., 1861; 1943: Jan., 60
- Sensory disorders, chronic, management, 1944: March, 437
simulated, 1944: July, 937
- Sepsis, postabortal, chemotherapy in, 1944: July, 827
puerperal, 1943: Nov., 1611
chemotherapy in, 1944: July, 827
staphylococcal, penicillin, 1944: July, 860
- Serological tests for arthropod-borne virus encephalitis, 1943: May, 642
- Serum, blood. See *Blood serum*.
convalescent. See *Convalescent serum*.
dried, 1943: Jan., 181
human, applications in medicine, 1943: Jan., 157
consumption, 1943: Jan., 177
liquid, 1943: Jan., 180
pooled adult, 1943: Jan., 159
reactions, 1942: March, 440; 1943: Sept., 1304
sickness, 1942: March, 444
therapy in bacillary dysentery, 1943: Sept., 1215
in brucellosis, 1943: Jan., 265, May, 715
in meningococcal meningitis, 1943: Sept., 1205, Nov., 1502
in plague, 1943: May, 761
in pneumococcal meningitis, 1943: Nov., 1505
in pneumonia, 1942: Sept., 1496
1943: Sept., 1303
- Seven-day fever, 1943: May, 808
- Sex education, 1942: Sept., 1627
- Factors in neuroses, 1943: Nov., 1639
hormone therapy in male hypogonadism, 1942: Nov., 1867
hormones, in pathogenesis of peptic ulcer, 1942: May, 689
- Sexual neurasthenia, 1944: May, 678
- Shark liver oil, 1943: March, 354

- Shell shock, 1944: May, 666
- Shigella dysenteriae, 1943: May, 692
- Shigellosis, 1943: May, 687, 692
treatment, 1943: May, 694
- Shingles, treatment, 1944: March, 442
- Ship fever, 1943: May, 775
- Shock, 1942: March, 424
blood and blood substitutes in, 1943:
Jan., 164, 167
in burns, 1943: Sept., 1230, 1233
in fractures, 1942: March, 479
irreversible, prevention, 1943: Sept.,
1401
management, 1942: March, 425
physiologic mechanisms, with therap-
eutic implications, 1943: Sept., 1400
specific gravity test, 1942: March,
425
treatment of psychoses, 1943: July, 1019
- Shoes, faulty, and foot disability in
Army, 1943: July, 1136
- Shoulder, injuries and infections, phys-
ical therapy in, 1943: July, 917
peri-arthritis, physical therapy, 1943:
July, 1012
- Shwartzman phenomenon, 1942: Jan., 36
- Sickle cell anemia, 1942: Jan., 224;
1944: March, 379
- Sickness absenteeism rates in industry,
1942: July, 1106
benefit organizations, comparison of
sickness rates, 1942: July, 1109
disabling, in industry, factors con-
cerned, 1942: July, 1110
measurement among industrial work-
ers, 1942: July, 1105
prevention, in industry, 1942: July,
1145
- Siderodromophobia, 1944: May, 675
- Sidero-silicosis, 1942: July, 1239
- Siderosis, 1942: July, 1239, 1243
- Sigmoidoscopy, 1942: May, 763
- Silicosis, 1942: July, 1239, 1245
rapidly developing, 1942: July, 1256
tuberculosis and, 1942: July, 1249
- Silver nitrate in hemorrhagic peptic
ulcer, 1942: May, 667
in impetigo contagiosa, 1942: Jan.,
171
in interstitial cystitis, 1944: July,
1013
- Simmonds' disease, 1942: Nov., 1672,
1714; 1944: March, 474
neurogenic factors, 1942: Nov., 1911
- Sinus thrombosis, cavernous, sulfon-
amides in, 1942: Sept., 1382
- Sinuses, intracranial, thrombosis of,
1942: March, 330
swimming in relation to, 1944: Sept.,
1126
- Sinusitis, acute, sulfonamides in, 1942:
Sept., 1379; 1944: July, 799
treatment, 1944: Sept., 1113
- Sinusitis, chronic, 1944: March, 330
sulfonamides in, local use, 1944:
July, 801, 802
colloidal calcium gluconate in, 1944:
Nov., 1329
desoxyephedronium sulfathiazole in,
1944: Nov., 1328
treatment, 1942: Sept., 1511
local, by general practitioner, 1942:
Sept., 1516
by rhinologist, 1942: Sept., 1522
x-ray treatment, 1944: Nov., 1329
- Sippy diet, modified, 1943: Nov., 1581
- Six-day fever, 1943: May, 808
- Skin, abrasions, treatment in diabetes,
1944: July, 980
cleansers, industrial, 1942: July, 1195,
1203
list of, giving composition, 1942:
July, 1211
synthetic wetting agents and de-
tergents, 1942: July, 1204
- diseases, common, treatment in Army
hospital in tropics, 1944: Nov.,
1532
- erythema group, etiology, 1942:
Jan., 139
- in infants and children, 1942: Jan., 163
- miscellaneous, 1942: Jan., 175
- radium treatment, 1942: Jan., 123,
132
- roentgen treatment, 1942: Jan., 123
- sulfonamides in, indications and
limitations, 1944: July, 844
- symposium on, 1942: Jan., 1
- vitamin A and, 1942: May, 981
- vitamins in, 1942: Jan., 47
- fungous infections, 1942: Jan., 151
- grafting, in burns, 1943: Sept., 1243
- lesions, in early nutritional deficiencies,
1943: March, 488
in pellagra, 1943: March, 382
in vitamin A deficiency, 1943:
March, 356
- leukemic lesions, 1942: Jan., 3
- pyogenic infections, 1942: Jan., 83
- radiotherapy damage, 1942: Jan., 137
- syphilitic lesions, 1942: Jan., 65
- tests in gastro-intestinal allergy, 1942:
May, 746
- tuberculosis, 1942: Jan., 74
- Sleep paralysis, 1944: July, 945
- Sleeping sickness, African, 1943: May,
835
- Sling psychrometer, 1942: July, 1181,
1182
- Smallpox, 1943: May, 603, 615, Nov.,
1528
- Smears, obtaining in gonorrhea in
women, 1943: Jan., 90
vaginal, 1944: Sept., 1245
- Smell, hysteric affections of, 1944: May,
692

- Smith pessary, 1943: Jan., 109, 111
 Smithwick's hypertensive work-up, 1944: Sept., 1135
 splanchic resection in malignant hypertension, 1944: Sept., 1135, 1136
 Snake venom in thrombocytopenic purpura, 1944: Jan., 169
 Snellen test chart, 1942: Sept., 1605
 Snoring, synnasol for, 1944: Nov., 1331
 Soap Lake treatment of thrombo-angiitis obliterans, 1943: July, 952
 Soaps, use of, in industry, 1942: July, 1203
 Sodium alkyl sulfate in peptic ulcer, 1944: Nov., 1350
 bicarbonate in acidosis, 1942: March, 379
 Soldier's heart, 1944: May, 569
 decrease in, in World War II, 1944: May, 560
 Soma and psyche, relation of, 1944: May, 554
 Somatic phase of mental growth, 1944: May, 531
 Sore throat, septic, common source with scarlet fever, 1943: May, 664
 streptococcal, 1943: Sept., 1202
 treatment, 1944: Sept., 1114
 Spasmodic torticollis, treatment, 1944: March, 449
 Spastic colitis, 1944: March, 418
 irritable bowel, 1942: Jan., 227, May, 805
 paralysis, cerebral, physical therapy in, 1943: July, 914
 Specific gravity test for shock, 1942: March, 425
 Speech disorders, simulated, 1944: July, 939
 hysteric affections of, 1944: May, 692
 Spermatogenesis, disturbances in, 1942: Nov., 1860
 Spermatozoa count, 1944: Sept., 1246
 Spinal cord, subacute combined degeneration, in nutritional deficiency, 1943: March, 425
 war injuries, 1943: July, 1083
 after-care, 1943: July, 1087
 muscular atrophy, progressive, 1944: March, 449
 Spine, congenital anomalies, 1943: July, 1070
 fractures, arthritis in, 1943: Sept., 1332
 fusion of Hibbs, 1942: Sept., 1576
 injuries and infections, arthritis in, 1943: July, 919
 lumbosacral, anatomic variations, 1942: Sept., 1552
 "railroad," 1944: May, 667
 war injuries, with special reference to physical treatment, 1943: July, 1077, 1079
 Spinous process, fractures, 1942: July, 1080
 Spirillum cholerae asiaticae, 1943: May, 766
 Spirochaeta duttoni, 1943: May, 736
 recurrentis, 1943: May, 736
 venezuelensis, 1943: May, 740
 Splanchnicectomy in hypertension, 1942: Sept., 1434; 1944: Sept., 1135, 1136
 Spleen, infarction of, 1943: Nov., 1552
 Splenectomy in thrombocytopenic purpura, 1944: Jan., 158
 Splints, arthroplasty, 1943: July, 916
 emergency, in fractures, 1942: March, 471-476
 Spondylitis, physical therapy, 1943: July, 1003
 rheumatoid, 1943: Sept., 1338
 Spondylolisthesis, 1942: Sept., 1565; 1943: July, 1070
 physical therapy in, 1943: July, 920
 Spotted fever, Rocky Mountain, 1943: May, 722
 typhus, 1943: May, 775
 Sprains, foot, 1943: July, 1146
 Sprays, nasal, in sinusitis, 1942: Sept., 1519, 1520
 Sprue, 1943: March, 451
 Sputum examinations in pneumonia, 1943: Sept., 1295
 St. Louis type of encephalitis, 1943: May, 633, Nov., 1509
 Staining methods for malarial parasites, 1944: Nov., 1458
 Staphylococcal infections, penicillin in, 1944: Sept., 1029
 sulfamerazine in, 1943: Nov., 1455
 sulfonamides in, 1942: Sept., 1380, 1542; 1943: Sept., 1253
 meningitis, 1943: Nov., 1506
 pneumonia, 1943: Sept., 1293
 sepsis, penicillin in, 1944: July, 860
 Starvation treatment of gastro-intestinal hemorrhage, 1943: Nov., 1580
 Status apoplecticus, 1944: May, 722
 asthmaticus, 1942: March, 432; 1944: March, 339
 thymicolymphaticus, 1942: Nov., 1776
 Sterility, 1943: Jan., 7
 diagnosis, by general practitioner, 1943: Jan., 55
 endometrial biopsy in, 1943: Jan., 64
 hormone therapy, 1943: Sept., 1383
 Huhner test, 1943: Jan., 59
 male, diagnosis and treatment, 1942: Nov., 1857
 pessaries in, 1943: Jan., 113
 Rubin test, 1943: Jan., 9, 61
 seminal examination, 1942: Nov., 1857; 1943: Jan., 60
 vitamins and, 1941: May, 616
 Sternal puncture, 1944: Jan., 157
 Stiffness, simulated, 1944: May, 700

- Stilbestrol, 1943: Jan., 29; 1944: Sept., 1255
 in amenorrhea, 1943: Jan., 38, Sept., 1375
 of Fröhlisch's syndrome, 1942: Nov., 1841
 in dysmenorrhea, 1943: Sept., 1377
 in gonococcal vulvovaginitis, 1943: Jan., 76
 in menopause, 1943: Jan., 40, Sept., 1382
 in polymenorrhea, 1944: Sept., 1227
 in premenstrual tension, 1943: Sept., 1381
 to stimulate ovulation, 1944: Sept., 1225, 1226
 Still's disease, 1943: Sept., 1338
 Stippling of erythrocytes in lead poisoning, 1942: July, 1265
 Stokes-Adams syndrome, 1943: Nov., 1540
 Stomach, acidity, in peptic ulcer, 1944: March, 408
 carcinoma, dyspepsia in, 1944: July, 898
 roentgen diagnosis, early, 1944: Nov., 1352
 contents, fractional analysis, 1944: Nov., 1516
 dilatation, acute, 1942: March, 364
 diseases, gastroscopy in, 1942: May, 701
 distention, sensation of, in functional disturbances, 1944: March, 419
 examination, technic, 1941: March, 559
 hemorrhage from, 1942: March, 332, 362; 1943: Nov., 1578
 irritable, 1944: March, 418
 treatment, 1943: Sept., 1385
 psychosomatic disorders, 1942: May, 877; 1944: Nov., 1355
 resection, subtotal, for peptic ulcer, 1942: May, 673
 secretory status, 1942: May, 895
 syphilis, dyspepsia in, 1944: July, 900
 ulcer, 1942: May, 645. see also *Peptic ulcer*.
 choice of treatment, 1942: May, 671
 dyspepsia in, 1944: July, 895
 gastroscopy in, 1942: May, 706
 vessels, sclerosis of, 1944: May, 728
 Stools, character of, in irritable colon, 1944: March, 420
 Strabismus, 1942: May, 959
 Strain, lumbosacral, acute, 1943: July, 1066
 postural, backache due to, 1943: July, 1064
 sacro-iliac, acute, 1943: July, 1066
 Stramonium in parkinsonism, 1944: March, 444
 Strangulations, intestinal, diagnosis, 1943: Nov., 1468
 Streptococcal infections of eye, sulfonamides in, 1944: July, 793, 794
 sulfamerazine in, 1943: Nov., 1455
 sulfonamides in, 1942: Sept., 1377, 1540; 1943: Sept., 1253
 meningitis, sulfonamides in, 1944: July, 870, 872
 sore throat, 1943: Sept., 1202
 ulcerative colitis, sulfonamides in, 1944: July, 811
 Streptococcus hemolyticus infections, 1943: Sept., 1202
 meningitis, 1943: Nov., 1503
 Stricture of urethra, acute retention due to, 1943: Nov., 1563
 Strümpell-Marie arthritis, 1943: Sept., 1338
 Stuttering, psychosomatic factors in, 1944: May, 615
 Subacromial bursitis, physical therapy in, 1943: July, 917
 Subarachnoid hemorrhage, 1943: Nov., 1554, 1557
 Subdeltoid bursitis, diathermy in, 1943: July, 1184
 physical therapy in, 1943: July, 917, 1012
 Subdural hematoma, 1943: Nov., 1557
 Succinylsulfathiazole. See *Sulfasuxidine*.
 Suction and pressure, intermittent, in occlusive arterial disease, 1943: July, 973, Sept., 1403
 Suffocation, 1942: March, 523
 Suicide tendencies in migraine and hypogonadism, 1943: Nov., 1630
 Suigenderism, 1944: May, 534, 535
 Sulfadiazine in adenoid bronchitis, 1944: Sept., 1095
 in bacillary dysentery, 1943: May, 695, Sept., 1208, 1218; 1944: Nov., 1507
 in bacteremia and meningitis, 1944: July, 872
 in bronchiolitis, acute, in infants, 1944: Sept., 1095
 in carbuncle or furuncle, 1942: Sept., 1382
 in colon bacillus arthritis, 1942: Sept., 1544
 in diabetic gangrene, 1942: Sept., 1463
 in erysipelas, 1942: Sept., 1378
 in gas gangrene, 1942: Sept., 1386
 in gonococcal infections, 1942: Sept., 1385, 1535; 1943: Jan., 76, Sept., 1254
 in women, 1944: July, 831
 in infectious arthritis, 1943: Sept., 1327
 in influenza meningitis, 1942: Sept., 1386
 in meningococcal infections, 1942: Sept., 1384, 1543; 1943: Sept., 1205
 in otitis media, 1942: Sept., 1518, 1528

- Sulfadiazine in otolaryngology, 1944: July, 797
in pediatrics, 1944: July, 882, 884
in pneumococcal arthritis, 1942: Sept., 1546
in pneumococcal meningitis, 1942: Sept., 1382; 1943: Nov., 1505
in pneumonia, 1942: Sept., 1488; 1943: Sept., 1301; 1944: July, 808, Sept., 1068
method and results in 533 cases, 1944: Jan., 267
in puerperal sepsis, 1943: Nov., 1612; 1944: July, 829
in pyelonephritis, 1943: Nov., 1562
in scarlet fever, 1942: Sept., 1378
in sinusitis, 1942: Sept., 1518, 1528
in staphylococcal infections, 1942: Sept., 1380; 1943: Sept., 1253
in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1253, Nov., 1503
in ulcerative colitis, streptococcal, 1944: July, 814
in urinary tract infections, 1942: Sept., 1382
in women, 1944: July, 834
toxic reactions, 1942: Sept., 1376; 1944: Jan., 275
- Sulfaguanidine in bacillary dysentery, 1943: May, 695, Sept., 1219, 1254, Nov., 1482; 1944: July, 821, Nov., 1507
in diverticulitis, 1944: July, 823
in enteritis, regional, 1944: July, 821
in ulcerative colitis due to venereal lymphogranuloma, 1944: July, 816
regional, 1944: July, 819
streptococcal, 1944: July, 814
- Sulfamerazine, clinical evaluation in 400 cases, 1943: Nov., 1447
in bacteremia and meningitis, 1944: July, 872
in meningococcal meningitis, 1943: Sept., 1205
in otolaryngology, 1944: July, 798
in pediatrics, 1944: July, 882, 884
in pneumonia, 1944: July, 809, 810, Sept., 1068
in trachoma, 1944: July, 792
toxic manifestations, 1943: Nov., 1457
- Sulfanilamide in bacillary dysentery, 1943: Sept., 1217
in bacteremia and meningitis, 1944: July, 872
in compound fracture, 1942: March, 491
in diabetic gangrene, 1942: Sept., 1463
in erysipelas, 1942: Jan., 91, Sept., 1378
in gas gangrene, 1942: Sept., 1386
in gonococcal infections, 1942: Sept., 1385, 1533, 1536
in influenzal meningitis, 1942: Sept., 1386
- Sulfanilamide in lupus erythematosus, 1942: Jan., 44
in lymphogranuloma venereum for arthritis, 1942: Sept., 1546
in pediatrics, 1944: July, 884
in plague, 1943: May, 761
in pneumonia, 1942: Sept., 1488; 1944: July, 810
in puerperal sepsis, 1944: July, 829
in rheumatic infection, prophylactic, 1943: Sept., 1283; 1944: July, 838, 889
in scarlet fever, 1942: Sept., 1378
in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1253, Nov., 1503
in ulcerative colitis due to venereal lymphogranuloma, 1944: July, 815
streptococcal, 1944: July, 813
intrapertoneal, in gynecology, 1944: July, 833
toxic reactions, 1942: Sept., 1375
- Sulfapyrazine in pediatrics, 1944: July, 882, 884
in pneumonia, 1944: Sept., 1069
- Sulfapyridine in bacillary dysentery, 1943: Sept., 1217
in bacteremia and meningitis, 1944: July, 872
in dermatitis herpetiformis, 1944: July, 846
in gonorrhea, 1942: Sept., 1385; 1943: Jan., 76
in gonorrheal conjunctivitis, 1944: July, 793
vulvovaginitis, 1944: July, 834
in influenzal meningitis, 1942: Sept., 1386
in plague, 1943: May, 761
in pneumococcal meningitis, 1942: Sept., 1383
in pneumonia, 1942: Sept., 1488; 1944: July, 810
in streptococcal infections, 1942: Sept., 1377; 1943: Nov., 1503
in subacute bacterial endocarditis, 1944: Sept., 1133
toxic reactions, 1942: Sept., 1375
- Sulfasuxidine in bacillary dysentery, 1943: May, 695, Sept., 1208, 1225, 1254; 1944: July, 821, Nov., 1507
in carcinoma of intestine, 1944: July, 823
in enteritis, regional, 1944: July, 821
in infectious diseases of colon, 1943: Jan., 189
in ulcerative colitis, regional, 1944: July, 819
- Sulfathaladine in ulcerative colitis, regional, 1944: July, 819
- Sulfathiazole in bacillary dysentery, 1943: May, 695, Sept., 1217; 1944: Nov., 1507

- Sulfathiazole in bacteremia and meningitis, 1944: July, 872
 in carbuncle, 1942: Jan., 96, Sept., 1382
 in colon bacillus arthritis, 1942: Sept., 1544
 in compound fracture, 1942: March, 491
 in diabetic gangrene, 1942: Sept., 1463
 in enteritis, regional, 1944: July, 821
 in furuncle, 1942: Jan., 94, Sept., 1382
 in gas gangrene, 1942: Sept., 1386
 in gonococcal arthritis, 1942: Sept., 1534
 in gonorrhea, 1942: Sept., 1385; 1943: Sept., 1254; 1944: March, 506
 asymptomatic carrier states following, 1944: March, 508
 in women, 1943: Jan., 47, 76, 93; 1944: July, 831
 in gonorrheal conjunctivitis, 1944: July, 793
 vulvovaginitis, 1944: July, 834
 in impetigo contagiosa, 1942: Jan., 172
 in infectious arthritis, 1943: Sept., 1327
 in influenzal meningitis, 1942: Sept., 1386; 1943: Nov., 1505
 in nasopharyngeal infections, by insufflation, 1944: Nov., 1331
 in osteomyelitis, 1942: Sept., 1381
 in pediatrics, 1944: July, 882, 884
 in plague, 1943: May, 760
 in pneumococcal arthritis, 1942: Sept., 1546
 in pneumonia, 1942: Sept., 1488; 1943: Sept., 1301; 1944: July, 809, Sept., 1068
 in puerperal sepsis, 1943: Nov., 1612; 1944: July, 829
 in pyelonephritis, 1943: Nov., 1562
 in sinusitis, 1942: Sept., 1528
 in skin diseases, topical use, 1944: July, 847
 in staphylococcal infections, 1942: Sept., 1380; 1943: Sept., 1253, Nov., 1506
 in streptococcal infections, 1942: Sept., 1377
 in ulcerative colitis due to venereal lymphogranuloma, 1944: July, 816
 streptococcal, 1944: July, 814
 in urinary tract infections, 1942: Sept., 1382, 1385; 1943: Sept., 1254
 in women, 1944: July, 834
 intraperitoneal, in gynecology, 1944: July, 833
 toxic reactions, 1942: Sept., 1376
- Sulfonamides. See also the individual drugs.
- Sulfonamides, alkali therapy with, 1944: July, 878, Sept., 1070
 candy, 1944: July, 882
 comparative effectiveness against various organisms, 1943: Sept., 1248
 crystals in urine, 1943: Nov., 1501
 dosage schedules, 1943: Sept., 1249
 effective blood concentrations, 1943: Sept., 1250
 gum, 1944: July, 882
 in arthropod-borne virus encephalitides, 1943: May, 644
 in asthmatic patients, postoperative, 1944: July, 995
 in bacillary dysentery, 1943: May, 695, Sept., 1207, 1208, 1216, 1254, Nov., 1482; 1944: July, 821, Nov., 1507
 in bacteremia, 1944: July, 869
 in brucellosis, 1943: Jan., 265, May, 716
 in burns, 1943: Sept., 1231, 1238
 in communicable diseases of children, 1944: July, 888
 in dermatology, indications and limitations, 1944: July, 844
 in diabetic gangrene, 1942: Sept., 1462
 in diseases of infants and children, 1944: July, 882
 in dysentery in children, 1944: July, 888
 in ear, nose and throat diseases, 1944: July, 797
 in elephantiasis, 1943: May, 869
 in gas gangrene, 1942: Sept., 1386
 in gonococcal infections, 1942: Sept., 1385, 1531; 1943: Sept., 1254
 in women, 1943: Jan., 47, 76, 93; 1944: July, 831
 in gynecology and obstetrics, 1944: July, 827
 in hemolytic streptococcal infections, 1943: Sept., 1203
 in infectious arthritides, 1942: Sept., 1529; 1943: Sept., 1327
 in infectious diseases of colon, clinical evaluation, 1943: Jan., 189
 in influenza, 1944: Sept., 1077
 in intestinal diseases, 1944: July, 811
 in mastoiditis, 1944: July, 799
 in meningitis, 1942: Sept., 1384; 1943: Sept., 1204, 1205, 1253, Nov., 1500, 1505; 1944: July, 869
 in meningitis, 1944: July, 869
 in ophthalmology, 1944: July, 789
 in otitis media, 1944: July, 799
 in otolaryngology in children, 1944: July, 887
 local use, 1944: July, 801
 in pediatrics, 1944: July, 882, 884
 dosages, 1944: July, 884
 modes of administration, 1944: July, 882

- Sulfonamides in plague, 1943: May, 760
in pneumococcal infections, 1942: Sept., 1383
in pneumonia, 1942: Sept., 1383; 1943: Sept., 1299; 1944: July, 805, 808, Sept., 1068
in children, 1944: July, 887
in primary atypical pneumonia, 1944: Sept., 1078
in puerperal sepsis, 1943: Nov., 1612; 1944: July, 828
in pyelonephritis, 1943: Nov., 1562
in rheumatic infection, prophylactic, 1943: Sept., 1283; 1944: July, 838, 889
in sinusitis, 1942: Sept., 1518, 1528
in smallpox, 1943: May, 615
in staphylococcal infections, 1942: Sept., 1380; 1943: Sept., 1253, Nov., 1506
in streptococcal infections, 1942: Sept., 1377; 1943: Sept., 1253, Nov., 1503
in subacute bacterial endocarditis, 1944: Sept., 1132
in ulcerative colitis, 1944: July, 811
in urinary tract infections, 1942: Sept., 1382, 1384; 1943: Sept., 1254; 1944: July, 825
in children, 1944: July, 888
in women, 1944: July, 834
in virus infections, 1942: Sept., 1387
intraperitoneal use, in gynecology, 1944: July, 833
lozenges, 1944: July, 882
niacin with, 1943: March, 578
parenteral use, in children, 1944: July, 883
pharmacology, 1944: July, 872
rectal administration, in children, 1944: July, 882
skin eruption due to, 1942: Jan., 145
therapy with, as hazard for workers with industrial chemicals, 1942: July, 1157
present status, 1942: Sept., 1375; 1943: Sept., 1247
toxicology, 1942: Sept., 1375, 1493, 1494; 1943: Sept., 1250; 1944: July, 876
urinary lithiasis following, 1942: March, 352; 1943: Nov., 1570
Sulfur in impetigo contagiosa, 1942: Jan., 171
Sulkowitch test, 1943: Nov., 1629
Sumatra mite fever, 1944: Nov., 1464
Supraorbital decompression in Graves' disease with severe exophthalmos, 1944: March, 493
Suprapubic cystotomy, 1943: Nov., 1565
Suprarenal. See *Adrenal*.
Swimming in relation to ears and sinuses, 1944: Sept., 1126
Synlasol for snoring, 1944: Nov., 1331
in nasal allergy, 1944: Nov., 1335
Sympathectomy for essential hypertension, 1944: Sept., 1149
Synapoidin, 1944: Sept., 1225
Syncope in children, 1942: March, 449
Syphilids, 1942: Jan., 66
Syphilis, cardiovascular, arsenotherapy, 1944: March, 305
cutaneous, 1942: Jan., 65
early, arsenotherapy, intensive, 1944: March, 293
biweekly and triweekly systems, 1944: March, 298
combined with fever therapy, 1944: March, 297
five-day drip, 1944: March, 293
penicillin in, 1944: March, 302
eruptions of. See *Syphilids*.
esophagotracheobronchial fistula due to, 1944: July, 1004
latent, 1944: March, 302
intensive methods in, 1944: March, 303
of central nervous system, 1944: March, 303
of stomach, dyspepsia in, 1944: July, 900
treatment, 1942: Jan., 71
recent advances, 1944: March, 293
Syphilitic aortitis, 1944: Jan., 70
aneurysm formation in, 1944: Jan., 71
arthritis, 1943: Sept., 1326
heart disease, 1943: Sept., 1288; 1944: Jan., 70
optic atrophy, surgical treatment, 1944: March, 304, 446
Syringomyelia, treatment, 1944: March, 438
TABS dorsalis, treatment, 1944: March, 444
Tachycardia, emotions and, 1944: May, 567
paroxysmal, 1942: March, 321; 1943: Nov., 1537
Tannic acid in burns, 1943: Sept., 1232, 1237
Tartar emetic in African trypanosomiasis, 1943: May, 843
Taste, hysteric affections, 1944: May, 692
Teeth, beneficial and harmful effects of fluorine on, 1944: Nov., 1428
nutrition and, 1943: March, 545
Teething, 1943: Nov., 1523
Temperature, body, regulation of, 1942: July, 1179
effective, in industry, 1942: July, 1181, 1186, 1189
Parsons-McConnell chart, 1942: July, 1187

- Temperature, environmental, measuring, 1942: July, 1181
- Tension headache, 1944: March, 439
- Testes, biopsy, 1944: Sept., 1246
- deficiency, diagnosis and treatment, 1942: Nov., 1867
- endocrine disorders of, 1944: March, 482
- physiology, 1944: Sept., 1237
- Testosterone, 1944: Sept., 1259
- in dysmenorrhea, 1943: Jan., 35, Sept., 1377
- in frigidity, 1943: Sept., 1383
- in functional uterine bleeding, 1943: Sept., 1379
- in gynecologic disorders, 1943: Jan., 33
- in hypermenorrhea, 1944: Sept., 1223
- in male hypogonadism, 1942: Nov., 1888
- in menopause, 1943: Jan., 40
- in menorrhagia, 1943: Jan., 38
- in premenstrual breast pain and secretion, 1943: Sept., 1382
- preparations, 1942: Nov., 1888
- Tests, laboratory, as aid in diagnosis and treatment, 1942: Sept., 1391
- in gastro-intestinal disorders, 1942: May, 895
- Tetany, 1944: March, 471
- Thecoma, 1942: Nov., 1826
- Theelin, 1944: Sept., 1254
- to stimulate ovulation, 1944: Sept., 1226
- Theelol, 1944: Sept., 1255
- Theobromine in angina pectoris prophylaxis, 1944: Jan., 27
- in coronary thrombosis, 1944: Jan., 7
- Theophylline and mersalyl orally in congestive heart failure, diuretic efficacy, 1944: July, 911
- in angina pectoris prophylaxis, 1944: Jan., 27
- Thermometers for air temperature, 1942: July, 1181
- Thiamine deficiency, 1943: March, 409
- central nervous system manifestations, 1943: March, 431
- early, 1943: March, 495
- laboratory diagnosis, 1943: March, 504
- dosages, 1942: Sept., 1368
- enzyme relationships, 1943: March, 280
- in alcoholism, 1942: March, 412
- in arthralgia of vitamin B deficiency, 1943: Sept., 1319
- in deficiency diseases, 1943: March, 274
- in foods, 1943: March, 411
- in pregnancy, 1943: March, 540
- in radiation sickness, 1943: March, 577
- in skin diseases, 1942: Jan., 54
- Thiamine, laboratory tests, 1942: Sept., 1392
- requirements, 1943: March, 292, 412
- Thiocyanates in hypertension, 1942: Sept., 1430
- Thiouracil in thyrotoxicosis, 1944: Sept., 1043, Nov., 1362
- Thomas pessary, 1943: Jan., 109, 111
- Thoracentesis in congestive heart failure, 1944: March, 385
- Thoracoplasty in tuberculosis, 1942: March, 555
- Three-day fever, 1943: May, 808
- Throat, diseases of, chronic, 1944: March, 330
- new treatments, 1944: Nov., 1328
- sulfonamides in, 1944: July, 797
- local use, 1944: July, 800
- sore, sulfathiazole by insufflation in, Sept., 1331
- treatment, 1944: Sept., 1114
- Thrombo-angiitis obliterans, 1942: March, 338, Sept., 1463
- ischemic ulcers in, tyrothricin for, 1944: July, 851, 854
- physical medicine in, 1943: July, 951
- Thrombocytopenic purpura, 1944: Jan., 153
- essential, 1944: Jan., 163
- symptomatic, 1944: Jan., 179
- Thrombophlebitis, 1942: Sept., 1475
- peripheral, 1942: March, 341
- Thrombosis, 1943: Nov., 1545
- arterial peripheral, 1943: Nov., 1546
- cerebral, 1942: March, 327; 1943: Nov., 1554
- coronary. See *Coronary thrombosis*.
- mesenteric, 1942: March, 334, May, 781; 1943: Nov., 1552; 1944: May, 730
- of abdominal aorta, 1944: May, 733, 739
- of deep veins, 1942: Sept., 1472
- of portal vein, 1944: May, 733
- of intracranial sinuses, 1942: March, 330
- of superficial veins, 1942: March, 341, Sept., 1478
- pulmonary, 1942: March, 330, 415; 1943: Nov., 1550
- venous, peripheral, 1943: Nov., 1548
- Thrush, 1942: Jan., 160
- Thymic hyperplasia, 1942: Nov., 1771
- Thyroid crisis, 1942: Nov., 1727
- desiccated, in Fröhlich's syndrome, 1942: Nov., 1838
- in hypothyroidism, 1942: Nov., 1716, 1717; 1944: March, 464
- extract, whole, 1944: Sept., 1269
- gland, diseases, 1942: Nov., 1711
- chronic, 1944: March, 467
- in soldiers overseas, 1944: Nov., 1527

- Thyroid gland, malignancy of, 1942: Nov., 1733
hormone, 1944: Sept., 1238
therapy in Graves' disease with severe exophthalmos, 1944: March, 493
in gynecologic disorders, 1943: Jan., 10, 34, 38
with anterior pituitary extract in hypogonadism, 1942: Nov., 1882
- Thyroidectomy for hyperthyroidism, 1942: Nov., 1725
preoperative and postoperative care, 1942: Nov., 1726, 1741
- Thyroiditis, 1942: Nov., 1749
nonsuppurative, 1942: Nov., 1733
- Thyrotoxic heart failure, 1942: Nov., 1728
- Thyrotoxicosis, postoperative, 1944: March, 469
thiouracil in, 1944: Sept., 1043, Nov., 1362
- Thyrotropic hormone, 1942: Nov., 1663
relation of exophthalmos to, 1944: March, 487
- Thyroxin, 1944: Sept., 1268, 1269
in hypothyroidism, 1942: Nov., 1717; 1944: March, 469
- Tibia, lower end, ridging of, 1943: July, 1134
- Tick fever. See *Rocky Mountain spotted fever*.
African, 1943: May, 734
vaccine, in prevention of Rocky Mountain spotted fever, 1944: May, 775
- Tinea, 1942: Jan., 151
cruris, 1942: Jan., 159
marginatum, 1942: Jan., 159
tonsurans, 1942: Jan., 161
- Tinnitus, 1944: Nov., 1327
- Tissue extracts in angina pectoris prophylaxis, 1944: Jan., 28
- Toad-skin, 1943: March, 356
- Tobacco, use of, in hypertension, 1942: Sept., 1428
in peptic ulcer, 1944: March, 412
- Toenails, ingrowing, 1943: July, 1143
- Tongue lesions. See *Glossitis*.
- Tonometry, 1944: May, 744
- Tonsillar hemorrhage, postoperative, treatment, 1944: Sept., 1118
- Tonsillectomy, diphtheria and, 1943: May, 655
in adenoid bronchitis, 1944: Sept., 1095
indications for, 1944: Nov., 1332
- Tonsillitis, acute, sulfonamides in, 1944: July, 799, 887
bismuth in, 1944: Nov., 1332
chronic, 1944: March, 332
relation to systemic diseases, 1944: March, 333
gonadal factors, 1944: Nov., 1331
- Tonsillitis in infants, 1943: Nov., 1525
sulfonamides in, 1942: Sept., 1379
- Tonsils, pharyngeal, hypertrophy of, gonadal factors, 1944: Nov., 1330
- Tormina intestinorum nervosa, 1942: May, 884
- Torticollis, spasmodic, treatment, 1944: March, 449
- Torula infection, 1944: July, 950
- Toxemia of burns, 1943: Sept., 1236
of pregnancy, 1943: Nov., 1596
pre-eclamptic, prevention, 1943: Nov., 1597
treatment, 1943: Nov., 1598
- Toxic properties of selected less familiar metals, 1942: July, 1281
- Trachea, diseases of, chronic, pitfalls in diagnosis and treatment, 1944: March, 322
tuberculosis of wall, without pulmonary involvement, 1944: March, 322
tumor, probably syphilitic, laryngeal paralysis due to, 1944: March, 327
- Tracheitis, atrophic, 1944: March, 326
chronic membranous, 1944: March, 326
with moss-agate sputum, 1944: March, 324
- Tracheobronchial tuberculosis, 1942: March, 564, 600
- Tracheo-esophageal fistula, 1944: July, 1001
- Trachoma, sulfamerazine in, 1944: July, 792
- Transference in psychotherapy, 1944: May, 550
- Transfusions, blood, in anemia, 1944: March, 380
in bronchiolitis, acute, in infants, 1944: Sept., 1104
in erythroblastosis foetalis, 1944: Jan., 251, 263
in gastro-intestinal hemorrhage, 1943: Nov., 1579
in hemorrhage, 1943: Nov., 1544
of pregnancy and labor, 1943: Nov., 1611
in leukemia, 1944: Nov., 1384, 1385
in peptic ulcer, 1942: May, 660
in pregnancy, 1944: Jan., 250, 264
in puerperal sepsis, 1943: Nov., 1612
in subacute leukemia, 1944: Jan., 190
in thrombocytopenic purpura, 1944: Jan., 158
in undulant fever, 1943: Jan., 267
indications, 1943: Jan., 164
reactions, prevention, 1944: Jan., 250, 263
- Rh factor in, 1944: Jan., 236, 250, 256, March, 379

- Transfusions, blood, repeated, testing for
 Rh factor in, 1944: Jan., 250
 of immune blood, 1943: Jan., 157
 plasma, 1943: March, 310
 test in hemorrhagic peptic ulcer, 1942:
 May, 675
- Transportation in fractures, 1942:
 March, 477
- Transverse processes, fractures, 1943:
 July, 1079
 sacralization, 1942: Sept., 1560
- Trauma of abdomen, 1942: May, 783
 of eyes, 1942: May, 953
 of heart, 1942: March, 317
- Traumatic neuroses, 1944: May, 663
- Treatment, specific methods, symposium
 on, 1942: Sept., 1347; 1943: Sept.,
 1201; 1944: Sept., 1029
- Tremor, neurasthenic, 1944: May, 676
 simulated, 1944: May, 702
- Trench foot, 1943: July, 1148
 hypothermia in, 1943: July, 1173
- Trichomonas vaginitis, 1942: Jan., 203,
 205, 208; 1943: Jan., 4, 45
- Trichophylin, 1942: Jan., 151
- Trihydroxyestrin, 1944: Sept., 1255
- Tropical diseases of concern to the home
 front, 1943: Nov., 1476
 symposium on, 1943: May, 601
 medicine in United States today, 1942:
 Sept., 1615
- Truck drivers, fatigue among, study of,
 1942: July, 1125
- Trypanosoma congolense, 1943: May,
 843
 cruzi, 1943: May 824
 gambiense, 1943: May, 835
 rhodesiense, 1943: May, 836
- Trypanosomiasis, African, 1943: May,
 835, Nov., 1491
 American, 1943: May, 822, Nov., 1492
 Brazilian, 1943: May, 822
- Trypsinamide in African trypanosomi-
 asis, 1943: May, 845
- Tsutsugamushi disease, 1944: Nov., 1464
- Tubal pregnancy, Rubin test, 1943: Jan.,
 9, 61
- Tuberculids, 1942: Jan., 79, 147
- Tuberculin test, 1942: March, 538, 580
- Tuberculo-silicosis, 1942: July, 1250
- Tuberculosis, anorectal, 1942: March,
 598
 as a compensation problem, 1942:
 July, 1053
 cutaneous, 1942: Jan., 74
 cutis verrucosa, 1942: Jan., 77
 esophagotracheobronchial fistula due
 to, 1944: July, 1004
 extrapulmonary, 1942: March, 595
 gastro-intestinal, 1942: March, 570,
 596, May, 819
 genito-urinary, 1942: March, 570, 604
 infantile, 1942: March, 576
- Tuberculosis, inoculation, 1942: Jan., 77,
 78
 intestinal, 1942: March, 596, May, 819
 juvenile, 1942: March, 585
 medicolegal phases, in industry, 1942:
 July, 1055
 military, 1942: March, 568, 602, 627
 in infants, 1942: March, 582
 of adrenal gland, 1942: March, 608
 of bones and joints, 1942: March, 605
 physical therapy in, 1943: July, 915
 of ear, nose and throat, 1942: March,
 601
 of kidney, 1942: March, 603; 1944:
 Sept., 1185
 of larynx, 1942: March, 569, 599
 of lymph glands, 1942: March, 566,
 607
 of meninges, 1942: March, 568, 608
 of peritoneum, 1942: March, 611
 of pleura, 1942: March, 609
 of tracheal wall without pulmonary
 involvement, 1944: March, 322
 pulmonary, complications, manage-
 ment, 1942: March, 559
 diabetes mellitus and, association of,
 1944: March, 493
 diagnosis, 1942: March, 527
 in children, 1942: March, 575
 miniature film roentgen surveys,
 1942: March, 634
 roentgen aspects, 1942: March, 615
 silicosis and, 1942: July, 1249
 treatment, 1942: March, 541
 in children, 1942: March, 575
 symposium on, 1942: March, 527
 tracheobronchial, 1942: March, 564,
 600
- Tuberculous arthritis, 1943: Sept., 1326
 infections, sulfamerazine in, 1943:
 Nov., 1456
 pneumonia, 1942: March, 561
- Tumors, hypophyseal stalk, 1942: Nov.,
 1680, 1704, 1708
 of adrenal cortex, 1942: Nov., 1811
 medulla, 1942: Nov., 1806
 of ovary with endocrine manifesta-
 tions, diagnosis and treatment,
 1942: Nov., 1817
 of pituitary gland, 1942: Nov., 1679
 surgical treatment, indications,
 1942: Nov., 1697
 of rectum, 1942: May, 768
 of rectum, rectosigmoid and colon,
 errors in diagnosis, 1944: Jan., 278
- Tympanic membrane, perforations, 1944:
 March, 334
- Typhoid vaccine therapy in rheumatoid
 arthritis, 1943: July, 1125
- Typhoidal arthritis, sulfonamides in,
 1942: Sept., 1548
- Typhoid-dysentery infections in infants
 and children, 1944: Sept., 1190

- Typhus exanthematicus, 1943: May, 775
 fever, 1943: May, 775
 endemic or murine, 1943: May, 775, 784, 787
 epidemic, 1943: May, 775, 779, 782
 scrub or mite, 1944: Nov., 1464
- Tyrothricin in ulcers of extremities due to peripheral vascular disease, 1944: July, 849
- ULCER, duodenal. See *Duodenal ulcer* and *Peptic ulcer*.
 gastric. See *Stomach ulcer* and *Peptic ulcer*.
 ischemic, tyrothricin in, 1944: July, 851, 854, 855
 of extremities due to peripheral vascular disease, tyrothricin in, 1944: July, 849
 peptic. See *Peptic ulcer*.
 skin, sulfathiazole in, topically, 1944: July, 847
 varicose, 1942: Sept., 1481
 venous stasis, tyrothricin in, 1944: July, 850, 853
- Ultraviolet irradiation, continuous disinfection of air by, 1944: Nov., 1306
 in erysipelas, 1942: Jan., 91
 in impetigo contagiosa, 1942: Jan., 172
 in rickets, 1943: March, 366
- Undulant fever. See *Brucellosis*.
- Unna's boot, 1943: July, 958
- Urea as diuretic, 1944: Sept., 1181
 in congestive heart failure, 1944: March, 385
 clearance test of renal function, 1942: Sept., 1396
- Uremic symptoms, postoperative, 1942: March, 355
- Urethra, foreign body in, acute retention due to, 1943: Nov., 1566
 stricture, acute retention due to, 1943: Nov., 1563
- Urethral catheters, 1943: Nov., 1563, 1564
 smears, 1943: Jan., 90
- Urethritis, gonorrheal, anterior, 1944: March, 512
 posterior, 1944: March, 513
- Urinalysis in office gynecology, 1943: Jan., 1
- Urinary lithiasis, following sulfonamides, 1942: March, 352; 1943: Nov., 1570
 tract infections, chemotherapy, 1942: Sept., 1382, 1384; 1943: Sept., 1254; 1944: July, 825, 834, 888
 chronic, 1943: Jan., 236
 sulfonamides in, 1942: Sept., 1382, 1384; 1943: Sept., 1254; 1944: July, 825
 in children, 1944: July, 888
 in women, 1944: July, 834
- Urine concentration tests in Addison's disease, 1944: Sept., 1244
 in diabetes insipidus, 1944: Sept., 1244
 in hypertension, 1943: Sept., 1267
 retention, acute, 1942: March, 343; 1943: Nov., 1562
 hysterical, hypnosis in, 1944: May, 648
 tests in endocrinology, 1944: Sept., 1242
 vitamin levels, 1942: Sept., 1395
- Urobilinogen test of hepatic function, 1942: Sept., 1402
- Urogastrone in peptic ulcer, 1942: May, 653
- Urologic symptoms in gynecologic disorders, 1943: Jan., 13
- Urticaria, 1942: Jan., 145, March, 437
 papular, of childhood, 1942: Jan., 163
- Uterine bleeding, functional, hormone therapy, 1943: Sept., 1378
- Uterus, cervix. See *Cervix uteri*.
 nonreplaceable, pessaries in, 1943: Jan., 114
 prolapse, pessaries in, 1943: Jan., 11, 115
 retrodisplacements, pessaries in, 1943: Jan., 11, 109
 rupture, 1942: March, 503
- VACCINES in arthropod-borne virus encephalitis, prophylaxis, 1943: May, 645
 in bacillary dysentery, 1943: Sept., 1216
 in brucellosis, 1943: Jan., 265, May, 715
 in cholera prophylaxis, 1943: May, 774
 in elephantiasis, 1943: May, 868
 in endemic typhus fever prophylaxis, 1943: May, 788
 in epidemic typhus fever prophylaxis, 1943: May, 783
 in plague prophylaxis, 1943: May, 763
 in Rocky Mountain spotted fever prophylaxis, 1943: May, 732; 1944: May, 776
 in von Economo's encephalitis, 1943: May, 648
- Vagina, diseases, as cause of leukorrhea, 1943: Jan., 45
- Vaginal bleeding, 1943: Jan., 6
 discharges, etiologic diagnosis, 1942: Jan., 202
 excessive, in young girl, 1943: Jan., 20
 smears, 1944: Sept., 1245
- Vaginitis, bacterial, various types, 1943: Jan., 46

- Vaginitis due to hyperestrogenism, 1943: Jan., 48
gonorrheal, 1942: Jan., 203; 1943: Jan., 5, 46
in infants, 1943: Nov., 1527
sulfonamides in, 1944: July, 834
monilia, 1943: Jan., 5, 46
mycotic, 1942: Jan., 203, 207, 209
nonspecific, 1943: Jan., 5, 46
senile, 1943: Jan., 40, 49
trichomonas, 1942: Jan., 203, 205, 208; 1943: Jan., 4, 45
- Valvular disease, rheumatic, chronic, 1943: Sept., 1282
- Van den Bergh reaction, 1942: May, 901, Sept., 1404
- Vaponefrin in bronchial asthma, 1944: March, 346, 350
- Vapors, germicidal, disinfection of air with, 1944: Nov., 1309
- Varicose eczema with eczematids, 1942: Jan., 105
ulcers, 1942: Sept., 1481
veins, 1942: Sept., 1481
thrombosis in, 1942: Sept., 1480
- Varicosities, 1942: March, 341
- Variola. See *Smallpox*.
- Varnish remover dermatitis, 1942: Jan., 25
- Vascular conditions, emotions in, 1944: May, 572
diseases, peripheral, 1942: Sept., 1457
ulcers of extremities due to, thyrothricin in, 1944: July, 849
physical medicine in, 1943: July, 951
emergencies, 1942: March, 325; 1943: Nov., 1542
extracardiac, 1943: Nov., 1540
occlusion, 1943: Nov., 1545
mesenteric, 1943: Nov., 1552
miscellaneous, 1943: Nov., 1552
physiology, recent advances, therapeutic implications, 1943: Sept., 1397
- Vasospasm, 1943: Nov., 1546
- Velometer, 1942: July, 172
- Venous compression, intermittent, in peripheral vascular disease, 1943: July, 981, Sept., 1402
insufficiency, prevention of edema, 1943: July, 958
stasis ulcers, thyrothricin in, 1944: July, 850, 853
thrombosis, deep, 1942: Sept., 1472
peripheral, 1942: March, 341, Sept., 1478; 1943: Nov., 1548
- Ventilation, exhaust, in factories, 1942: July, 1169
in industry, 1942: July, 1188
- Ventricular failure, left, acute, 1943: Nov., 1535
versus right, 1943: Jan., 121, 135
- Verruca acuminata, 1942: Jan., 191
senilis, 1944: July, 969
vulgaris, 1942: Jan., 190
- Vertebra, fifth lumbar, posterior prominence, 1942: Sept., 1568
- Vertebral bodies, fractures, 1943: July, 1080
- Vibration test for sensory disturbance, 1944: July, 938
- Vibrio comma, 1943: May, 766
- Vincent's infection, nutrition and, 1943: March, 550
vitamin therapy, 1944: Nov., 1332
- Vioform in amebiasis, 1943: May, 691
- Viosterol, 1942: Jan., 60
in pregnancy, 1941: May, 622
in rickets, 1943: March, 368
- Virilism, adrenal, 1942: Nov., 1811
- Virus infections, sulfonamides in, 1942: Sept., 1387
sulfamerazine in, 1943: Nov., 1456
pneumonia, 1943: Sept., 1293
- Vision, hysteric affections, 1944: May, 691
neurasthenic affections, 1944: May, 676
vitamin A in, 1942: May, 965
- Visual disturbances in pituitary adenoma, 1942: Nov., 1681, 1684-1687, 1692, 1699, 1702
simulated, 1944: July, 938
- Vitamin A, 1943: March, 349
clinical considerations, 1942: May, 965, Sept., 1369
deficiency, 1943: March, 349, 355
early, 1943: March, 495
laboratory diagnosis, 1943: March, 503
pathology, 1943: March, 512
wound healing and, 1943: March, 564
in pregnancy, 1943: March, 539
laboratory tests, 1942: Sept., 1392
requirements, 1943: March, 291, 352
- Vitamin B. See also *Thiamine*, *Nicotinic acid* and *Riboflavin*.
deficiency, arthralgia in, 1943: Sept., 1317
laboratory tests, 1942: Sept., 1392
sources, 1942: Sept., 1364
- Vitamin C. See also *Ascorbic acid*.
laboratory tests, 1942: Sept., 1394
- Vitamin D, 1943: March, 362
clinical uses, 1942: Sept., 1369
deficiency. See *Rickets*.
in pregnancy, 1943: March, 541
in rheumatoid arthritis, 1944: March, 314
in rickets, 1943: March, 366
- Vitamin D₂, 1944: Sept., 1265
- Vitamin K, 1943: March, 371
deficiency, 1943: March, 371

- Vitamin K, deficiency, early, 1943:
 March, 495
 pathology, 1943: March, 517
 in acute cholecystitis, 1943: Nov., 1586
 in hemorrhagic disease of newborn, 1943: March, 377
 in liver dysfunction, 1942: May, 849
 laboratory tests, 1942: Sept., 1395; 1943: March, 372
 preparations, dosages, and administration, 1943: March, 375
 preoperative use, 1943: March, 377
 relation to prothrombin, 1943: March, 372
 therapeutic test, 1942: May, 903
- Vitamin therapy, general rules, 1943: March, 579
 in deafness, 1944: Nov., 1325
 in deficiency diseases, 1943: March, 274, 533
 early cases, 1943: March, 496
 in eye lesions, 1943: March, 558
 in gastro-intestinal hemorrhage, 1943: Nov., 1583
 in irritable stomach, 1943: Sept., 1392
 in psychoses, 1942: March, 407
 in various conditions, 1943: March, 577
 in Vincent's infection, 1944: Nov., 1332
- Vitamins, concentrates, 1943: March, 533
 daily needs, 1942: Sept., 1349
 deficiencies, causes, 1942: Sept., 1353
 early, 1943: March, 485
 evidences of, 1943: Sept., 1365
 laboratory tests, 1942: Sept., 1391; 1943: March, 501
 mixed nature of, 1943: March, 274
 pathology, 1943: March, 509
 primary and secondary, 1942: Jan., 49
 role of gastro-intestinal tract in conditioning, 1943: March, 519
 enzyme relationships, 1943: March, 280
 general practitioner and, 1942: Sept., 1347
 in common foods, 1942: Sept., 1356
 in dermatology, 1942: Jan., 47
 in infant feeding, 1943: Sept., 1359, 1363
 in ophthalmology, 1942: May, 959, 965
 in pregnancy, 1943: March, 539
 in various conditions, 1943: March, 577
 massive doses, 1943: March, 534
 in certain disorders, 1942: Sept., 1363, 1371
 in deficiency diseases, 1943: March, 274, 572
- Vitamins, sources, 1942: Sept., 1364
 supplementary, in workers' diets, 1942: July, 1075, 1155
 synthetic, 1943: March, 533
 Voice test of hearing, 1944: Nov., 1325
 Volkmann's ischemic myositis, physical therapy in, 1943: July, 917
 Volvulus, 1942: March, 366
 Vomiting, deficiency state due to, 1943: March, 523
 in infants and children, 1942: May, 725
 nervous, 1942: May, 882
 Von Economo's type of encephalitis, 1943: May, 646, Nov., 1507
 pruritus, 1942: Jan., 118; 1943: Jan., 5
- Vulvovaginitis, gonococcal, 1943: Jan., 67
 sulfonamides in, 1944: July, 834
- WARM dressings, sterile, in peripheral vascular disease, 1943: July, 951
- Warts, 1942: Jan., 190
 flat, 1942: Jan., 191, 194
 plantar, 1942: Jan., 191, 194; 1943: July, 1143
 radium treatment, 1942: Jan., 135
 seborrheic, 1942: Jan., 191, 193
 senile, 1944: July, 969
- Water requirement in kidney disease, 1944: Sept., 1176
- Waterhouse-Friderichsen disease, 1943: Nov., 1624
- Weight, normal, for boys, girls, men and women, 1943: March, 327
- Weil-Felix reaction in Rocky Mountain spotted fever, 1943: May, 730
 in typhus fever, 1943: May, 781
- Werlhof's disease, 1944: Jan., 163
- Wernicke's disease, 1943: March, 415, 514
- West Nile fever, 1943: Nov., 1516
- Western equine type of encephalitis, 1943: May, 633
- Wet dressings, continuous, in peripheral vascular disease, 1943: July, 951
- Wetting agents for industrial cleansers, 1942: July, 1204
- Wheat germ, 1942: Sept., 1365
- White blood count, peripheral, interpretation of, 1944: July, 920
- Whooping cough, 1943: Nov., 1529
- Winterbottom's sign, 1943: May, 839
- Work week, length of, in war, 1942: July, 1136
- Workers, industrial, diets of, 1942: July, 1068, 1076, 1079, 1154
 ill health in, prevention, 1942: July, 1145
 sickness among, measurement, 1942: July, 1105

1608 INDEX TO VOLUMES 26, 27 AND 28 (1942-1944)

- Workmen's compensation, 1942: July, 1035
 administration of, 1942: July, 1040
 role of medicine, 1942: July, 1040
 development of, 1942: July, 1036
 insurance, 1942: July, 1043
 medical relationships, 1942: July, 1044
 legal-medical problem, 1942: July, 1037
 legislative methods, 1942: July, 1039
 medicine and, 1942: July, 1035
 tuberculosis as problem, 1942: July, 1053
 value of medical testimony, 1942: July, 1042
- Workroom environment, study of, 1942: July, 1163
- Wound healing, nutrition and, 1943: March, 561
- Wounds, self-inflicted, suspected, 1944: July, 939
- Wounds, sulfonamides in, 1942: Sept., 1382
 topically, 1944: July, 847
- Wright-Giemsa stain for malarial parasite, 1944: Nov., 1459
- Wuchereria bancrofti, 1943: May, 862
- XANTHINE diuretics in congestive heart failure, 1944: March, 385
- Xenodiagnosis in American trypanosomiasis, 1943: May, 829
- Xerophthalmia, 1943: March, 357
- x-Ray. See Roentgen.
- Yaws, 1943: Nov., 1495
- Yeast, brewer's, 1942: Sept., 1366
 infection of lip, 1942: Jan., 172
 of vagina, 1942: Jan., 203, 207, 209
- Yellow fever, 1943: Nov., 1487
- ZINC as nutrient, 1943: March, 284

